



NOTICES TO MARINERS

Issue No.33(Total No.1297)

Notice No.920-950

17 August 2026

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	23136	DAGANG BASIN IN TIANJIN PORT	1:15 000	2026年7月第15版	CHECK NTM FROM ISSUE No.31 2026
2	44121	DEEP WATER FAIRWAY OF CHANGJIANGKOU(I)	1:25 000	2026年7月第58版	CHECK NTM FROM ISSUE No.30 2026
3	44122	DEEP WATER FAIRWAY OF CHANGJIANGKOU(II)	1:25 000	2026年7月第58版	CHECK NTM FROM ISSUE No.30 2026
4	44123	DEEP WATER FAIRWAY OF CHANGJIANGKOU(III)	1:25 000	2026年7月第58版	CHECK NTM FROM ISSUE No.30 2026
5	44124	JIANGYA TO YUANYUANSHA	1:25 000	2026年7月第58版	CHECK NTM FROM ISSUE No.31 2026
6	44125	YUANYUANSHA TO WUSONGKOU	1:25 000	2026年7月第58版	CHECK NTM FROM ISSUE No.31 2026
7	44126	WUSONGKOU TO LIUHEKOU	1:25 000	2026年7月第58版	CHECK NTM FROM ISSUE No.29 2026
8	44127	NANCAO FAIRWAY(I)	1:25 000	2026年7月第58版	CHECK NTM FROM ISSUE No.31 2026
9	44128	NANCAO FAIRWAY(II)	1:25 000	2026年7月第58版	CHECK NTM FROM ISSUE No.31 2026
10	44129	NANCAO FAIRWAY(III)	1:25 000	2026年7月第58版	CHECK NTM FROM ISSUE No.31 2026

No.	Chart No.	Name	Scale	Date	Note
11	81206	RONGJIANG CHANNEL (I)	1:15 000	2026年8月第4版	CHECK NTM FROM ISSUE No.31 2026

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	23136	DAGANG BASIN IN TIANJIN PORT	1:15 000	2025年12月第14版	
2	44121	DEEP WATER FAIRWAY OF CHANGJIANGKOU(I)	1:25 000	2026年5月第57版	
3	44122	DEEP WATER FAIRWAY OF CHANGJIANGKOU(II)	1:25 000	2026年5月第57版	
4	44123	DEEP WATER FAIRWAY OF CHANGJIANGKOU(III)	1:25 000	2026年5月第57版	
5	44124	JIANGYA TO YUANYUANSHA	1:25 000	2026年5月第57版	
6	44125	YUANYUANSHA TO WUSONGKOU	1:25 000	2026年5月第57版	
7	44126	WUSONGKOU TO LIUHEKOU	1:25 000	2026年5月第57版	
8	44127	NANCAO FAIRWAY(I)	1:25 000	2026年5月第57版	
9	44128	NANCAO FAIRWAY(II)	1:25 000	2026年5月第57版	
10	44129	NANCAO FAIRWAY(III)	1:25 000	2026年5月第57版	
11	81206	RONGJIANG CHANNEL (I)	1:15 000	2023年11月第3版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Liaodong Gulf	(940)
	Huanghua Port	(941),(942)
	Approaches to Dongying Port	(943),(944),(945)
	Laizhou Gulf Northwards	(946)
	Tuoji Island	(947)
Yellow Sea	Yantai Port	(948)
	Guanhekou	(920)
	Xiaoyang Port Northeastwards	(921),(922)
East China Sea	Hangzhou Gulf	(923)
	Zhoushan Archipelago	(949)
	Feiyunjiang	(924)
Taiwan Strait	Quanzhou Bay	(925)
	Taiwan Island Westwards	(926),(930)
	Xiamen Port and Approaches	(927)
	Jiangjun'ao Southeastwards	(928)
	Dongshan Island Northwards	(950)
	Aojiao Southwards	(929)
South China Sea	Mirs Bay and Approaches	(931)
	Hongkong Island Southwards	(932),(933),(934)
	Zhujiangkou	(935),(936)
	Donghai Island Southwards	(937)
Beibu Gulf	Leizhou Peninsula Westwards	(938)
	Chart Correction by Patch	(939)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
12003		940
13001	939	940
13111	939	
23001		943
24101		943
24111		941,942
24112		942
24113		942
32001		943,946
32201		945
32202		943,944
33001		946
34001		946
34122		946
34132		947
34133		947
34161		948
1303	939	
41211	920	
41221	920	
42002	921,922	
43001	921	
51001	923	
51121	923	
51132	923	
51171	923	
52137		949
55332	924	
55411	924	
64001	927	
64212	925	
64221	925	
65131	927	
65171	927	
66001	928,929	
66241	928	

Notices to Mariners

920. Yellow Sea – Guanhekou – Yanwei Port – Buoyage

Insert 燕尾码头(1)  莫(0)黄15s 34°28'54".7N, 119°47'48".1E
Chart 41211〔2026-756〕 41221〔2026-326〕
List of Lights CNP82/2025~2026〔4111101.01〕
Source East China Sea Aids 017/2026

921. Yellow Sea – Xiaoyang Port Northeastwards – Submarine Power Line

Insert submarine power line, joining:

- (1) 32°33'27".1N, 121°02'46".0E
- (2) 32°33'27".1N, 121°02'48".1E
- (3) 32°33'27".1N, 121°02'49".0E
- (4) 32°33'28".3N, 121°02'49".8E
- (5) 32°34'11".2N, 121°03'53".7E
- (6) 32°35'32".3N, 121°06'27".9E
- (7) 32°36'00".0N, 121°07'20".9E
(43001 北图廓交点)
- (8) 32°36'32".7N, 121°08'23".5E
- (9) 32°36'37".1N, 121°08'30".3E
- (10) 32°37'47".8N, 121°09'22".6E
- (11) 32°38'20".3N, 121°10'23".6E
- (12) 32°41'20".1N, 121°16'05".9E
- (13) 32°42'18".2N, 121°17'57".3E
- (14) 32°45'56".1N, 121°24'59".3E
- (15) 32°45'59".1N, 121°25'09".7E
- (16) 32°46'20".3N, 121°26'37".9E
- (17) 32°46'13".7N, 121°35'56".7E
- (18) 32°46'13".0N, 121°36'03".2E
- (19) 32°46'09".9N, 121°36'06".5E
- (20) 32°42'02".2N, 121°39'09".0E
- (21) 32°42'00".9N, 121°39'10".8E

submarine power line, joining:

(22)32°42'17".7N,121°41'39".4E

(23)32°42'35".4N,121°43'23".7E

(24)32°42'34".9N,121°43'25".8E

(25)32°33'27".1N,121°02'46".0E

(26)32°33'27".0N,121°02'48".2E

(27)32°33'27".0N,121°02'49".1E

(28)32°33'28".2N,121°02'49".9E

(29)32°34'10".7N,121°03'54".1E

(30)32°36'00".0N,121°07'22".2E

(43001北图廓交点)

(31)32°36'33".6N,121°08'26".1E

(32)32°36'36".9N,121°08'30".9E

(33)32°37'47".4N,121°09'23".3E

(34)32°38'59".1N,121°11'39".7E

(35)32°45'55".6N,121°24'59".6E

(36)32°46'18".9N,121°26'37".6E

(37)32°46'13".1N,121°35'53".4E

(38)32°46'11".5N,121°36'02".7E

(39)32°46'09".3N,121°36'05".6E

(40)32°42'02".0N,121°39'07".4E

(41)32°42'00".2N,121°39'11".0E

(42)32°42'17".3N,121°41'45".5E

(43)32°42'34".9N,121°43'25".8E

Chart 42002(12~24)(26~29,31~43with chart unchanged)[2026-709]

43001(2~7;26~30)(with chart unchanged)[2026-709]

2307(18~24)[2026-836]

Source Hydrography Department Shanghai MSA

922.Yellow Sea – Xiaoyang Port Northeastwards – Windmotor & Offshore Platform & Offshore Production Area

Insert 1

(1)32°43'04".0N,121°41'24".2E

2

(2)32°43'09".7N,121°41'41".8E

└	(3)32°43'15".4N,121°41'59".4E
└	(4)32°43'21".1N,121°42'17".1E
└	(5)32°43'26".8N,121°42'34".8E
└	(6)32°43'32".5N,121°42'52".3E
└	(7)32°43'38".2N,121°43'10".0E
└	(8)32°43'43".9N,121°43'27".7E
└	(9)32°43'49".6N,121°43'45".4E
└	(10)32°43'55".3N,121°44'03".0E
└	(11)32°44'01".0N,121°44'20".6E
└	(12)32°44'06".7N,121°44'38".3E
└	(13)32°44'12".4N,121°44'55".9E
└	(14)32°44'18".1N,121°45'13".6E
└	(15)32°44'23".8N,121°45'31".3E
└	(16)32°44'29".5N,121°45'48".9E
└	(17)32°44'35".2N,121°46'06".6E
└	(18)32°44'40".9N,121°46'24".2E
└	(19)32°44'46".7N,121°46'41".9E
└	(20)32°44'52".3N,121°46'59".5E
└	(21)32°44'58".0N,121°47'17".2E
└	(22)32°45'03".7N,121°47'34".8E
└	(23)32°45'09".4N,121°47'52".5E
└	(24)32°44'31".2N,121°48'13".7E
└	(25)32°44'22".1N,121°47'46".1E
└	(26)32°44'13".0N,121°47'18".6E
└	(27)32°44'03".8N,121°46'51".1E
└	(28)32°43'54".7N,121°46'23".5E
└	(29)32°43'45".6N,121°45'56".0E
└	(30)32°43'36".5N,121°45'28".5E
└	(31)32°43'27".3N,121°45'00".9E
└	(32)32°43'18".2N,121°44'33".4E
└	(33)32°43'09".1N,121°44'05".9E

└	(34)32°42'59".9N,121°43'38".3E
└	(35)32°42'50".8N,121°43'10".8E
└	(36)32°42'41".7N,121°42'43".3E
└	(37)32°42'32".5N,121°42'15".8E
└	(38)32°42'23".4N,121°41'48".2E
└	(39)32°41'36".8N,121°42'15".8E
└	(40)32°41'46".8N,121°42'45".2E
└	(41)32°41'56".8N,121°43'14".6E
└	(42)32°42'06".8N,121°43'44".0E
└	(43)32°42'16".8N,121°44'13".5E
└	(44)32°42'26".8N,121°44'42".9E
└	(45)32°42'36".8N,121°45'12".3E
└	(46)32°42'46".8N,121°45'41".8E
└	(47)32°42'56".8N,121°46'11".2E
└	(48)32°43'06".8N,121°46'40".6E
└	(49)32°43'16".8N,121°47'10".1E
└	(50)32°43'26".8N,121°47'39".5E
└	(51)32°43'36".8N,121°48'08".9E
└	(52)32°43'46".7N,121°48'38".4E
└	(53)32°43'08".5N,121°48'59".6E
└	(54)32°43'02".5N,121°48'42".3E
└	(55)32°42'56".5N,121°48'25".0E
└	(56)32°42'50".5N,121°48'07".7E
└	(57)32°42'44".5N,121°47'50".5E
└	(58)32°42'38".5N,121°47'33".2E
└	(59)32°42'32".5N,121°47'16".0E
└	(60)32°42'26".4N,121°46'58".7E
└	(61)32°42'20".4N,121°46'41".4E
└	(62)32°42'14".4N,121°46'24".2E
└	(63)32°42'08".4N,121°46'06".9E
└	(64)32°42'02".4N,121°45'49".6E
└	(65)32°41'56".4N,121°45'32".4E

	(66)32°41'50".4N,121°45'15".1E
	(67)32°41'44".3N,121°44'57".9E
	(68)32°41'38".3N,121°44'40".6E
	(69)32°41'32".3N,121°44'23".3E
	(70)32°41'26".3N,121°44'06".1E
	(71)32°41'20".2N,121°43'48".8E
	(72)32°41'14".2N,121°43'31".6E
	(73)32°41'08".3N,121°43'14".4E
	(74)32°41'02".2N,121°42'57".1E
	(75)32°40'56".2N,121°42'39".8E
升压站 	(76)32°42'34".9N,121°43'25".8E

maritime limit in general and note "Wind Farm
Protection Zone", joining:

- (77)32°43'04".0N,121°41'24".2E
(78)32°45'09".4N,121°47'52".5E
(79)32°43'08".5N,121°48'59".6E
(80)32°40'56".2N,121°42'39".8E
(81)position (77) above

Chart 42002〔2026-921〕

2307(1,7,13,18,23,24,27,30,34,38,39,43,46,49,52,53,58,63,69,75,76;77~81)〔2026-921〕

Source Hydrography Department Shanghai MSA

923.East China Sea – Hangzhou Gulf – Caojing Harbour – Buoyage

Insert (漕电临1)  莫(0)黄12s 同步 (1)30°44'50".0N,121°25'38".5E
(临2)  莫(0)黄12s 同步 (2)30°45'16".7N,121°24'58".1E

Note: Caodianlin No.1 and No.2 Buoyages flash in synchrony.

Chart 51001(1)〔2026-865〕 51121(1)〔2026-865〕 51132〔2026-865〕 51171〔2026-865〕

List of Lights CNP82/2025~2026[5110219.01][5110219.02]

Source East China Sea Aids 017/2026

924.East China Sea – Feiyunjiang – Rui'an Bridge – Bridge Opening Mark

Amend from: (17)  闪红4s (1)27°43'55".4N,120°39'47".0E

to: (17)  闪红 4s2M 同步	(2) 27°43'55".7N, 120°39'47".4E
from: (18)  闪(2) 红 6s	(3) 27°43'56".3N, 120°39'46".1E
to: (18)  闪(2) 红 6s2M 同步	(4) 27°43'56".5N, 120°39'46".3E
from: (19)  定绿	(5) 27°43'57".7N, 120°39'49".6E
to: (19)  长闪 10s2M	(6) 27°43'57".9N, 120°39'49".8E
from: (20)  定绿	(7) 27°43'58".6N, 120°39'48".7E
to: (20)  长闪 10s2M	(8) 27°43'58".6N, 120°39'48".8E
from: (21)  闪绿 4s	(9) 27°44'00".0N, 120°39'52".2E
to: (21)  闪绿 4s2M 同步	(10) 27°44'00".0N, 120°39'52".3E
from: (22)  闪(2) 绿 6s	(11) 27°44'00".9N, 120°39'51".3E
to: (22)  闪(2) 绿 6s2M 同步	(12) 27°44'00".8N, 120°39'51".2E

Note: Rui'an Bridge No.17 and No.21 opening marks flash in synchrony. Rui'an Bridge No.18 and No.22 opening marks flash in synchrony.

Chart 55332(1,2,7~10)[2026-870] 55411[2026-870]

List of Lights CNP82/2025~2026[5811600.17][5811600.18][5811600.19][5811600.20]
[5811600.21][5811600.22]

Source East China Sea Aids 018/2026

925.Taiwan Strait – Quanzhou Bay – Buoyage

Insert (21A)  闪(3) 绿 10s	(1) 24°52'11".7N, 118°41'30".4E
(21B)  闪(3) 红 10s	(2) 24°52'16".6N, 118°41'24".8E
(25B)  快红	(3) 24°52'47".6N, 118°41'23".9E

Chart 64212[2026-96] 64221[2026-667]

List of Lights CNP82/2025~2026[6411410.211][6411410.212][6411410.252]

Source East China Sea Aids 017/2026

926.Taiwan Strait – Taiwan Island Westwards – Houlongbodi Northwestwards – Wreck

Insert  24°38'35".4N, 120°29'58".2E

Chart 2311[2026-890]

Source NTM 2026-(27)-766

927.Taiwan Strait – Xiamen Port and Approaches – Xiajin Fairway – Aids

Delete	(JTL15)  快绿 AIS	(1) 24°30'37".0N, 118°14'08".5E
	(JTL17)  快绿	(2) 24°31'08".9N, 118°13'53".3E
	(JTL18)  闪(2+1)红 6s	(3) 24°31'03".2N, 118°13'23".6E
	(JT19)  闪绿 4s	(4) 24°31'36".1N, 118°12'51".0E
Amend	(1)  V-AIS	(5) 24°30'35".2N, 118°14'02".8E
	(2)  V-AIS	(6) 24°30'35".1N, 118°13'44".8E
	(3)  V-AIS	(7) 24°30'55".7N, 118°13'35".2E
	(4)  V-AIS	(8) 24°31'02".2N, 118°13'50".3E
	from: (JTL13)  闪(2)绿 6s	(9) 24°30'17".9N, 118°14'36".6E
	to: (JT13)  闪(2)绿 6s	(10) 24°30'27".2N, 118°14'35".7E
	from: (JTL14)  闪(3)红 10s	(11) 24°30'19".6N, 118°14'09".2E
	to: (JT14)  闪(2)红 6s	(12) 24°30'21".2N, 118°14'27".4E
	from: (JTL16)  快红	(13) 24°30'27".6N, 118°13'42".1E
	to: (JT16)  闪(3)红 10s	(14) 24°30'36".6N, 118°14'15".6E
Move	from: (JT20)  闪红 4s	(15) 24°31'32".1N, 118°12'40".9E
	to: (JT20)  快红	(16) 24°31'05".0N, 118°13'54".8E
	(JT11)  闪绿 4s from:	(17) 24°29'47".0N, 118°15'14".7E
	to:	(18) 24°29'39".4N, 118°15'20".3E
	(JT12)  闪红 4s from:	(19) 24°29'47".0N, 118°15'01".5E
	to:	(20) 24°29'35".5N, 118°15'10".0E
	(222)  快红 from:	(21) 24°31'13".0N, 118°12'59".3E
	to:	(22) 24°31'27".2N, 118°12'56".5E
	(JT15)  闪(3)绿 10s	(23) 24°30'40".0N, 118°14'26".4E
	(JT19)  快绿	(24) 24°31'11".4N, 118°14'03".6E
Insert	(221A)  V-AIS	(25) 24°31'13".6N, 118°13'10".8E
Chart	64001(2; 13,14; 17,18,21,22)〔2026-872〕 65131〔2026-871〕	
	65171(1~3,6,8; 13,14; 17,18,21,22; 24,25)〔2026-872〕	
List of Lights	CNP82/2025~2026[6610020.01] [6610110.11] [6610110.12] [6610110.131]	
	[6610110.141] [6610110.15] [6610110.16] [6610110.17] [6610110.18]	
	[6610010.22] [6610112.01] [6610112.02] [6610112.03] [6610112.04]	

[6610130.19] [6610130.20]

Source East China Sea Aids 017&018/2026

928.Taiwan Strait – Jiangjun’ao Southeastwards – Buoyage



Insert  (1)24°01'27".5N,117°54'02".0E
(2)  (2)24°00'51".2N,117°54'07".8E

Chart 66001(2)[2026-873] 66241[2026-682]

List of Lights CNP82/2025~2026[6611453.01] [6611453.02]

Source East China Sea Aids 018/2026

929.Taiwan Strait – Aojiao Southwards – V-AIS

Insert  23°25'24".9N,117°25'01".1E

Chart 66001[2026-928] 81001[2026-894] 2312[2026-893]

List of Lights CNP82/2025~2026[6612215]

Source East China Sea Aids 018/2026

930.Taiwan Strait – Taiwan Island Westwards – Buoyage

Insert  23°11'55".0N,120°03'12".0E

Note: The drifting radius of buoyage above is 60m.

Chart 2312[2026-929]

Source NTM 2026-(27)-767

931.South China Sea – Mirs Bay and Approaches – Tolo Harbour Eastwards – Anchorage

Insert anchorage named "Designated Anchorage for
Visiting Yachts" boundary line and

note "  ", joining: (1)22°26'36".4N,114°16'03".6E

(2)22°26'16".8N,114°16'03".6E

(3)22°26'16".8N,114°15'19".3E

(4)22°26'36".4N,114°15'19".3E

(5)position (1) above

(6)22°26'26".6N,114°15'41".5E

Chart 83001(6)(1~5with chart unchanged)[2026-897]

Source Hongkong Marine Department Notice 119/2026

932.South China Sea – Hongkong Island Southwards – Tai Tam Bay – Anchorage

Insert anchorage named "Designated Anchorage for
Visiting Yachts" boundary line and

note " , joining:

- (1)22°13'16".8N,114°13'46".4E
- (2)22°12'27".3N,114°13'46".4E
- (3)22°12'27".3N,114°13'30".0E
- (4)22°13'05".4N,114°13'30".0E
- (5)22°13'05".4N,114°13'16".0E
- (6)22°13'16".8N,114°13'16".0E
- (7)position (1) above

Chart 83001[2026-931] 84001[2026-898] 84203[2026-897]

Source Hongkong Marine Department Notice 119/2026

933.South China Sea – Hongkong Island Southwards – Stanley Bay – Anchorage

Insert anchorage named "Designated Anchorage for
Visiting Yachts" boundary line and

note " , joining:

- (1)22°12'53".8N,114°12'47".8E
- (2)22°12'43".1N,114°12'46".4E
- (3)22°12'43".4N,114°12'41".1E
- (4)22°12'54".1N,114°12'42".5E
- (5)position (1) above

Chart 84203(with chart unchanged)[2026-932]

Source Hongkong Marine Department Notice 119/2026

934.South China Sea – Hongkong Island Southwards – Repulse Bay – Anchorage

Insert anchorage named "Designated Anchorage for
Visiting Yachts" boundary line and

note " , joining:

- (1)22°13'57".4N,114°11'30".1E

(2) 22°13'53".2N, 114°11'32".2E
 (3) 22°13'45".7N, 114°11'15".5E
 (4) 22°13'49".9N, 114°11'13".3E
 (5) position (1) above
 (6) 22°13'51".5N, 114°11'22".8E



Chart 84203(6)(1~5 with chart unchanged)[2026-933]
Source Hongkong Marine Department Notice 119/2026

935. South China Sea – Zhujiangkou – Lantau Island Westwards – Anchorage

Insert anchorage named "Designated Anchorage for Visiting Yachts" boundary line and note "  ", joining:

(1) 22°16'02".4N, 113°51'41".6E
 (2) 22°16'00".0N, 113°51'44".5E
 (84220 南图廓交点)
 (3) 22°15'56".4N, 113°51'48".8E
 (4) 22°15'44".9N, 113°51'37".3E
 (5) 22°15'50".9N, 113°51'30".1E
 (6) 22°16'00".0N, 113°51'39".2E
 (84220 南图廓交点)
 (7) position (1) above

anchorage named "Designated Anchorage for Visiting Yachts" boundary line and note "  ", joining:

(8) 22°15'03".8N, 113°51'01".3E
 (9) 22°14'45".4N, 113°51'01".3E
 (10) 22°14'45".4N, 113°50'46".5E
 (11) 22°15'03".8N, 113°50'46".5E
 (12) position (8) above

Chart 84211(1,3~5,7;8~12)[2026-794] 84212(1,3~5,7)[2026-898]
 84220(1,2;6,7)(with chart unchanged)[2026-898] 84221(1,3~5,7;8~12)[2026-814]
Source Hongkong Marine Department Notice 119/2026

936.South China Sea – Zhujiangkou – Macau Harbour – Buoyage

Amend from: (S1)  闪绿 (1)22°10'55".8N,113°33'38".4E
to: (S1)  闪绿 1.5s3M (2)position (1) above
from: (S3)  闪绿 (3)22°11'03".3N,113°33'40".1E
to: (S3)  闪绿 1.5s3M (4)22°11'03".6N,113°33'40".2E
from: (S4)  闪红 (5)22°11'08".7N,113°33'40".9E
to: (S4)  闪红 2.5s3M (6)22°11'09".0N,113°33'40".8E
from: (S5)  (7)22°11'27".6N,113°33'32".4E
to: (S5)  闪绿 1.5s3M (8)position (7) above
from: (S6)  (9)22°11'24".0N,113°33'34".8E
to: (S6)  闪红 2.5s3M (10)position (9) above
from: (S7)  (11)22°11'33".6N,113°33'30".6E
to: (S7)  闪绿 1.5s3M (12)position (11) above
from: (S8)  (13)22°11'26".4N,113°33'31".2E
to: (S8)  闪红 2.5s3M (14)position (13) above
from: (S10)  (15)22°11'34".2N,113°33'27".0E
to: (S10)  闪红 2.5s3M (16)position (15) above
Insert (S2)  闪红 2.5s3M (17)22°10'58".2N,113°33'37".2E

Chart 84218(3~6,9,10,15,16)(1,2,7,8,11~14;17with chart unchanged)[2026~814]

List of Lights CNP83/2025~2026[M110351.01][M110351.02][M110351.03][M110351.04]
[M110352.05][M110352.06][M110352.07][M110352.08][M110352.10]

Source Macau NTM 040/2026

937.South China Sea – Donghai Island Southwards – Lightbeacon

Amend from: ★ 闪 4s4M (1)20°55'26".3N,110°30'59".7E
to: ★ 甚快 5M (2)20°55'24".7N,110°30'50".9E

Chart 88110[2026~394]

List of Lights CNP83/2025~2026[7810659]

Source Western Guangdong Waterway Notice 036/2026

938.Beibu Gulf – Leizhou Peninsula Westwards – Fairway of Leizhou Power Plant– Shallow

Depth

Insert	<i>12</i>	(1)20°30'01".5N,109°46'48".8E
	<i>10₂</i>	(2)20°30'13".5N,109°46'42".5E
	<i>11₈</i>	(3)20°30'10".6N,109°47'22".4E
Chart	88001(2,3)[2026–902] 88501(3)[2026–560] 88504[2026–560] 04002(2,3)(with chart unchanged)[2026–846] 3316(2,3)[2026–903]	
Source	Guangzhou Hydrographic Center	

939.Chart Correction by Patch

Chinese Version Only.

Chart 13001[2026–887] 13111[2026–887] 1303[2026–887]

Temporary Notices

940. Bohai Sea – Liaodong Gulf – Construction (T)

Date June 29 to December 31, 2026
Area radius 600m central point 39°59'52".6N, 120°48'57".2E
Note: Keep watching on VHF ch.69.
Chart 12003 13001
Source Yingkou Navigation Notice 0306/2026

941. Bohai Sea – Huanghua Port – Zonghe Harbour – Construction (T)

Date July 2 to December 31, 2026, daytime
Area joining: (1) 38°21'16".5N, 117°49'00".6E
(2) 38°21'09".9N, 117°49'07".7E
(3) 38°21'07".0N, 117°49'06".4E
(4) 38°21'06".8N, 117°49'11".1E
(5) 38°21'16".4N, 117°49'25".5E
(6) 38°21'40".0N, 117°49'35".5E
(7) position (1) above
Note: Keep watching on VHF ch.08&16. Irrespective vessels are prohibited from entering into the safety operation area.
Chart 24111
Source Cangzhou Navigation Notice 0292/2026

942. Bohai Sea – Huanghua Port – Bulk Handling Harbour – Dredging (T)

Date July 3 to December 31, 2026
Area area1, joining: (1) 38°24'00".3N, 117°57'47".8E
(2) 38°23'37".5N, 117°58'04".4E
(3) 38°23'48".1N, 117°58'27".9E
(4) 38°24'30".4N, 117°58'59".1E
(5) 38°24'31".5N, 117°58'56".8E
(6) position (1) above

area2, joining: (7)38°21'48".7N,117°52'22".4E
(8)38°21'51".8N,117°52'29".5E
(9)38°21'49".0N,117°52'31".5E
(10)38°21'45".8N,117°52'24".4E
(11)position (7) above

area3, joining: (12)38°24'04".0N,117°57'24".6E
(13)38°24'02".4N,117°57'21".0E
(14)38°23'54".4N,117°57'41".2E
(15)38°23'56".0N,117°57'44".8E
(16)position (12) above

area4, joining: (17)38°21'45".3N,117°51'31".5E
(18)38°21'36".6N,117°51'20".2E
(19)38°21'35".7N,117°51'24".2E
(20)38°21'44".5N,117°51'35".5E
(21)position (17) above

line1, joining: (22)38°23'52".3N,117°57'50".2E
(23)38°24'03".2N,117°57'22".8E
(24)38°23'29".4N,117°56'07".8E
(25)38°23'11".1N,117°55'27".7E
(26)38°22'48".3N,117°54'35".3E
(27)38°22'23".7N,117°53'45".7E
(28)38°21'57".0N,117°52'45".4E
(29)38°21'50".8N,117°52'31".4E
(30)38°21'44".6N,117°52'17".4E
(31)38°21'44".8N,117°51'59".2E
(32)38°21'45".2N,117°51'34".0E
(33)38°21'37".7N,117°51'24".3E
(34)38°21'36".0N,117°51'19".1E
(35)38°21'27".2N,117°50'52".6E
(36)38°21'26".0N,117°50'42".3E

line2, joining: (37)38°22'32".0N,117°55'45".0E

(38)38°23'45".8N,117°58'02".9E

Note: Keep watching on VHF ch.08&16. Irrespective vessels are prohibited from entering into the safety operation area.

Chart 24111 24112 24113

Source Cangzhou Navigation Notice 0294/2026

943.Bohai Sea – Approaches to Dongying Port – Construction (T)

Date July 3 to December 31, 2026

Area area1, joining: (1)38°21'29".1N,118°31'05".6E
(2)38°20'41".1N,118°28'49".3E
(3)38°25'14".9N,119°02'48".6E
(4)38°25'15".2N,119°03'53".0E
(5)38°25'47".9N,119°03'51".7E
(6)38°25'47".4N,119°02'43".3E
(7)position (1) above

area2, joining: (8)38°25'55".6N,119°04'02".4E
(9)38°25'27".7N,119°03'41".5E
(10)38°23'41".3N,119°08'20".2E
(11)38°24'11".3N,119°08'42".0E
(12)position (8) above

area3, joining: (13)38°25'39".7N,119°03'32".8E
(14)38°25'44".6N,119°04'13".6E
(15)38°20'29".4N,119°05'32".2E
(16)38°19'35".3N,119°07'14".4E
(17)38°19'09".3N,119°06'50".4E
(18)38°20'09".1N,119°04'53".8E
(19)position (13) above

area4, joining: (20)38°13'36".1N,119°05'11".4E
(21)38°13'52".2N,119°05'17".7E
(22)38°13'44".4N,119°06'06".4E
(23)38°14'44".4N,119°07'34".1E

(24) 38°20'24".2N, 119°05'09".4E

(25) 38°22'34".8N, 119°05'06".2E

(26) 38°24'46".0N, 119°04'39".2E

(27) 38°25'45".7N, 119°04'12".7E

(28) 38°25'36".9N, 119°03'32".5E

(29) 38°24'37".8N, 119°04'00".0E

(30) 38°22'31".8N, 119°04'24".8E

(31) position (20) above

Note: Keep watching on HF.

Chart 23001 24101 32001 32202

Source Dongying Navigation Notice 0712/2026

944. Bohai Sea – Approaches to Dongying Port – Construction (T)

Date June 29 to November 15, 2026

Area radius 1500m central point 38°13'36".9N, 118°48'11".5E

Note: Keep watching on HF.

Chart 32202

Source Dongying Navigation Notice 0681/2026

945. Bohai Sea – Approaches to Dongying Port – Construction (T)

Date July 1 to December 31, 2026

Area radius 500m central point 38°11'36".6N, 118°55'34".0E

Note: Keep watching on HF.

Chart 32201

Source Dongying Navigation Notice 0683/2026

946. Bohai Sea – Laizhou Gulf Northwards – Construction (T)

Date July 3 to December 31, 2026

Area area 1, extend 200 on both sides of the line

joined by the following points, joining: (1) 38°18'54".8N, 119°37'38".8E

(2) 37°44'45".5N, 120°13'23".1E

area2, extend 200 on both sides of the line

joined by the following points, joining: (3)37°59'55".2N,119°38'52".7E

(4)37°59'19".7N,119°41'39".1E

area3, extend 200 on both sides of the line

joined by the following points, joining: (5)38°04'15".7N,119°46'24".0E

(6)37°59'56".4N,119°38'53".9E

Note: Irrespective vessels are prohibited from entering the safety operation area.

Chart 32001 33001 34001 34122

Source Yantai Navigation Notice 0708/2026

947. Bohai Sea – Tuoji Island – Breakwater Construction (T)

Date January 10 to December 30, 2026

Area area1, joining:

(1)38°09'22".2N,120°44'39".6E

(2)38°09'16".1N,120°44'45".2E

(3)38°09'15".4N,120°44'46".2E

(4)38°09'16".3N,120°44'47".0E

(5)38°09'22".7N,120°44'40".8E

(6)position (1) above

area2, joining:

(7)38°09'16".6N,120°44'44".2E

(8)38°09'16".9N,120°44'43".2E

(9)38°09'15".2N,120°44'42".2E

(10)38°09'14".8N,120°44'43".2E

(11)position (7) above

Note: Irrespective vessels are prohibited from entering the safety operation area.

Chart 34132 34133

Source Yantai Navigation Notice 0017&0687/2026

948. Yellow Sea – Yantai Port – Western Harbour– Construction (T)

Date September 26, 2025 to December 30, 2026

Area joining: (1)37°43'07".2N,121°02'23".7E

(2)37°43'15".0N,121°02'10".6E

(3)37°42'39".9N,121°01'39".1E

(4)37°42'32".1N,121°01'52".2E

(5)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation area.

Chart 34161

Source Yantai Navigation Notice 0960/2025&0688/2026

949.East China Sea – Zhoushan Archipelago – Meishan Island Northeastwards – Bridge Construction(T)

Date June 27 to December 20, 2026

Area joining: (1)29°50'16.0"N,122°02'55.7"E

(2)29°50'20.9"N,122°03'01.9"E

(3)29°49'55.0"N,122°03'10.4"E

(4)29°49'53.2"N,122°03'02.9"E

(5)position(1)above

Note: Keep watching on VHF ch.16&28.

Chart 52137

Source Ningbo Navigation Notice 0708/2026

950.Taiwan Strait – Dongshan Island Northwards – Bridge Construction (T)

Date December 28, 2024 to December 28, 2026

Area area1, joining: (1)23°46'33".4N,117°23'58".8E

(2)23°46'32".6N,117°23'59".7E

(3)23°46'39".2N,117°24'07".2E

(4)23°46'40".0N,117°24'06".4E

(5)position (1) above

area2, joining: (6)23°46'40".4N,117°24'06".9E

(7)23°46'39".6N,117°24'07".7E

(8)23°46'43".4N,117°24'12".1E

(9)23°46'44".1N,117°24'11".2E

(10)position (6) above

Note: Keep watching on VHF ch.16.

Chart 66441 66541

Source Zhangzhou Navigation Notice 0023/2024&0418/2026

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.