



# NOTICES TO MARINERS

Issue No.38(Total No.1302)

Notice No.1032-1049

21 September 2026

---

## CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

---

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

|                                            |                                                                                     |
|--------------------------------------------|-------------------------------------------------------------------------------------|
| Tianjin MSA Survey and Mapping Office:     | E-mail: hcdd@tjmsa.gov.cn<br>Phone: +86(0)22 58873986 Fax: +86(0)22 58873988        |
| Shanghai Nautical Chart Center:            | E-mail: gztg@shchart.cn<br>Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997 |
| Guangdong MSA Survey and Mapping Office:   | E-mail: hemail@gdmsa.gov.cn<br>Phone: +86(0)20 89320335 Fax: +86(0)20 89320336      |
| China MSA Nautical Charts&Books Publisher: | Web: www.chart.msa.gov.cn                                                           |

The Maritime Safety Administration of the People's Republic of China

## Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
  - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
  - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
  - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

# SAILING BULLETIN

## 1,Publication Information

### 1.New Chart Information

| No. | Chart No. | Name                                | Scale     | Date        | Note                                  |
|-----|-----------|-------------------------------------|-----------|-------------|---------------------------------------|
| 1   | 23135     | DAGANG HARBOUR OF<br>TIANJIN PORT   | 1:30 000  | 2026年9月第22版 | CHECK NTM<br>FROM ISSUE<br>No.36 2026 |
| 2   | 24111     | BASIN IN HUANGHUA<br>PORT           | 1:10 000  | 2026年8月第14版 | CHECK NTM<br>FROM ISSUE<br>No.35 2026 |
| 3   | 24114     | FAIRWAY IN HUANGHUA<br>PORT( II )   | 1:25 000  | 2026年8月第16版 | CHECK NTM<br>FROM ISSUE<br>No.35 2026 |
| 4   | 51172     | JAIXING PORT AND<br>APPROACHES      | 1:75 000  | 2026年8月第3版  | CHECK NTM<br>FROM ISSUE<br>No.34 2026 |
| 5   | 91202     | TIESHAN PORT( II )                  | 1:15 000  | 2026年8月第9版  | CHECK NTM<br>FROM ISSUE<br>No.35 2026 |
| 6   | 02001     | QIZHOU ISLANDS TO<br>BAI' AN ISLAND | 1:150 000 | 2026年8月第2版  | CHECK NTM<br>FROM ISSUE<br>No.36 2026 |

### 2.Disused Chart Information

| No. | Chart No. | Name                                | Scale     | Date         | Note |
|-----|-----------|-------------------------------------|-----------|--------------|------|
| 1   | 23135     | DAGANG HARBOUR OF<br>TIANJIN PORT   | 1:30 000  | 2026年1月第21版  |      |
| 2   | 24111     | BASIN IN HUANGHUA<br>PORT           | 1:10 000  | 2025年12月第13版 |      |
| 3   | 24114     | FAIRWAY IN HUANGHUA<br>PORT( II )   | 1:25 000  | 2025年12月第15版 |      |
| 4   | 51172     | JAIXING PORT AND<br>APPROACHES      | 1:75 000  | 2019年8月第2版   |      |
| 5   | 91202     | TIESHAN PORT( II )                  | 1:15 000  | 2025年9月第8版   |      |
| 6   | 02001     | QIZHOU ISLANDS TO<br>BAI' AN ISLAND | 1:150 000 | 2012年6月第1版   |      |

## 2,Marine Information

Chinese Version Only.

# INDEX

## 1,GEOGRAPHICAL INDEX

---

|                 |                                 |               |
|-----------------|---------------------------------|---------------|
| Bohai Sea       | Changxing Island and Approaches | (1032)        |
|                 | Dongying Port                   | (1033),(1034) |
| Yellow Sea      | Yantai Port                     | (1035)        |
| East China Sea  | Zhoushan Archipelago            | (1047)        |
|                 | Xiangshan Port and Approaches   | (1036)        |
| South China Sea | Nan'ao Island Southwards        | (1037)        |
|                 | Gaolan Island Southeastwards    | (1038)        |
|                 | Zhuhai Port                     | (1039),(1040) |
|                 | Yamen Channel                   | (1041)        |
|                 | Sanxiakou and Approaches        | (1042)        |
|                 | Dongshan Southwards             | (1043)        |
|                 | Maoming Port                    | (1044)        |
| Beibu Gulf      | Tieshan Port                    | (1045)        |
|                 | Beihai Port Southwestwards      | (1046)        |
|                 | Basuo Port and Approaches       | (1048),(1049) |

## 2,INDEX OF CHARTS AFFECTED

| Chart No. | Notice No.     | Notice No.(T) |
|-----------|----------------|---------------|
| 12003     | 1032           |               |
| 12004     | 1032           |               |
| 12366     | 1032           |               |
| 32001     | 1033,1034      |               |
| 32201     | 1033           |               |
| 32202     | 1033,1034      |               |
| 33001     | 1034           |               |
| 34166     | 1035           |               |
| 34167     | 1035           |               |
| 34168     | 1035           |               |
| 1301      | 1032           |               |
| 1303      | 1032           |               |
| 1304      | 1032,1034      |               |
| 53132     |                | 1047          |
| 53344     | 1036           |               |
| 81105     | 1037           |               |
| 84001     | 1038,1040,1041 |               |
| 84002     | 1040           |               |
| 84204     | 1039,1040,1041 |               |
| 84301     | 1039,1040      |               |
| 84302     | 1041           |               |
| 84307     | 1039,1040      |               |
| 85001     | 1042           |               |
| 85101     | 1042           |               |
| 85102     | 1042           |               |
| 87001     | 1043,1044      |               |
| 87101     | 1043           |               |
| 87102     | 1044           |               |
| 91201     | 1045           |               |
| 91203     | 1045           |               |
| 91204     | 1045           |               |
| 92001     | 1046           |               |
| 92101     | 1046           |               |
| 04001     |                | 1048,1049     |
| 04101     |                | 1048          |
| 3314      | 1038,1042      |               |



# Notices to Mariners

## 1032. Bohai Sea – Changxingdao and Approaches – Shashan Bay Southwestwards – Obstruction

**Insert**  35 碍 39°23'25".6N, 121°11'26".1E

**Note:** The obstruction is about 28m long, 7m wide and 1.8m above the seabed.

**Chart** 12003〔2026-1009〕 12004〔2026-906〕 12366〔2026-906〕 1301〔2026-1009〕  
1303〔2026-1010〕 1304〔2026-1013〕

**Source** Tianjin Hydrographic Center

## 1033. Bohai Sea – Dongying Port – Buoyage

**Move** (122)  闪红 4s from: (1) 38°05'55".9N, 119°01'56".0E

**to:** (2) 38°06'03".2N, 119°02'08".9E

**Insert** (FS1)  快 AIS (3) 38°08'01".6N, 119°06'20".7E

(FS2)  快 AIS (4) 38°07'33".3N, 119°05'30".6E

(FS3)  快 AIS (5) 38°07'05".0N, 119°04'40".5E

(FS4)  快 AIS (6) 38°06'36".7N, 119°03'50".4E

(FS5)  快 AIS (7) 38°06'08".4N, 119°03'00".4E

(FS6)  快 AIS (8) 38°05'40".1N, 119°02'10".3E

(FN1)  甚快(6)+长闪 10s AIS (9) 38°08'33".8N, 119°05'51".7E

(FN2)  甚快(6)+长闪 10s AIS (10) 38°08'05".4N, 119°05'01".6E

(FN3)  甚快(6)+长闪 10s AIS (11) 38°07'37".1N, 119°04'11".4E

(FN4)  甚快(6)+长闪 10s AIS (12) 38°07'08".8N, 119°03'21".3E

(FN5)  甚快(6)+长闪 10s AIS (13) 38°06'40".5N, 119°02'31".2E

(FN6)  甚快(6)+长闪 10s AIS (14) 38°06'12".2N, 119°01'41".2E

**Chart** 32001(1,2;3,9)〔2026-1013〕 32201〔2026-120〕 32202(1,2;3,8,9,14)〔2026-619〕

**List of Lights** CNP81/2025~2026〔3110236.01〕〔3110236.02〕〔3110236.03〕〔3110236.04〕  
〔3110236.05〕〔3110236.06〕〔3110237.01〕〔3110237.02〕〔3110237.03〕〔3110237.04〕  
〔3110237.05〕〔3110237.06〕〔3110239.122〕

**Source** Beihai Aids 022/2026

## 1034. Bohai Sea – Dongying Port – Lightbeacon

|                |                                                                                                                     |                                 |
|----------------|---------------------------------------------------------------------------------------------------------------------|---------------------------------|
| Insert         | (风电 G01)  莫(C)黄 12s12m5M           | (1) 38°01'28".7N, 119°12'02".2E |
|                | (G02)  莫(C)黄 12s12m5M              | (2) 38°02'43".4N, 119°13'00".5E |
|                | (G03) ★ 莫(C)黄 12s12m2M                                                                                              | (3) 38°02'31".5N, 119°14'40".1E |
|                | (G04) ★ 莫(C)黄 12s12m2M                                                                                              | (4) 38°02'19".6N, 119°16'19".6E |
|                | (G05)  莫(C)黄 12s12m5M              | (5) 38°02'07".6N, 119°17'59".2E |
|                | (G06)  莫(C)黄 12s12m5M              | (6) 38°00'38".5N, 119°20'45".4E |
|                | (升压站1)  莫(C)黄 12s32m5M             | (7) 38°01'52".0N, 119°14'10".2E |
|                | (2) ★ 莫(C)黄 12s32m5M                                                                                                | (8) 38°01'50".6N, 119°14'11".2E |
| Chart          | 32001(1~7)[2026–1033] 32202(1~7)(8with chart unchanged)[2026–1033]                                                  |                                 |
|                | 33001(6)[2026–1012] 1304(1,2,5~7)[2026–1032]                                                                        |                                 |
| List of Lights | CNP81/2025~2026[3110245.01][3110245.02][3110245.03][3110245.04]<br>[3110245.05][3110245.06][3110246.01][3110246.02] |                                 |
| Source         | Beihai Aids 021/2026                                                                                                |                                 |

## 1035. Yellow Sea – Yantai Port – Zhifuwan Harbour – Anchorage

|        |                                                                                                          |                                  |
|--------|----------------------------------------------------------------------------------------------------------|----------------------------------|
| Insert | anchorage boundary line and                                                                              |                                  |
|        | note "避风  ", joining: |                                  |
|        |                                                                                                          | (1) 37°34'32".7N, 121°27'32".9E  |
|        |                                                                                                          | (2) 37°34'00".2N, 121°28'16".0E  |
|        |                                                                                                          | (34168 东图廓交点)                    |
|        |                                                                                                          | (3) 37°33'42".5N, 121°28'39".5E  |
|        |                                                                                                          | (4) 37°33'25".3N, 121°29'27".1E  |
|        |                                                                                                          | (5) 37°32'52".4N, 121°29'04".6E  |
|        |                                                                                                          | (6) 37°32'39".2N, 121°28'38".5E  |
|        |                                                                                                          | (7) 37°32'39".2N, 121°28'16".0E  |
|        |                                                                                                          | (34168 东图廓交点)                    |
|        |                                                                                                          | (8) 37°32'39".2N, 121°27'34".8E  |
|        |                                                                                                          | (9) 37°32'43".1N, 121°27'15".1E  |
|        |                                                                                                          | (10) 37°33'20".0N, 121°27'15".2E |
|        |                                                                                                          | (11) 37°33'32".9N, 121°27'32".9E |
|        |                                                                                                          | (12) position (1) above          |

**Note:** The original typhoon shelter anchorage is cancelled. The new one has been put into use since July 29th, 2026. The water area is approximately 7.4km<sup>2</sup>, with depths of 3.8m to 17.9m. The seabed is mud bottom.

**Chart** 34166(1,3~6,8~12)[2026-622] 34167(1,3~6,8~12)[2026-622]  
34168(1,2;7~12)[2025-54]

**Source** Yantai Navigation Notice 0798/2026

### 1036.East China Sea – Xiangshan Port and Approaches – Tieshadao Southwestwards – Submarine Pipeline

**Insert** submarine cable, joining: (1)29°27'48".6N,121°32'00".5E  
(2)29°28'17".9N,121°32'54".8E  
(3)29°28'23".6N,121°32'55".4E  
submarine pipeline and note “water”, joining: (4)29°27'49".2N,121°31'57".7E  
(5)29°28'18".8N,121°32'53".3E  
(6)29°28'23".6N,121°32'53".5E

**Note:** Dredging, drilling, piling, anchoring, dragging anchor, or other marine operations that may endanger the submarine pipelines are prohibited in the waters near submarine pipelines.

**Chart** 53344[2024- ]

**Source** Ningbo Navigation Notice 0905/2026

### 1037.South China Sea – Nan’ao Island Southwards – Buoyage

**Delete** (3)  莫(F)黄12s (1)23°21'28".8N,117°06'28".6E  
(4)  莫(F)黄12s (2)23°21'41".6N,117°06'42".0E

**Chart** 81105[2026-875]

**List of Lights** CNP83/2025~2026[7110091.03][7110091.04]

**Source** Nanhai Aids 089/2026

### 1038.South China Sea – Gaolan Island Southeastwards – Aids

**Insert** 高栏岛采砂(1)  莫(0)黄12s (1)21°43'38".4N,113°28'44".8E  
(2)  莫(0)黄12s (2)21°43'36".8N,113°29'50".0E

- |                                                                                                 |                                 |
|-------------------------------------------------------------------------------------------------|---------------------------------|
| (3)  莫(0)黄 12s | (3) 21°41'24".8N, 113°29'50".0E |
| (4)  莫(0)黄 12s | (4) 21°41'24".8N, 113°27'03".6E |
| (5)  V-AIS     | (5) 21°42'27".0N, 113°28'15".5E |
| (6)  V-AIS     | (6) 21°42'27".2N, 113°29'18".1E |

Chart 84001〔2026-998〕 3314(1~4)〔2026-998〕

List of Lights CNP83/2025~2026[7413355.01] [7413355.02] [7413355.03] [7413355.04]  
[7413355.05] [7413355.06]

Source Hong Kong-Zhuhai-Macao Bridge Aids 037/2026

### 1039.South China Sea – Zhuhai Port – Gaolan Harbour – Lightbeacon & Navigation Line

- Delete  前灯 闪红 5s8M (1) 21°54'28".7N, 113°13'46".7E
-  后灯 闪红 5s8M (2) 21°54'40".5N, 113°13'51".3E
- navigation line and note, joining: (3) 21°52'16".5N, 113°12'55".2E
- (4) 21°53'41".5N, 113°13'28".3E
- (5) 21°54'40".5N, 113°13'51".3E
- navigation line and note, joining: (6) 21°52'16".5N, 113°12'55".2E
- (7) 21°53'41".8N, 113°13'28".4E

Chart 84204〔2026-998〕 84301〔2026-815〕 84307〔2026-〕

List of Lights CNP83/2025~2026[7413570] [7413580]

Source Nanhai Aids 090/2026

### 1040.South China Sea – Zhuhai Port – Gaolan Harbour – Lightbeacon

- Insert ★ 闪 5s9.9m3M (1) 21°56'44".8N, 113°12'16".2E
- ★ 闪 5s6.9m3M (2) 21°57'31".7N, 113°12'43".7E

Chart 84001(1)〔2026-1038〕 84002(1)〔2026-1018〕 84204〔2026-1039〕  
84301〔2026-1039〕 84307〔2026-1039〕

List of Lights CNP83/2025~2026[7413656] [7413657]

Source Nanhai Aids 084/2026

### 1041.South China Sea – Yamen Channel – Aids

- Insert (D1)  闪(2)绿 6s (1) 22°09'36".2N, 113°06'13".0E

|                                                                                                                 |                                 |
|-----------------------------------------------------------------------------------------------------------------|---------------------------------|
| (D2)  闪(2+1)绿 9s<br>约长 约工 约绿   | (2) 22°09'49".1N, 113°06'11".2E |
| (D3)  闪(2)绿 6s<br>约绿           | (3) 22°09'52".7N, 113°06'21".3E |
| (D4)  甚快(6)+长闪 10s<br>约绿 约工 约绿 | (4) 22°10'06".0N, 113°06'20".7E |
| (D5)  闪(2)绿 6s<br>约绿           | (5) 22°09'56".6N, 113°06'33".4E |
| ★ 等明暗红 3s9.4m3M                                                                                                 | (6) 22°10'00".1N, 113°06'34".6E |
| ★ 等明暗红 3s9.4m3M                                                                                                 | (7) 22°10'06".3N, 113°06'32".7E |

Chart 84001(6)[2026–1040] 84204(1,4,6)[2026–1040] 84302[2026–815]

List of Lights CNP83/2025~2026[7413767.01][7413767.02][7413767.03][7413767.04]  
[7413767.05][7413768.01][7413768.02]

Source Hong Kong–Zhuhai–Macao Bridge Aids 036/2026

#### 1042.South China Sea – Sanxiakou and Approaches – Aids

|                                                                                                                   |                                  |
|-------------------------------------------------------------------------------------------------------------------|----------------------------------|
| Insert 鱼塘湾作业区(1)  快绿<br>AIS      | (1) 21°49'05".5N, 112°54'38".2E  |
| (2)  闪红 4s<br>约工                 | (2) 21°49'03".2N, 112°54'34".6E  |
| (3)  闪(2)绿 6s<br>约绿              | (3) 21°49'55".2N, 112°54'03".3E  |
| (4)  闪(2)红 6s<br>约工             | (4) 21°49'52".5N, 112°53'59".1E  |
| (5)  闪(3)绿 10s<br>约绿           | (5) 21°50'44".6N, 112°53'28".1E  |
| (6)  闪(3)红 10s<br>约工           | (6) 21°50'42".0N, 112°53'23".9E  |
| (7)  闪绿 4s<br>约绿               | (7) 21°51'37".5N, 112°52'49".5E  |
| (8)  快红<br>约工                  | (8) 21°51'49".7N, 112°52'34".6E  |
| (9)  闪(2)绿 6s<br>约绿            | (9) 21°51'46".1N, 112°52'45".1E  |
| (10)  闪(3)绿 10s<br>约绿          | (10) 21°51'55".9N, 112°52'43".8E |
| (11)  闪绿 4s<br>约绿              | (11) 21°52'20".2N, 112°52'51".8E |
| (12)  闪红 4s<br>约工              | (12) 21°52'24".9N, 112°52'48".4E |
| (13)  甚快(6)+长闪 10s<br>约绿 约工 约绿 | (13) 21°52'34".1N, 112°52'59".2E |
| (14)  甚快(6)+长闪 10s<br>约绿 约工 约绿 | (14) 21°52'29".4N, 112°53'06".4E |
| ★ 等明暗红 3s8.4m4M                                                                                                   | (15) 21°52'24".0N, 112°52'58".7E |
| ★ 等明暗红 3s8.4m4M                                                                                                   | (16) 21°52'23".2N, 112°53'09".7E |

Chart 85001(1,8,13)[2026–979]

85101(1,4,5,8,12,13,15)(11,14,16with chart unchanged)[2026–692]

85102(1~10)[2025– ] 3314(1)[2026–1038]

List of Lights CNP83/2025~2026[7510211.01][7510211.02][7510211.03][7510211.04]  
[7510211.05][7510211.06][7510211.07][7510211.08][7510211.09]  
[7510211.10][7510211.11][7510211.12][7510211.13][7510211.14]  
[7510212.01][7510212.02]

Source Nanhai Aids 087/2026

#### 1043.South China Sea – Dongshan Southeastwards – Lightbeacon

Insert ★ 闪5s16m5M 同步 (1)21°28'30".4N,111°24'39".6E  
★ 闪5s9.5m5M 同步 (2)21°28'53".4N,111°23'12".0E  
★ 闪5s8.3m5M 同步 (3)21°30'20".8N,111°24'57".7E

Chart 87001[2026-980] 87101[2026-899] 3315(1)[2026-1001]

List of Lights CNP83/2025~2026[7710028.01][7710028.02][7710028.03]

Source Nanhai Aids 082/2026

#### 1044.South China Sea – Maoming Port – Baipai – Lightbeacon

Amend from:★ 熄 (1)21°26'44".8N,111°12'25".5E  
to: ★ 闪5s6m4M (2)position (1) above

Chart 87001[2026-1043] 87102[2026-844] 3315[2026-1043]

List of Lights CNP83/2025~2026[7710152]

Source Nanhai Aids 088/2026

#### 1045.Beibu Gulf – Tieshan Port – Aids

Delete (L1)  闪(2)红6s (1)21°26'28".4N,109°32'23".2E  
Move (10)  闪红4s 同步 from: (2)21°25'59".7N,109°32'50".5E  
to: (3)21°25'33".7N,109°32'55".4E  
Insert (L1)  闪(2)红6s (4)21°26'10".7N,109°32'21".5E  
(3) ★ 等明暗红4s11m5M (5)21°26'37".8N,109°31'59".3E  
(4) ★ 闪3s6.6m3M (6)21°26'36".8N,109°31'57".4E  
(5) ★ 莫(C)黄12s5.3m3M (7)21°26'58".5N,109°31'18".6E  
(6) ★ 莫(C)黄12s6m5M (8)21°27'12".4N,109°31'47".3E

Chart 91201(1;2,3;4,5,7,8)[2026-687] 91203[2026- ]

91204(1;4,5,7,8)[2026-740]

List of Lights CNP83/2025~2026[8110220.10] [8110221.01] [8110222.03] [8110222.04]  
[8110222.05] [8110222.06]

Source Nanhai Aids 085/2026

#### 1046.Beibu Gulf – Beihai Port Southwestwards – Obstruction

Insert 钢桩●(30) (1)21°21'24".0N,108°49'26".4E  
钢桩●(30) (2)21°20'59".4N,108°49'36".6E

Note: Obstructions are both steel piles 30m above seabed with a diameter of 8m.

Chart 92001[2026-982] 92101[2026-1000] 3316[2026-1000]

Source Qinzhou Navigation Warning 0179/2026

## Temporary Notices

### 1047.East China Sea – Zhoushan Archipelago – Jintang Channel – Pier Construction (T)

**Date** August 6, 2026 to February 10, 2027

**Area** joining: (1)29°55'51".2N,121°54'30".5E  
(2)29°55'26".5N,121°54'25".9E  
(3)29°55'29".2N,121°54'05".0E  
(4)29°55'54".0N,121°54'09".3E  
(5)position (1) above

**Note:** Keep watching on VHF ch.14.

**Chart** 53132

**Source** Ningbo Navigation Notice 0888/2026

### 1048.Beibu Gulf – Basuo Port and Approaches – Construction (T)

**Date** May 23, 2025 to February 23, 2027

**Area** joining: (1)19°01'33".9N,108°38'11".3E  
(2)19°01'26".2N,108°37'20".8E  
(3)19°01'02".4N,108°36'49".7E  
(4)19°00'20".8N,108°36'27".9E  
(5)18°58'45".2N,108°36'44".6E  
(6)18°58'29".2N,108°37'19".7E  
(7)18°58'42".6N,108°38'50".3E  
(8)position (1) above

**Note:** Keep watching on VHF ch.08&16.

**Chart** 04001 04101

**Source** Basuo Navigation Notice 0175/2025&0254/2026

### 1049.Beibu Gulf – Basuo Port and Approaches – Construction (T)

**Date** August 1 to December 31, 2026

**Area** radius 1000m, central point 18°57'51".6N,108°22'02".6E

**Note:** Keep watching on VHF ch.08&16.

Source Basuo Navigation Notice 0253/2026

# HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s) .....

Mailing address .....

Subject .....

Geographical area .....

Position or area limit ("PA" indicated if applicable) .....

.....

Affected chart(s)/publication(s) .....

Details:

Suggestion(s)/request(s) .....

.....

Signature :

Date:

# HYDROGRAPHIC INFORMATION REPORT SHEET

## INSTRUCTIONS

### 1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

### 2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

### 3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.