



NOTICES TO MARINERS

Issue No.32(Total No.1296)

Notice No.886-919

10 August 2026

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	23115	DAGUKOU BASIN IN TIANJIN PORT	1:15 000	2026年7月第13版	CHECK NTM FROM ISSUE No.29 2026
2	44257	YANGPU BRIDGE AND APPROACHES	1:5 000	2026年7月第5版	CHECK NTM FROM ISSUE No.29 2026
3	65132	DONGDING ISLAND TO HOUSHI HARBOUR	1:35 000	2026年7月第8版	CHECK NTM FROM ISSUE No.29 2026
4	93105	RONGMUJIANG HARBOUR	1:10 000	2026年7月第6版	CHECK NTM FROM ISSUE No.29 2026

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	23115	DAGUKOU BASIN IN TIANJIN PORT	1:15 000	2025年11月第12版	
2	44257	YANGPU BRIDGE AND APPROACHES	1:5 000	2024年8月第4版	
3	65132	DONGDING ISLAND TO HOUSHI HARBOUR	1:35 000	2025年3月第7版	
4	93105	RONGMUJIANG HARBOUR	1:10 000	2025年7月第5版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Liaoning Coastal	(886)
	Liaodong Gulf	(887),(907),(908)
	Tangshan Port	(909)
	Approaches to Dongying Port	(910)
Yellow Sea	Shidao Port	(911),(912)
	Jinghai Bay	(913)
	Qingdao Port	(914)
	Rizhao Port	(915)
East China Sea	Zhoushan Archipelago	(916)
	Pishandao Eastwards	(888)
	Dongyin Island Southeastwards	(889)
Taiwan Strait	Dagang	(917)
	Xiamen Port and Approaches	(918)
	Taiwan Island West Shore	(890),(891)
	P'eng-hu Lieh-tao	(892),(893)
South China Sea	Haokou port Southeastwards	(894)
	Shibeishanjiao Southwards	(895)
	Jieshi Bay and Approaches	(896)
	Hongkong Island Southeastwards	(897)
	Zhujiangkou	(898)
	Zhujiang River	(919)
	Dazhuzhou and Approaches	(899)
	Zhanjiang Port	(900)
	Leizhou Peninsula Eastwards	(901)
	Qiongzhou Strait	(902)
	Hainan Island Southwards	(904)

Beibu Gulf	Qinzhou Bay and Approaches	(903)
	Duntou Bay Westwards	(905)
	Chart Correction by Patch	(906)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
12003	886,906	
12004	886,906	
12005	886,906	
12344	886,906	
12366	886,906	
13001	887	907,908
13111	887	
22125		909
23001		910
32202		910
33001		910
33326		910
35145		911,912
35156		913
35157		913
36127		914
37112		915
37113		915
1302	886,906	
1303	886,887	
1304	886,906	
52152		916
55001	888	
62001	889	
64131		917
65113		918
2309	888	
2310	889	
2311	890	
2312	891,892,893	
81001	894	
81301	894	
82001	894,895,896	
82201	896	
82311	896	
83001	897	

Chart No.	Notice No.	Notice No.(T)
84001	897,898	
84002	898	
84203	897	
84206	898	
84212	898	
84213	898	
84214	898	
84220	898	
84224	898	
84225	898	
84226	898	
84234		919
87001	899	
87101	899	
88001	901,902	
88103	900	
88109	900	
88301	901	
88402	902	
88403	902	
92001	903	
92101	903	
92102	903	
92106	903	
01103	902	
02501	904	
04001	905	
3316	903	

Notices to Mariners

886. Bohai Sea – Liaoning Coastal – Wreck

Delete	(1979)++概位	(1)39°13'01".7N,120°55'00".3E
	概位:++ (2021)	(2)38°55'30".0N,120°53'36".0E
Chart	12003(with chart unchanged)[2026-834]	
	12004(with chart unchanged)[2026-834]	
	12005(2)(with chart unchanged)[2026-834]	
	12344(2)(with chart unchanged)[2026-834]	
	12366(1)(with chart unchanged)[2026-834]	
	1302(2)(with chart unchanged)[2026-834]	
	1303(1)[2026-834] 1304(with chart unchanged)[2026-834]	
Source	Tianjin Hydrographic Center	

887. Bohai Sea – Liaodong Gulf – Bayuquan Harbour Westwards – Obstruction & Shallow Depth

Delete	19	(1)40°15'36".2N,121°37'06".6E
	16 渔网	(2)40°19'03".2N,121°42'43".6E
	16 渔网	(3)position (2) above
Insert	14	(4)40°19'42".8N,121°39'56".6E
Chart	13001(1,2;4)[2026-834] 13111(2;4)[2026-834] 1303(1,3;4)[2026-886]	
Source	Tianjin Hydrographic Center	

888. South China Sea – Pishandao Eastwards – Obstruction

Insert	danger line and note "碍", joining:	(1)28°08'39".4N,121°55'26".8E
		(2)28°08'39".1N,121°59'46".0E
		(3)28°03'13".1N,121°55'08".0E
		(4)28°04'56".4N,121°52'27".8E
		(5)position (1) above
Note:	It's reported there exists obstruction above and below the water.	
Chart	55001[2026-658] 2309[2026-656]	
Source	Taizhou Navigation Notice 0756/2026	

889.East China Sea – Dongyin Island Southeastwards – Buoyage

Amend from:  (1) 26°21'19".0N, 120°30'49".0E
to:  (2) position (1) above

Note: The buoyage has a drifting radius of 90m.

Chart 62001〔2026-757〕 2310〔2026-682〕

List of Lights CNP82/2025~2026〔6210021〕

Source NTM 2026-(26)-697

890.Taiwan Strait – Taiwan Island West Shore – Zhonggangbodi Northeastwards – Buoyage

Insert  24°45'48".0N, 120°50'41".0E

Note: The buoyage has a drifting radius of 86m.

Chart 2311〔2026-839〕

Source NTM 2026-(26)-713

891.Taiwan Strait – Taiwan Island West Shore – Haikoubodi Southwards – Buoyage

Delete  23°40'49".0N, 120°03'34".0E

Chart 2312〔2026-876〕

Source NTM 2026-(26)-718

892.Taiwan Strait – P'eng-hu Lieh-tao – P'eng-hutao Southeastwards – Buoyage

Amend from:  (1) 23°31'54".0N, 119°41'19".0E
to:  (2) 23°31'54".0N, 119°41'23".0E

Note: The buoyage has a drifting radius of 100m.

Chart 2312〔2026-891〕

Source NTM 2026-(26)-706

893.Taiwan Strait – P'eng-hu Lieh-tao – Dongjiyu Southwestwards – Buoyage

Amend from:  (1) 23°11'28".0N, 119°39'14".0E
to:  (2) position (1) above

Note: The buoyage has a drifting radius of 120m.

Chart 2312〔2026-892〕

List of Lights CNP83/2025~2026〔7110035〕

Source NTM 2026-(26)-707

894.South China Sea – Haokou Port Southeastwards – Buoyage

Delete (1)  莫(0)黄12s (1)22°56'13".4N,116°31'21".3E
(2)  莫(0)黄12s (2)22°55'41".7N,116°31'21".2E

Chart 81001(1)[2026-876] 81301[2026-381] 82001(1)[2026-812]

List of Lights CNP83/2025~2026[7111369.01][7111369.02]

Source Nanhai Aids 078/2026

895.South China Sea – Shibeishanjiiao Southwards – Buoyage

Insert (沉1)  互明暗蓝黄3s (1)22°27'54".1N,116°30'58".9E
(沉2)  互明暗蓝黄3s (2)22°27'48".3N,116°30'50".5E

Chart 82001(1)(2with chart unchanged)[2026-894]

List of Lights CNP83/2025~2026[7210032.01][7210032.02]

Source Nanhai Aids 074/2026

896.South China Sea – Jieshi Bay and Approaches – Tianweijiao Southwestwards – Buoyage

Insert (排水口1)  莫(C)黄12s (1)22°44'01".8N,115°48'13".3E
(2)  莫(C)黄12s (2)22°43'54".4N,115°48'12".2E
(3)  莫(C)黄12s (3)22°43'56".6N,115°47'57".5E
(4)  莫(C)黄12s (4)22°44'04".4N,115°47'59".3E

Chart 82001(2)[2026-895] 82201[2026-] 82311(2)[2026-758]

List of Lights CNP83/2025~2026[7210058.01][7210058.02][7210058.03][7210058.04]

Source Nanhai Aids 076/2026

897.South China Sea – Hongkong Island Southeastwards – Submarine Cable

Insert submarine cable, joining: (1)22°17'07".2N,114°16'05".4E
(2)22°17'09".5N,114°15'58".6E
(3)22°17'08".5N,114°15'51".3E
(4)22°17'01".0N,114°15'42".2E
(5)22°16'55".1N,114°15'32".7E

(6)22°16'39".0N,114°15'16".4E
 (7)22°16'27".3N,114°15'07".9E
 (8)22°16'19".4N,114°15'04".8E
 (9)22°16'12".1N,114°15'10".0E
 (10)22°16'05".0N,114°15'27".8E
 (11)22°15'32".7N,114°15'40".1E
 (12)22°15'10".1N,114°15'43".3E
 (13)22°14'18".8N,114°15'41".5E
 (14)22°13'59".2N,114°15'48".4E
 (15)22°13'59".0N,114°15'48".6E
 (84203 北图廓交点)
 (16)22°13'03".5N,114°16'39".8E
 (17)22°12'15".7N,114°17'08".9E
 (18)22°11'43".0N,114°17'19".4E
 (19)22°11'34".3N,114°17'32".6E
 (20)22°11'26".9N,114°19'35".8E
 (21)22°11'06".4N,114°23'00".0E
 (84203 东图廓交点)
 (22)22°11'00".8N,114°23'54".8E
 (23)22°11'01".7N,114°24'00".0E
 (84001 东图廓交点)
 (24)22°11'18".0N,114°25'39".7E
 (25)22°11'09".4N,114°27'27".0E
 (26)22°11'13".4N,114°29'35".5E
 (27)22°10'41".9N,114°30'10".3E

Chart 83001(1,3,6,8,10,11,13,14,16~20,22,24~27)[2026-841]
 84001(1,3,6,8,10,11,13,14,16~20,22,23)[2026-877]
 84203(15~21)[2026-794]

Source Hongkong NTM 2026-(13)-35

898.South China Sea – Zhujiangkou – Buoyage

Insert		(1) 22°41'23".8N, 113°44'43".6E
		(2) 22°36'00".4N, 113°47'15".0E
		(3) 22°31'45".9N, 113°52'35".6E
		(4) 22°29'29".0N, 113°48'36".4E
		(5) 22°28'55".6N, 113°56'48".5E
		(6) 22°29'50".3N, 113°57'39".2E
		(7) 22°22'26".4N, 113°48'43".2E
Chart	84001(7)[2026-897]84002(1,2,7)[2026-877]84206(1,2,4~7)[2026-814]	
	84212(7)[2026-727]84213(2~6)[2026-728]84214(1,2)[2026-683]	
	84220(2~7)[2026-727]84224(7)(with chart unchanged)[2026-727]	
	84225(5,6)[2026-170]84226(2,3)[2026-683]	
List of Lights	CNP83/2025~2026[7410461][7410493][7410636][7410754][7410761] [7410784][7411302]	
Source	Nanhai Aids 071/2026	

899.South China Sea – Dazhuzhou and Approaches – Aids

Delete	(3) 	(1) 21°25'46".3N, 111°22'23".4E
	from: (气象平台1) ★ 	(2) 21°26'23".7N, 111°23'26".2E
Insert	to: (气象平台1) 	(3) position (2) above
	★ 等明暗红 4s 7.5m 5M 同步	(4) 21°28'03".8N, 111°20'03".2E
		(5) 21°26'15".6N, 111°22'17".8E
		(6) 21°26'28".8N, 111°22'34".8E
	(B1) 	(7) 21°26'15".5N, 111°21'32".8E
	(B2) 	(8) 21°27'17".8N, 111°20'50".7E
Chart	87001(2,3;7)[2026-844] 87101[2026-843]	
List of Lights	CNP83/2025~2026[7710032][7710041.03][7710042.01][7710084][7710085] [7710086.01][7710086.02]	
Source	Nanhai Aids 073/2026	

900.South China Sea – Zhanjiang Port – Tiaoshun Bridge – Aids

Insert	(1) ★快黄 3M	(1) 21°19'27".3N, 110°24'56".6E
	(2) ★快黄 3M	(2) 21°19'28".9N, 110°24'56".5E
	(3) ■闪(2)红 6s 3M	(3) 21°19'28".0N, 110°24'58".9E
	(4) ■闪(2)红 6s 3M	(4) 21°19'28".9N, 110°24'58".9E
	(5) ①莫(A) 6s 3M	(5) 21°19'28".2N, 110°25'01".8E
	(6) ①莫(A) 6s 3M	(6) 21°19'29".1N, 110°25'01".7E
	(7) ▲闪(2)绿 6s 3M	(7) 21°19'28".3N, 110°25'04".5E
	(8) ▲闪(2)绿 6s 3M	(8) 21°19'29".4N, 110°25'04".4E
	(9) ★快黄 3M	(9) 21°19'28".2N, 110°25'06".8E
	(10) ★快黄 3M	(10) 21°19'29".8N, 110°25'06".7E

Chart 88103(1,6,9)[2026-686] 88109[2026-457]

List of Lights CNP83/2025~2026[7811464.01][7811464.02][7811464.03][7811464.04]
[7811464.05][7811464.06][7811464.07][7811464.08][7811464.09]
[7811464.10]

Source Nanhai Aids 072/2026

901.South China Sea – Leizhou Peninsula Eastwards – Xinliaodao and Approaches – Buoyage

Move	外罗港(1)  闪(2+1)绿 6s from:	(1) 20°31'59".3N, 110°31'11".4E
	to:	(2) 20°32'11".5N, 110°31'59".5E

Chart 88001[2026-845] 88301[2026-795]

List of Lights CNP83/2025~2026[7811970.01]

Source Western Guangdong Waterway Notice 033/2026

902.South China Sea – Qiongzhou Strait – Northern Port of Yuehai Railway Ferry – Buoyage

Amend	from: (北港1)  闪红 4s	(1) 20°12'39".5N, 110°06'23".7E
	to: (北港1)  快红 同步	(2) position (1) above
	from: (2)  闪绿 4s	(3) 20°12'56".9N, 110°07'06".2E
	to: (2)  快绿 同步	(4) position (3) above
	from: (4)  闪(3)红 10s	(5) 20°13'35".2N, 110°07'13".3E
	to: (4)  闪(2)红 6s 同步	(6) position (5) above

from: (5)  闪(3)绿 10s

(7) 20°13'26".7N, 110°07'28".4E

to: (5)  闪(2)绿 6s 同步

(8) position (7) above

Chart 88001(1,2)[2026-901] 88402[2026-737] 88403[2026-509] 01103(1~6)[2026-737]

List of Lights CNP83/2025~2026[7812330.01] [7812330.02] [7812330.04] [7812330.05]

Source Nanhai Aids 077/2026

903.Beibu Gulf – Qinzhou Bay and Approaches – Wreck

Insert 概位:  据报(2026)

21°30'09".0N, 108°39'31".8E

Note: The length of the wreck is 96m and width 16m.

Chart 92001[2026-826] 92101[2026-742] 92102[2025-] 92106[2026-742]
3316[2026-796]

Source Qinzhou Navigation Warning 0138/2026

904.Beibu Gulf – Hainan Island Southwards – Potou Port – Aids

Insert (1)  闪红 4s

(1) 18°39'51".2N, 110°19'31".8E

(2)  闪绿 4s

(2) 18°39'57".1N, 110°19'37".9E

(3)  闪绿 4s

(3) 18°40'09".2N, 110°19'36".7E

(4)  闪红 4s

(4) 18°40'08".0N, 110°19'34".1E

(5)  闪绿 4s

(5) 18°40'20".0N, 110°19'25".3E

(1) ★ 等明暗红 3s2.1m4M

(6) 18°40'24".8N, 110°19'24".4E

(2) ★ 等明暗红 3s2.1m4M

(7) 18°40'17".0N, 110°19'19".4E

Chart 02501(1,3,5~7)(2,4with chart unchanged)[2026-690]

List of Lights CNP83/2025~2026[9310161.01] [9310161.02] [9310161.03] [9310161.04]
[9310161.05] [9310162.01] [9310162.02]

Source Nanhai Aids 081/2026

905.Beibu Gulf – Duntou Bay Westwards – V-AIS

Delete (1)  V-AIS

(1) 19°11'05".6N, 108°30'06".0E

(2)  V-AIS

(2) 19°11'09".9N, 108°30'10".7E

Chart 04001(1)(2with chart unchanged)[2026-846]

List of Lights CNP83/2025~2026[9510251.01] [9510251.02]

Source Nanhai Aids 080/2026

906.Chart Correction by Patch

Chinese Version Only.

Chart 12003〔2026-886〕12004〔2026-886〕12005〔2026-886〕12344〔2026-886〕
12366〔2026-886〕1302〔2026-886〕1304〔2026-886〕

Temporary Notices

907. Bohai Sea – Liaodong Gulf – Construction (T)

Delete the temporary notices No.797 in Issue No.27 2026.

Chart 13001

Source Jinzhou Navigation Notice 0220&0294/2026

908. Bohai Sea – Liaodong Gulf – Construction (T)

Date June 23 to December 31, 2026

Area joining: (1) 40°37'19".8N, 121°10'46".2E
(2) 40°30'55".8N, 121°24'35".4E
(3) 40°26'13".8N, 121°20'48".0E
(4) 40°32'48".0N, 121°07'13".8E
(5) position (1) above

Chart 13001

Source Jinzhou Navigation Notice 0294/2026

909. Bohai Sea – Tangshan Port – Caofeidian Harbour – Construction (T)

Date June 24 to November 22, 2026

Area joining: (1) 38°55'22".5N, 118°33'38".6E
(2) 38°55'27".5N, 118°33'54".4E
(3) 38°56'16".0N, 118°32'33".9E
(4) 38°56'08".6N, 118°32'23".4E
(5) position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 22125

Source Caofeidian Navigation Notice 0273/2026

910. Bohai Sea – Approaches to Dongying Port – Construction (T)

Date April 18, 2025 to December 31, 2026

Area area 1, radius 500m, central point (1) 38°07'19".5N, 118°19'31".3E

area 2, radius 500m, central point	(2)38°05'11".4N,118°30'17".9E
area 3, radius 500m, central point	(3)37°59'36".1N,118°58'46".8E
area 4, radius 500m, central point	(4)38°16'41".4N,118°32'36".3E
area 5, radius 500m, central point	(5)38°15'28".2N,119°02'51".3E
area 6, radius 500m, central point	(6)37°47'33".2N,119°22'57".1E
area 7, radius 500m, central point	(7)37°23'43".0N,119°11'59".4E

Note: Keep watching on HF .

Chart 23001 32202 33001 33326

Source Dongying Navigation Notice 0326/2025&0667/2026

911.Yellow Sea – Shidao Port – Construction(T)

Date June 18, 2025 to December 31, 2026

Area joining:	(1)36°55'34".2N,122°28'04".2E
	(2)36°55'31".8N,122°28'04".2E
	(3)36°55'31".8N,122°27'38".4E
	(4)36°55'46".8N,122°27'38".4E
	(5)position (1) above

Note: Keep watching on VHF ch.16.

Chart 35145

Source Weihai Navigation Notice 0545/2025&0655/2026

912.Yellow Sea – Shidao Port – Dredging(T)

Date April 18, 2025 to December 31,2026

Area joining:	(1)36°52'29".0N,122°26'36".0E
	(2)36°52'28".0N,122°26'35".0E
	(3)36°52'17".0N,122°26'59".0E
	(4)36°52'18".0N,122°27'00".0E
	(5)36°52'17".0N,122°27'02".0E
	(6)36°52'47".0N,122°27'23".0E
	(7)36°52'49".0N,122°27'19".0E
	(8)36°52'19".0N,122°26'58".0E

(9)position (1) above

Note: Keep watching on VHF ch.16.

Chart 35145

Source Weihai Navigation Notice 0317/2025&0654/2026

913.Yellow Sea – Jinghai Bay – Fairway Construction(T)

Date April 11, 2025 to December 31, 2026

Area joining: (1)36°51'41".9N,122°06'12".2E
(2)36°52'07".8N,122°06'13".9E
(3)36°53'36".8N,122°06'15".6E
(4)36°54'38".7N,122°06'35".8E
(5)36°54'37".4N,122°06'39".3E
(6)36°53'37".9N,122°06'19".8E
(7)36°53'34".9N,122°06'19".3E
(8)36°52'07".7N,122°06'17".6E
(9)36°51'41".8N,122°06'15".9E
(10)position (1) above

Note: Keep watching on VHF ch.16.

Chart 35156 35157

Source Weihai Navigation Notice 0291/2025&0671/2026

914.Yellow Sea – Qingdao Port – Haixi Bay Harbour – Construction(T)

Date July 25, 2025 to December 31, 2026

Area joining: (1)35°59'59".8N,120°14'33".9E
(2)35°59'59".4N,120°14'35".8E
(3)36°00'00".6N,120°14'47".3E
(4)35°59'58".3N,120°14'52".2E
(5)36°00'06".8N,120°14'57".2E
(6)36°00'09".2N,120°14'50".4E
(7)36°00'00".3N,120°14'34".0E
(8)position (1) above

Chart 36127

Source Qingdao Navigation Notice 0692/2025&0652/2026

915.Yellow Sea – Rizhao Port – Shijiu Harbour – Berth Construction(T)

Date June 29, 2026 to March 31, 2028

Area area 1, joining: (1)35°18'19".0N,119°30'57".0E
(2)35°18'01".0N,119°30'57".0E
(3)35°18'01".0N,119°31'40".0E
(4)35°18'19".0N,119°31'40".0E
(5)position (1) above
area 2, joining: (6)35°18'22".0N,119°30'51".0E
(7)35°17'54".0N,119°30'51".0E
(8)35°17'54".0N,119°31'41".0E
(9)35°18'22".0N,119°31'41".0E
(10)position (6) above

Note: Keep watching on VHF ch.14&16.

Chart 37112 37113

Source Rizhao Navigation Notice 0680/2026

916.East China Sea – Zhoushan Archipelago – Baodaozui Island Northwestwards – Pier Construction(T)

Date June 15, 2026 to June 11, 2027, day and night

Area joining: (1)30°37'28".8N,122°07'47".3E
(2)30°37'23".1N,122°08'03".6E
(3)30°37'04".5N,122°07'54".8E
(4)30°37'09".2N,122°07'38".3E
(5)position (1) above

Note: Keep watching on VHF ch.16. Irrespective vessels are prohibited from entering the safety operation zone.

Chart 52152

Source Shanghai Navigation Notice 0517/2026

917.Taiwan Strait – Dagang – Construction (T)

Date June 20, 2026 to June 10, 2027, anytime

Area area 1, joining: (1)24°52'38".5N,118°56'38".3E
(2)24°52'34".3N,118°56'31".6E
(3)24°52'31".3N,118°56'07".3E
(4)24°52'44".2N,118°56'08".5E
(5)24°52'50".6N,118°56'41".5E
(6)position (1) above
area 2, joining: (7)24°55'34".5N,118°58'07".8E
(8)24°55'59".9N,118°57'43".9E
(9)24°55'11".5N,118°56'41".0E
(10)24°54'46".0N,118°57'05".2E
(11)position (7) above

Note: Keep watching on VHF ch.16&09. Irrespective vessels are prohibited from entering the safety operation zone.

Chart 64131

Source Quanzhou Navigation Notice 0397/2026

918.Taiwan Strait – Xiamen Port and Approaches – Xunjiang Port– Construction (T)

Date June 19, 2026 to May 31, 2027

Area joining: (1)24°32'54".6N,118°12'43".3E
(2)24°32'45".6N,118°12'33".1E
(3)24°32'49".0N,118°12'29".0E
(4)24°32'54".7N,118°12'35".2E
(5)position (1) above

Chart 65113

Source Xiamen Navigation Notice 0388/2026

919.South China Sea – Zhujiang River – Xiaohu Island Eastwards – Bridge Construction (T)

Date September 16, 2023 to December 30, 2026, day and night

Area joining: (1)22°51'07"N,113°33'24"E

(2)22°51'03"N,113°33'26"E

(3)22°51'02"N,113°33'17"E

(4)22°51'04"N,113°33'16"E

(5)position (1) above

Chart 84234

Source Guangzhou Navigation Notice 0470/2023&1421/2026

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.