



NOTICES TO MARINERS

Issue No.27(Total No.1239)

Notice No.572-599

7 July 2025

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44173	JIGUJIAO TO HENGSHA ISLAND	1:80 000	2025年6月第6版	CHECK NTM FROM ISSUE No.24 2025
2	44174	HENGSHA ISLAND TO LIUHEKOU	1:80 000	2025年6月第6版	CHECK NTM FROM ISSUE No.24 2025

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44173	JIGUJIAO TO HENGSHA ISLAND	1:80 000	2019年5月第5版	
2	44174	HENGSHA ISLAND TO LIUHEKOU	1:80 000	2019年5月第5版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Liaodong Gulf	(586)
	Tangshan Port	(573)
	Huanghua Port	(574)
	Dongying Port	(575)
Yellow Sea	Approaches to Changshan Archipelago	(584),(585)
	Dalian Port	(572)
	Aoshan Bay	(587)
	Rizhao Port	(588)
	Lianyungang Port	(576)
	Dafeng Port Northeastwards	(577)
East China Sea	Changjiangkou and Approaches	(578),(579),(580)
	Hangzhou Gulf	(581),(589),(590),(591)
	Zhoushan Archipelago	(582),(592)
	Aojiang	(583)
Taiwan Strait	Jiangyin Peninsula Southwestwards	(593)
	Nan'ao Island	(594)
South China Sea	Guang'ao Bay	(595)
	Zhujiangkou	(596)
	Approaches to Dongping Port	(597)
	Approaches to Yangjiang Port	(598)
Beibu Gulf	Approaches to Leizhou Peninsula	(599)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
12003		586
12201		585
12215		584
12301	572	
12312	572	
12314	572	
22122	573	
22123	573	
23001	574	
24101	574	
24113	574	
24114	574	
32201	575	
32202	575	
36001		587
36112		587
37123		588
41321	576	
42001	577	
42002	577	
42251	577	
44001	578,579,580	
44134	578	
44173	579,580	
44174	578	
51001	581	
51123	581	589,590,591
51172	581	589,590
52141	582	
52171	580	
52174	582	
53001	582	
53342	582	592
55511	583	
62632		593
2307	577	

Notices to Mariners

572.Yellow Sea – Dalian Port – Protected Area

Insert maritime limit in general and note "保护区",
joining:

- (1)38°57'06".0N,121°36'59".4E
- (2)38°57'03".2N,121°37'00".8E
- (3)38°57'02".4N,121°37'01".2E
- (4)38°56'39".6N,121°37'06".0E
- (5)38°56'30".0N,121°37'07".8E
- (6)38°56'11".4N,121°37'12".0E
- (7)38°56'02".2N,121°37'13".5E
- (8)38°56'01".9N,121°37'13".6E
- (9)38°55'53".4N,121°37'15".0E
- (10)38°55'50".4N,121°37'15".6E
- (11)38°55'50".2N,121°37'15".6E
- (12)38°55'50".0N,121°37'15".7E
- (13)38°55'48".0N,121°37'16".2E
- (14)38°55'46".2N,121°37'07".8E
- (15)38°55'48".6N,121°37'06".6E
- (16)38°55'52".2N,121°37'06".0E
- (17)38°55'54".5N,121°37'05".6E
- (18)38°55'54".8N,121°37'05".6E
- (19)38°56'06".6N,121°37'03".6E
- (20)38°56'27".0N,121°36'58".8E
- (21)38°56'39".0N,121°36'57".0E
- (22)38°57'00".6N,121°36'52".2E
- (23)38°57'01".9N,121°36'51".6E
- (24)38°57'03".0N,121°36'51".0E
- (25)position (1) above

Note: Chinese Version Only.

Chart 12301(2~7;8~10,12;18~23)[2024~965] 12312(2~7;8~11;18~23)[2023~812]

12314(2~7;8~10,12;18~23)[2023-812]

Source Dalian Navigation Notice 0225/2025

573. Bohai Sea – Tangshan Port – Caofeidian Harbour – Aids

Insert ★ 等明暗红 4s12m5M (1) 39°06'39".4N, 118°32'53".8E
★ 等明暗绿 4s12m5M (2) 39°06'33".0N, 118°33'10".5E
(SH1) 甚快(9)10s (3) 39°06'23".8N, 118°33'15".7E
黄 绿 黄 绿
(SH2) 甚快(3)5s (4) 39°06'34".9N, 118°32'46".8E
黄 绿 黄 绿
(A9) 闪(2)绿6s (5) 39°06'16".1N, 118°33'19".0E
绿 黄

Chart 22122(2,4,5)[2025-88] 22123[2025-88]

List of Lights CNP81/2024~2025[2330119.09] [2330135.01] [2330135.02] [2330136.01]
[2330136.02]

Source Beihai Aids 018/2025

574. Bohai Sea – Huanghua Port – Anchorage

Insert anchorage boundary line and
note "   No2", joining:
(1) 38°27'17".0N, 118°11'25".0E
(2) 38°26'43".6N, 118°13'06".0E
(24113 东图廓交点)
(3) 38°25'24".0N, 118°17'07".0E
(4) 38°25'41".0N, 118°18'08".0E
(5) 38°27'18".0N, 118°21'44".2E
(24114 南图廓交点)
(6) 38°28'18".0N, 118°23'58".0E
(7) 38°31'46".0N, 118°21'27".0E
(8) 38°28'02".1N, 118°13'06".0E
(24113 东图廓交点)
(9) 38°27'35".3N, 118°12'06".0E
(24114 西图廓交点)
(10) position (1) above

Note: Chinese Version Only.

Chart 23001(1,3,4,6,7,10)[2025-434] 24101(1,3,4,6,7,10)[2025-488]

24113(1,2;8,10)[2024-] 24114(5~7,9)[2024-]

Source Cangzhou Navigation Notice 0128/2024

575.Bohai Sea – Dongying Port – Buoyage

Insert	南支航道(S1)  闪(3)绿10s	(1)38°05'43".4N,119°01'24".8E
	(S2)  闪(3)红10s	(2)38°05'37".4N,119°01'34".6E
	(S3A)  闪(3)绿10s	(3)38°05'14".1N,119°00'56".5E
	(S3B)  闪(3)绿10s	(4)38°05'01".7N,119°00'37".6E
	(S4)  闪(3)红10s	(5)38°04'58".5N,119°00'57".0E
	(S5)  闪(3)绿10s	(6)38°04'41".2N,118°59'46".0E
	(S6)  闪(3)红10s	(7)38°04'32".5N,118°59'51".6E
	(S7)  闪(3)绿10s	(8)38°04'20".7N,118°58'54".5E
	(S8)  闪(3)红10s	(9)38°04'11".9N,118°59'00".1E

Chart 32201[2025-511] 32202(2,3,5,6,9)[2025-511]

List of Lights CNP81/2024~2025[3110278.01] [3110278.02] [3110278.031] [3110278.032]
[3110278.04] [3110278.05] [3110278.06] [3110278.07] [3110278.08]

Source Beihai Aids 017/2025

576.Yellow Sea – Lianyungang Port – Xuwei Harbour – Pier

Amend	from: note“卫星石化”,方位点	(1)34°37'06".1N,119°37'48".7E
	to: note“洋井码头”,方位点	(2)position (1) above
Insert	(146)	(3)34°37'03".4N,119°37'51".9E
	(147)	(4)34°37'08".6N,119°37'45".5E

Chart 41321[2025-447]

Source Hydrography Department Shanghai MSA

577.Yellow Sea – Dafeng Port Northeastwards – Aids

Insert	(T4)  V-AIS	(1)33°21'35".7N,121°36'14".7E
	(T5)  V-AIS	(2)33°21'36".5N,121°34'14".9E
	(T12)  V-AIS	(3)33°17'09".5N,121°31'56".9E
	(T13)  V-AIS	(4)33°17'07".9N,121°34'23".3E

(T14)  V-AIS

大丰H8-1风电(T1)  莫(0)黄15s 同步

(T2)  莫(0)黄15s 同步

(T3)  莫(0)黄15s 同步

(T6)  莫(0)黄15s 同步

(T7)  莫(0)黄15s 同步

大丰H9H15风电(T1)  莫(0)黄15s 同步

(T10)  莫(0)黄15s 同步

(T11)  莫(0)黄15s 同步

大丰H1H2风电(T1)  莫(0)黄12s 同步

(T2)  莫(0)黄12s 同步

(T3)  莫(0)黄12s 同步

(T4)  莫(0)黄12s 同步

(T5)  莫(0)黄12s 同步

(T6)  莫(0)黄12s 同步

(T7)  莫(0)黄12s 同步

(T8)  莫(0)黄12s 同步

(T9)  莫(0)黄12s 同步

(T10)  莫(0)黄12s 同步

(T11)  莫(0)黄12s 同步

(T12)  莫(0)黄12s 同步

(T13)  莫(0)黄12s 同步

(T14)  莫(0)黄12s 同步

大丰H16风电(T1)  莫(0)黄12s 同步

(T2)  莫(0)黄12s 同步

(T3)  莫(0)黄12s 同步

(T4)  莫(0)黄12s 同步

(T5)  莫(0)黄12s 同步

(T6)  莫(0)黄12s 同步

(T7)  莫(0)黄12s 同步

(5)33°17'06".2N,121°36'49".7E

(6)33°26'07".1N,121°34'45".0E

(7)33°23'59".6N,121°36'29".5E

(8)33°21'52".0N,121°38'14".3E

(9)33°21'53".1N,121°32'18".1E

(10)33°23'59".9N,121°33'31".7E

(11)33°17'04".4N,121°39'16".1E

(12)33°15'43".2N,121°28'39".3E

(13)33°17'14".8N,121°29'30".4E

(14)33°32'15".1N,120°53'59".3E

(15)33°32'14".1N,120°55'47".6E

(16)33°32'13".2N,120°57'35".9E

(17)33°32'01".8N,120°58'52".5E

(18)33°30'08".2N,120°58'56".4E

(19)33°28'16".4N,120°59'30".1E

(20)33°26'18".9N,120°59'45".4E

(21)33°24'21".5N,121°00'00".6E

(22)33°22'37".1N,120°58'49".4E

(23)33°22'41".5N,120°56'36".6E

(24)33°24'34".8N,120°56'00".7E

(25)33°26'29".5N,120°55'24".4E

(26)33°28'24".4N,120°54'55".7E

(27)33°30'20".2N,120°54'30".6E

(28)33°23'19".4N,121°04'04".6E

(29)33°23'18".3N,121°06'29".2E

(30)33°23'17".3N,121°08'53".7E

(31)33°21'10".5N,121°09'57".5E

(32)33°21'12".3N,121°07'57".4E

(33)33°21'13".5N,121°06'26".2E

(34)33°21'46".1N,121°03'49".7E

Note: Chinese Version Only.

Chart 42001(1,2,6~10,14~34)[2025-449] 42002(1~5,7~13,21~24,28~34)[2025-514]
42251(14~27)[2025-500]
2307(6,8,9,11,13,14,17,21~23,28,30,31,33,34)[2025-515]

List of Lights CNP82/2024~2025[4310325.01] [4310325.02] [4310325.03] [4310325.04]
[4310325.05] [4310325.06] [4310325.07] [4310325.08] [4310325.09]
[4310325.10] [4310325.11] [4310325.12] [4310325.13] [4310325.14]
[4310484.1601] [4310484.1602] [4310484.1603] [4310484.1604]
[4310484.1605] [4310484.1606] [4310484.1607] [4310492.04] [4310492.05]
[4310496.011] [4310496.021] [4310496.03] [4310496.06] [4310496.07]
[4310498.01] [4310498.10] [4310498.11] [4310498.12] [4310498.13]
[4310498.14]

Source East China Sea Aids 015/2025

578.East China Sea – Changjiangkou and Approaches – Xinqiao Channel – Buoyage

Insert (214)  红6s from: (1)31°35'53".4N,121°24'56".0E
to: (2)31°35'43".0N,121°24'50".0E

Chart 44001[2025-518] 44134[2024-] 44174[2025-]

List of Lights CNP82/2024~2025[4510280.14]

Source East China Sea Aids 015/2025

579.East China Sea – Changjiangkou and Approaches – Aids

Delete  V-AIS (1)31°09'24".6N,122°38'16".8E
(W249)  互明暗蓝黄3s (2)31°08'59".3N,122°38'17".2E
(W250)  互明暗蓝黄3s (3)31°09'50".8N,122°38'17".3E

Chart 44001[2025-578] 44173(with chart unchanged)[[2025-517] 2308(3)[2025-519]

List of Lights CNP82/2024~2025[4511020.5141] [4511020.5142] [4511020.5143]

Source East China Sea Aids 015/2025

580.East China Sea – Changjiangkou and Approaches – Aids

Insert  V-AIS (1)31°00'11".4N,122°37'30".0E
(W252)  互明暗蓝黄3s (2)30°59'51".0N,122°37'30".0E
(W253)  互明暗蓝黄3s (3)31°00'29".7N,122°37'30".0E

Chart 44001〔2025-579〕 44173(with chart unchanged)〔2025-579〕

52171(1,2)〔2025-517〕 2308(3)〔2025-579〕

List of Lights CNP82/2024~2025[4511020.5191][4511020.51952][4511020.51953]

Source East China Sea Aids 015/2025

581.East China Sea – Hangzhou Gulf – Qiantangjiangkou and Approaches – Aids

Delete	 大桥(9) 莫(A)6s 红白	(1) 30°29'21".9N, 121°08'02".8E
	 大桥(10) 闪(2)红6s 红	(2) 30°28'55".4N, 121°07'33".9E
	 大桥(11) 闪(2)绿6s 绿	(3) 30°29'01".8N, 121°07'27".9E
	 大桥(12) 闪(2)红6s 红	(4) 30°28'32".2N, 121°07'02".1E
	 大桥(13) 闪(2)绿6s 绿	(5) 30°28'38".6N, 121°06'55".9E
	 大桥(14) 闪(2)红6s 红	(6) 30°28'09".0N, 121°06'30".2E
	 大桥(15) 闪(2)绿6s 绿	(7) 30°28'15".4N, 121°06'24".1E
	 大桥(16) 闪(2)红6s 红	(8) 30°27'45".9N, 121°05'58".3E
	 大桥(17) 闪(2)绿6s 绿	(9) 30°27'52".4N, 121°05'52".1E
	 大桥(18) 莫(A)6s 红白	(10) 30°27'25".8N, 121°05'23".2E
	 (L11) 快绿 同步 绿	(11) 30°26'43".0N, 121°03'55".3E
	 (L12) 快红 同步 红	(12) 30°26'32".7N, 121°03'59".0E
	 (L13) 快绿 同步 绿	(13) 30°26'03".5N, 121°03'22".5E
	 (L14) 快红 同步 红	(14) 30°25'58".5N, 121°03'30".5E
	 (L15) 快绿 同步 绿	(15) 30°25'23".9N, 121°02'49".7E
	 (L16) 快红 同步 红	(16) 30°25'18".9N, 121°02'57".7E
	 (L17) 莫(A)6s 红白	(17) 30°24'28".7N, 121°02'10".0E
	(68) ▲ 快绿	(18) 30°28'26".7N, 121°06'39".6E
	(69) ▲ 快绿	(19) 30°28'27".4N, 121°06'40".4E
	(70) ① 等明暗 4s3M	(20) 30°28'23".4N, 121°06'42".4E
	(71) ① 等明暗 4s3M	(21) 30°28'24".3N, 121°06'43".5E
	(72) ■ 快红	(22) 30°28'20".4N, 121°06'45".4E
	(73) ■ 快红	(23) 30°28'21".2N, 121°06'46".5E
	 雷康(C)	(24) 30°28'23".9N, 121°06'43".0E
Insert	杭州湾大桥(L1)  莫(P)黄12s 黄	(25) position (1) above

(L2)  莫(P)黄 12s

(26) position (10) above

(L18)  莫(P)黄 12s

(27) position (17) above

(L70)  莫(P)黄 12s3M

(28) position (20) above

(L71)  莫(P)黄 12s3M

(29) position (21) above

Chart 51001(1,2,9~11,14,17,24;25~27,29)[2025-518]

51123(11~17;27)[2025-299]

51172(1,2,5,6,9~11,14,15,17,24;25~29)

(3,4,7,8,18~23with chart unchanged)[2025-299]

List of Lights CNP82/2024~2025[5110550.09][5110550.10][5110550.11][5110570.12]

[5110570.13][5110570.14][5110570.15][5110570.16][5110570.17]

[5110570.18][5110590.291][5110590.2918][5110590.292][5110590.2970]

[5110590.2971][5110590.68][5110590.69][5110590.70][5110590.71]

[5110590.72][5110590.73][5110590.75][5110619.11][5110619.12]

[5110619.13][5110619.14][5110619.15][5110619.16][5110619.17]

Source East China Sea Aids 015/2025

582.East China Sea – Zhoushan Archipelago – Liuheng Island Eastwards – Buoyage

Delete

(2)  甚快(6)+长闪 10s

(1) 29°45'49".7N,122°08'42".7E

Insert

(2)  闪红 4s

(2) 29°37'39".0N,122°27'16".3E

(3)  闪(2)绿 6s

(3) 29°38'31".1N,122°25'57".4E

(4)  闪(2)红 6s

(4) 29°38'30".7N,122°25'17".5E

(5)  闪(3)绿 10s

(5) 29°39'22".5N,122°23'59".2E

(6)  闪(3)红 10s

(6) 29°39'22".4N,122°23'18".5E

(7)  闪绿 4s

(7) 29°40'13".9N,122°22'00".9E

(8)  闪红 4s

(8) 29°40'14".1N,122°21'19".6E

(9)  闪(2)绿 6s

(9) 29°41'05".2N,122°20'02".6E

(10)  闪(2)红 6s

(10) 29°41'05".7N,122°19'20".6E

(3)  甚快(6)+长闪 10s

(11) position (1) above

Chart 52141(2~10)[2025-194] 52174(1;3~11)[2025-519]

53001(1;2,5,10,11)[2025-520] 53342(1;11)[2025-372]

2308(2)[2025-580] 2309(2)[2025-520]

List of Lights CNP82/2024~2025[5314540][5314752.02][5314752.03][5314752.04]

[5314752.05] [5314752.06] [5314752.07] [5314752.08] [5314752.09]
[5314752.10]

Source East China Sea Aids 015/2025

583.East China Sea – Aojiang – Caution

Insert  据报

27°34'03".0N,120°30'24".0E

Chart 55511〔2025–330〕

Source Zhejiang Navigation Warning 0496/2025

Temporary Notices

584.Yellow Sea – Approaches to Changshan Archipelago – Construction (T)

Date May 13 to October 31, 2025

Area joining: (1)39°18'35".4N,122°48'37".8E
(2)39°18'15".0N,122°48'37".8E
(3)39°18'15".0N,122°48'58".2E
(4)39°18'35".4N,122°48'58".2E
(5)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 12215

Source Dalian Navigation Notice 0226/2025

585.Yellow Sea – Approaches to Changshan Archipelago – Construction (T)

Date May 13 to October 31, 2025

Area joining: (1)39°02'15".6N,122°14'26".4E
(2)39°01'55".8N,122°14'59".4E
(3)39°02'11".4N,122°15'15".0E
(4)39°02'30".6N,122°14'42".0E
(5)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 12201

Source Dalian Navigation Notice 0221/2025

586.Bohai Sea – Liaodong Gulf – Drilling (T)

Date May 12 to November 30, 2025, day and night

Area radius 600m, central point 39°59'50".9N,120°48'59".6E

Note: Keep watching on VHF ch.69.

Chart 12003

Source Yingkou Navigation Notice 0218/2025

Blank Page

587.Yellow Sea – Aoshan Bay – Pier Construction(T)

Date December 13, 2024 to May 14, 2026

Area area1, joining: (1)36°26'28".0N,120°46'41".3E
(2)36°26'35".6N,120°49'13".9E
(3)36°25'57".4N,120°49'13".5E
(4)36°25'36".9N,120°47'32".6E
(5)36°25'37".2N,120°46'40".8E
(6)position (1) above
area2, joining: (7)36°25'31".6N,120°46'30".1E
(8)36°25'31".3N,120°47'13".0E
(9)36°23'38".8N,120°47'02".2E
(10)36°23'39".2N,120°46'03".1E
(11)36°25'05".6N,120°46'04".0E
(12)position (7) above

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 36001 36112

Source Qingdao Navigation Notice 1069/2024&0401/2025

588.Yellow Sea – Rizhao Port – Lanshan Harbour – Berth Construction(T)

Date May 15 to December 31, 2025

Area area1, joining: (1)35°04'32".0N,119°21'58".6E
(2)35°04'24".1N,119°21'59".8E
(3)35°04'23".5N,119°21'53".8E
(4)35°04'32".2N,119°21'52".3E
(5)35°04'32".4N,119°21'54".4E
(6)35°04'31".0N,119°21'54".6E
(7)35°04'31".3N,119°21'57".1E
(8)35°04'31".8N,119°21'57".1E
(9)position (1) above
area2, joining: (10)35°04'32".0N,119°21'58".5E
(11)35°04'32".4N,119°22'02".8E

Blank Page

(12)35°04'23".4N,119°22'37".5E

(13)35°04'16".4N,119°22'36".3E

(14)35°04'22".0N,119°21'53".9E

(15)35°04'23".5N,119°21'53".7E

(16)35°04'24".2N,119°21'59".8E

(17)position (10) above

Note: Keep watching on VHF ch.09&16.

Chart 37123

Source Rizhao Navigation Notice 0403/2025

589.East China Sea – Hangzhou Gulf – Bridge Construction(T)

Date April 23, 2025 to December 31, 2026, day and night

Area area 1, extend 100m on both sides of the line

joined by the following points:

(1)30°29'22".0N,121°08'00".0E

(2)30°28'24".0N,121°06'40".0E

(3)30°27'26".0N,121°05'20".0E

area 2, extend 100m on both sides of the line

joined by the following points:

(4)30°27'26".0N,121°05'20".0E

(5)30°26'40".5N,121°03'59".3E

area 3, extend 80m on both sides of the line

joined by the following points:

(6)30°26'40".5N,121°03'59".3E

(7)30°24'28".7N,121°02'10".0E

Note: If vessels need to pass through Hangzhou Gulf Cross-Sea Bridge, they may do so via No.2 navigation channel of the Bridge. If passage is required through the under-construction Hangzhou Gulf Cross-Sea Bridge of the new Nantong-Ningbo High-Speed Railway, vessels may pass through the temporary northern fairway bridge fairway and connection line fairway (Jiaxing Navigation Notice 0044/2023) or the temporary middle fairway bridge fairway (Jiaxing Navigation Notice 0045/2023) during the construction period. Irrespective vessels are prohibited from entering the closed water area or operating near it during the navigation closure period.

Chart 51123 51172

Blank Page

Source Jiaxing Navigation Notice 0018/2025

590.East China Sea – Hangzhou Gulf – Bridge Construction(T)

Date April 24, 2025 to December 8, 2026

Area joining: (1)30°27'33".6N,121°02'05".4E
(2)30°25'34".7N,121°05'16".7E
(3)30°25'08".9N,121°03'50".4E
(4)30°26'45".0N,121°01'17".4E
(5)position (1) above

Note: Keep watching on VHF ch.10&16. Irrespective vessels are prohibited from entering the safety operating area.

Chart 51123 51172

Source Jiaxing Navigation Notice 0019/2025

591.East China Sea – Hangzhou Gulf – Bridge Construction(T)

Date April 26, 2025 to December 31, 2027

Area area1, joining: (1)30°29'40".4N,120°56'24".2E
(2)30°29'35".5N,120°56'36".8E
(3)30°29'23".8N,120°56'30".8E
(4)30°29'28".6N,120°56'17".9E
(5)position (1) above
area2, joining: (6)30°29'55".4N,120°56'59".3E
(7)30°29'21".8N,120°59'09".2E
(8)30°28'32".7N,121°00'30".9E
(9)30°27'46".7N,120°59'48".7E
(10)30°28'29".2N,120°58'36".7E
(11)30°29'00".2N,120°56'35".8E
(12)position (6) above
area3, joining: (13)30°28'27".9N,121°00'38".6E
(14)30°27'33".6N,121°02'05".4E
(15)30°26'45".0N,121°01'17".4E

Blank Page

(16)30°27'35".9N,120°59'56".5E

(17)position (13) above

Note: Keep watching on VHF ch.10&16. Irrespective vessels are prohibited from entering the safety operating area.

Chart 51123

Source Jiaxing Navigation Notice 0020/2025

592.East China Sea – Zhoushan Archipelago – Fodu Island Northwestwards – Reef

Exploding(T)

Date May 16 to December 14, 2025

Area area1, joining: (1)29°45'29".9N,122°01'10".6E

(2)29°45'30".9N,122°01'11".3E

(3)29°45'32".4N,122°01'16".5E

(4)29°45'32".0N,122°01'19".5E

(5)29°45'27".5N,122°01'12".8E

(6)position (1) above

area2, joining: (7)29°45'14".9N,122°00'47".6E

(8)29°45'15".8N,122°00'50".8E

(9)29°45'13".9N,122°00'52".5E

(10)29°45'10".8N,122°00'47".8E

(11)position (7) above

Note: Keep watching on VHF ch.16&28. Irrespective vessels are prohibited from entering the construction area. Vessels passing through the construction area 1000m away from the slow passage; diving operations are prohibited within 2300m around the blasting area.

Chart 53342

Source Zhoushan Navigation Notice 0103/2025

593.Taiwan Strait – Jiangyin Peninsula Southwestwards – Dredging (T)

Date May 23, 2024 to November 21, 2025

Area joining: (1)25°26'00".8N,119°13'16".2E

Blank Page

- (2)25°24'57".1N,119°14'01".9E
- (3)25°24'47".4N,119°14'20".2E
- (4)25°25'07".9N,119°14'33".8E
- (5)25°25'15".2N,119°14'21".8E
- (6)25°26'03".8N,119°13'48".4E
- (7)25°26'24".1N,119°13'50".4E
- (8)position (1) above

Note: Keep watching on VHF ch.10&16. Irrespective vessels are prohibited from entering the construction area.

Chart 62632

Source Putian Navigation Notice 0256/2025

594.Taiwan Strait – Nan’ao Island – Qing’ aowan and Approaches – Work(T)

Date May 14 to November 27, 2025

- Area** joining:
- (1)23°25'35".6N,117°08'11".3E
 - (2)23°25'32".6N,117°08'19".0E
 - (3)23°25'16".9N,117°08'13".6E
 - (4)23°25'15".2N,117°08'07".7E
 - (5)23°25'16".4N,117°08'04".1E
 - (6)23°25'22".3N,117°07'59".6E
 - (7)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 81105

Source Shantou Navigation Notice 1033/2025

595.South China Sea – Guang’ao Bay – Guang’ao Harbour – Dredging(T)

Date May 16 to December 31, 2025

- Area** joining:
- (1)23°13'38".9N,116°45'57.0E
 - (2)23°13'27".7N,116°45'55.9E
 - (3)23°12'48".3N,116°45'59.7E
 - (4)23°12'48".3N,116°46'07.8E

Blank Page

- (5)23°13'05".2N,116°46'13.2E
- (6)23°13'13".9N,116°46'23.5E
- (7)23°13'13".3N,116°46'35.4E
- (8)23°13'34".9N,116°46'39.5E
- (9)23°13'36".1N,116°46'32.6E
- (10)position (1) above

Note: Keep watching on VHF ch.16.
Chart 81203
Source Shantou Navigation Notice 1074/2025

596.South China Sea – Zhujiangkou – Approaches to Jiuzhou Port – Bridge Construction (T)

Date February 25 to November 25, 2025
Area joining:

- (1)22°13'29".0N,113°33'22".0E
- (2)22°12'52".0N,113°34'30".0E
- (3)22°12'41".0N,113°34'12".0E
- (4)22°13'10".0N,113°33'12".0E
- (5)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operating area.
Chart 84218
Source Hong Kong–Zhuhai–Macao Bridge Navigation Notice 0338&1032/2025

597.South China Sea – Approaches to Dongping Port – Dredging (T)

Date April 29 to December 31, 2025
Area area1, joining:

- (1)21°42'08".3N,112°15'08".6E
- (2)21°42'10".0N,112°15'08".7E
- (3)21°42'12".2N,112°15'08".4E
- (4)21°42'12".5N,112°15'14".6E
- (5)21°42'10".4N,112°15'12".3E
- (6)21°42'10".4N,112°15'23".1E
- (7)21°42'12".5N,112°15'20".8E
- (8)21°42'12".3N,112°15'27".3E

Blank Page

(9)21°42'06".0N,112°15'27".0E
 (10)21°42'02".8N,112°15'26".2E
 (11)21°41'59".0N,112°15'24".4E
 (12)21°41'56".8N,112°15'22".5E
 (13)21°41'55".6N,112°15'21".3E
 (14)21°41'54".9N,112°15'20".4E
 (15)21°41'54".4N,112°15'19".3E
 (16)21°41'54".7N,112°15'17".3E
 (17)21°41'55".6N,112°15'14".9E
 (18)21°42'00".2N,112°15'08".0E
 (19)21°42'01".6N,112°15'07".1E
 (20)position (1) above
 area2, joining:
 (21)21°42'12".5N,112°15'14".6E
 (22)21°42'10".4N,112°15'12".3E
 (23)21°42'10".4N,112°15'23".1E
 (24)21°42'12".5N,112°15'20".8E
 (25)position (21) above
 area3, joining:
 (26)21°42'12".7N,112°15'34".0E
 (27)21°42'17".8N,112°15'39".2E
 (28)21°42'19".0N,112°15'39".7E
 (29)21°42'19".9N,112°15'39".2E
 (30)21°42'20".8N,112°15'38".2E
 (31)21°42'23".2N,112°15'40".6E
 (32)21°42'22".3N,112°15'41".7E
 (33)21°42'22".0N,112°15'42".8E
 (34)21°42'22".3N,112°15'43".8E
 (35)21°42'26".0N,112°15'47".4E
 (36)21°42'26".7N,112°15'47".8E
 (37)21°42'27".9N,112°15'47".3E
 (38)21°42'28".8N,112°15'46".3E
 (39)21°42'31".2N,112°15'48".8E

Blank Page

- (40) 21°42'30".3N, 112°15'49".9E
 (41) 21°42'30".0N, 112°15'51".0E
 (42) 21°42'30".3N, 112°15'51".9E
 (43) 21°42'33".1N, 112°15'54".7E
 (44) 21°42'34".0N, 112°15'55".2E
 (45) 21°42'35".2N, 112°15'54".7E
 (46) 21°42'36".1N, 112°15'53".7E
 (47) 21°42'38".5N, 112°15'56".2E
 (48) 21°42'37".6N, 112°15'57".2E
 (49) 21°42'37".2N, 112°15'58".3E
 (50) 21°42'37".7N, 112°15'59".3E
 (51) 21°42'38".9N, 112°16'00".5E
 (52) 21°42'38".1N, 112°16'01".4E
 (53) 21°42'29".4N, 112°15'52".6E
 (54) 21°42'26".8N, 112°15'51".4E
 (55) 21°42'19".4N, 112°15'43".9E
 (56) 21°42'17".8N, 112°15'43".0E
 (57) 21°42'10".9N, 112°15'36".0E
 (58) position (26) above
 area4, joining:
 (59) 21°41'53".5N, 112°14'36".2E
 (60) 21°42'05".3N, 112°15'04".1E
 (61) 21°42'05".8N, 112°15'05".1E
 (62) 21°42'08".3N, 112°15'08".6E
 (63) 21°42'01".6N, 112°15'07".1E
 (64) 21°42'01".4N, 112°15'04".1E
 (65) 21°41'50".2N, 112°14'37".8E
 (66) position (59) above

Note: Irrespective vessels are prohibited from entering the safety operation areas where central points separately are operation vessels and radius are 200m.

Chart 86101 86102

Source Yangjiang Navigation Notice 0972/2025

Blank Page

598.South China Sea – Approaches to Yangjiang Port – Dredging (T)

Date April 30, 2025 to December 31, 2026

Area joining: (1)21°41'00".3N,111°49'08".3E
(2)21°41'06".1N,111°49'23".3E
(3)21°41'07".2N,111°49'26".0E
(4)21°41'08".5N,111°49'31".6E
(5)21°41'00".2N,111°49'34".7E
(6)21°40'57".8N,111°49'30".2E
(7)21°40'50".8N,111°49'11".9E
(8)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation areas where central points separately are operation vessels and radius are 100m.

Chart 86301

Source Yangjiang Navigation Notice 0971/2025

599.Beibu Gulf – Approaches to Leizhou Peninsula – Drilling (T)

Date April 9, 2024 to December 31, 2025

Area radius 1M, central point 20°29'12".5N,109°38'17".9E

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 04002

Source Zhanjiang Navigation Notice 0018/2024&1054/2025

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.