



NOTICES TO MARINERS

Issue No.24(Total No.1288)

Notice No.677-707

15 June 2026

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Laotieshan Channel and Approaches	(677)
	Changxingdao	(697),(698)
	Binzhou Port	(699)
	Dongying Port	(700),(701),(702),(703), (704),(705)
	Weifang Port	(678),(706)
Yellow Sea	Dandong Port	(693)
	Approaches to Changshan Archipelago	(694),(695)
	Dalian Port	(696)
	Approaches to Haiyang Port	(707)
	Qingdao Coastal	(679)
East China Sea	Changjiangkou and Approaches	(680)
East China Sea&Taiwan Strait	Fujian Coastal	(681),(682)
South China Sea	Zhujiangkou	(683)
	Zhujiang River	(684)
	Chuanshan Archipelago Southwestwards	(685)
	Zhanjiang Port	(686)
	Qizhou Islands	(689)
	Hainan Island Southeastwards	(690),(691)
Beibu Gulf	Tieshan Port	(687)
	Weizhou Island Northwards	(688)
	Chart Correction by Patch	(692)






















2,INDEX OF CHARTS AFFECTED
































Chart No.	Notice No.	Notice No.(T)
11113		693
12002	677	
12003	677	
12004	677	
12005	677	
12201		694,695
12215		694
12334		696
12338	677	
12344	677	
12345	677	
12368		697,698
31102		699
32001	677	703,705
32202		700,701,702,704
33001	678	705
33301	678	
33321	678	706
33322	678	706
33324	678	
33326	678	706
34173		707
36144	679	
37001	679	
1301	677	
1302	677	
1304	677	
1306	679	
44134	680	
44174	680	
61001	681,682	
62001	681,682	
62561	682	
62661	682	
63001	681,682	
64001	681,682	

Chart No.	Notice No.	Notice No. (T)
65171	682	
66001	681,682	
66241	682	
66341	682	
66441	682	
2310	681,682	
2311	681,682	
2312	681,682	
3313	682	
81001	681,682	
84002	683	
84206	683	
84213	683	
84214	683	
84216	684	
84226	683	
84230	683	
84231	683	
84234	684	
85001	685,692	
85101	692	
88103	686	
88108	686	
91001	687,688	
91102	688	
91201	687	
91202	687	
91203	687	
91204	687,688	
91301	688	
92001	688	
02001	689	
02501	690	
03001	691	
3314	685,692	
3315	689	

Notices to Mariners

677.Bohai Sea – Laotieshan Channel and Approaches – Aids

Delete	旅顺新港(1)  闪绿 ^{4s} 雷康(Q) 	(1) 38°47'19".7N, 121°04'54".1E
	(9)  V-AIS	(2) 38°36'42".0N, 120°57'36".0E
	(10)  V-AIS	(3) 38°31'54".0N, 120°54'06".0E
	(3)  V-AIS	(4) 38°32'01".2N, 121°00'57".2E
	(5)  V-AIS	(5) 38°34'17".5N, 120°55'58".5E
Move	(3)  V-AIS from:	(6) 38°33'21".0N, 121°05'04".0E
	to:	(7) 38°33'42".0N, 121°04'16".9E
	(4)  V-AIS from:	(8) 38°28'35".0N, 121°01'36".4E
	to:	(9) 38°28'59".9N, 121°00'47".0E
	(5)  V-AIS from:	(10) 38°34'28".0N, 121°02'35".0E
	to:	(11) 38°35'12".1N, 121°00'57".7E
	(6)  V-AIS from:	(12) 38°29'40".7N, 120°59'05".8E
	to:	(13) 38°30'29".8N, 120°57'27".9E
	(7)  V-AIS from:	(14) 38°35'35".0N, 121°00'05".0E
	to:	(15) position (2) above
	(8)  V-AIS from:	(16) 38°30'47".3N, 120°56'36".5E
	to:	(17) position (3) above
	(2)  V-AIS from:	(18) 38°30'54".2N, 121°03'26".6E
	to:	(19) 38°31'16".4N, 121°02'36".4E
	(4)  V-AIS from:	(20) 38°33'08".7N, 120°58'28".5E
	to:	(21) position (5) above
Insert	旅顺新港(1)  V-AIS	(22) position (1) above
	(3)  V-AIS	(23) 38°32'46".3N, 120°59'17".2E
	老铁山至营口水道分隔线(1)  V-AIS	(24) 38°41'21".0N, 120°51'25".0E
	(2)  V-AIS	(25) 38°44'20".9N, 120°51'25".0E
	(3)  V-AIS	(26) 38°47'20".8N, 120°51'25".0E
	(4)  V-AIS	(27) 38°50'20".6N, 120°51'25".0E
	(5)  V-AIS	(28) 38°53'25".0N, 120°51'25".0E

- (6)  V-AIS
- (7)  V-AIS
- 老铁山至旅顺水道(1)  V-AIS
- (2)  V-AIS
- 老铁山至旅顺水道分隔线(1)  V-AIS
- (2)  V-AIS
- (3)  V-AIS
- (4)  V-AIS
- (5)  V-AIS
- 老铁山至天津水道(1)  V-AIS
- (2)  V-AIS
- 老铁山至天津水道分隔线(1)  V-AIS
- (2)  V-AIS
- (3)  V-AIS
- (4)  V-AIS
- (5)  V-AIS
- (6)  V-AIS
- (7)  V-AIS
- (8)  V-AIS
- 老铁山至京唐水道分隔线(1)  V-AIS
- (2)  V-AIS
- (3)  V-AIS
- (4)  V-AIS
- (5)  V-AIS
- (6)  V-AIS
- (7)  V-AIS
- 老铁山至秦皇岛水道(1)  V-AIS
- (2)  V-AIS
- 老铁山至秦皇岛水道分隔线(1)  V-AIS
- (2)  V-AIS
- (3)  V-AIS
- (29) 38°56'01".0N,120°51'25".0E
- (30) 38°59'00".0N,120°51'48".4E
- (31) 38°40'21".0N,120°55'16".8E
- (32) 38°40'53".4N,120°54'12".0E
- (33) 38°40'38".2N,120°54'45".6E
- (34) 38°43'08".6N,120°56'52".0E
- (35) 38°45'39".0N,120°58'58".6E
- (36) 38°47'25".0N,121°00'28".0E
- (37) 38°47'25".0N,121°04'18".5E
- (38) 38°38'03".4N,120°45'18".8E
- (39) 38°33'32".9N,120°46'08".5E
- (40) 38°35'54".4N,120°45'00".0E
- (41) 38°36'26".7N,120°41'13".6E
- (42) 38°36'58".9N,120°37'27".1E
- (43) 38°37'31".2N,120°33'40".6E
- (44) 38°38'03".5N,120°29'54".1E
- (45) 38°38'28".6N,120°26'06".1E
- (46) 38°38'49".4N,120°22'17".3E
- (47) 38°39'10".4N,120°18'28".5E
- (48) 38°38'47".3N,120°45'40".5E
- (49) 38°39'40".0N,120°42'00".0E
- (50) 38°40'32".5N,120°38'19".9E
- (51) 38°41'25".0N,120°34'40".0E
- (52) 38°42'18".0N,120°30'59".0E
- (53) 38°43'16".1N,120°27'20".9E
- (54) 38°44'18".1N,120°23'44".4E
- (55) 38°40'44".4N,120°48'20".4E
- (56) 38°39'27".2N,120°46'15".7E
- (57) 38°40'18".7N,120°47'08".9E
- (58) 38°43'14".8N,120°46'22".1E
- (59) 38°46'11".0N,120°45'35".3E






(4)  V-AIS	(60) 38°48'58".5N, 120°44'51".2E
(5)  V-AIS	(61) 38°51'42".0N, 120°43'14".7E
(6)  V-AIS	(62) 38°54'25".6N, 120°41'38".5E
(7)  V-AIS	(63) 38°56'52".0N, 120°39'24".1E
(8)  V-AIS	(64) 38°59'17".8N, 120°37'08".6E

Chart 12002(1,4; 10,11; 22,37)[2026-621]
12003(1; 22,26,28,30,35,37,59,61)(60with chart unchanged)[2026-469]
12004(1~5; 10~13; 22~24,26,28,30,31,33,35,37~40,42,44,46~48,50,52,
54,55~57,59,61,63,64)(41,43,45,49,51,53,60,62with chart unchanged)[2026-472]
12005(1~5; 10~13; 22~24,26,28,30,31,33,35,37~40,42,44,46,48,50,52,54, 55~57,59,61,
63,64)(41,43,45,49,51,53,60,62with chart unchanged)[2026-472]
12338(1~5; 6~21; 22~26,31~40,48,55~59)[2026-472]
12344(1; 22,26,27,36,37)(28,29with chart unchanged)[2026-469]
12345(1; 22,37)[2025-1112] 32001(47)(with chart unchanged)[2026-619]
1301(1; 22)[2026-472]
1302(1~3,5; 22,24,28,30,33,40,44,47,48,52,54,57,61,64)[2026-621]
1304(1~3,5; 22,24,28,30,33,40,44,47,48,52,54,57,61,64)[2026-621]

List of Lights CNP81/2025~2026[1341701.01][1341701.02][1341701.03][1341701.04]
[1341701.05][1341701.06][1341701.07][1341701.08][1341702.01][1341702.02]
[1341702.03][1341702.04][1341702.05][1341702.06][1341702.07][1341703.01]
[1341703.02][1341704.01][1341704.02][1341704.03][1341704.04][1341704.05]
[1341704.06][1341704.07][1341704.08][1341705.0103][1341705.0104]
[1341705.0105][1341705.0106][1341705.0107][1341705.0108][1341705.0109]
[1341705.0110][1341705.0202][1341705.0203][1341705.0204][1341705.0205]
[1341706.01][1341706.02][1341706.03][1341706.04][1341706.05][1341706.06]
[1341706.07][1341707.01][1341707.02][1341708.01][1341708.02][1341708.03]
[1341708.04][1341708.05][1341709.01][1341709.02][1341779.01][1341780.01]

Source Beihai Aids 016/2026

678. Bohai Sea – Weifang Port – Culture Area

Insert culture zone 1, joining: (1) 37°20'58".0N, 119°08'38".0E

culture zone 2, joining:

- (2)37°21'05".0N,119°08'43".0E
- (3)37°22'19".0N,119°14'30".0E
- (4)37°22'11".0N,119°15'28".0E
- (5)37°20'36".0N,119°11'32".0E
- (6)position (1) above
- (7)37°18'41".0N,119°08'24".0E
- (8)37°19'42".6N,119°10'54".0E
(33324A 东图廓交点)
- (9)37°20'04".0N,119°11'46".2E
(33326 南图廓交点)
- (10)37°20'26".0N,119°12'39".8E
(33321 北图廓交点)
- (11)37°21'42".0N,119°15'45".0E
(33322 西图廓交点)
- (12)37°21'55".8N,119°16'18".5E
- (13)37°21'49".2N,119°16'30".6E
- (14)37°21'47".5N,119°16'33".6E
- (15)37°21'28".8N,119°17'08".0E
- (16)37°21'29".0N,119°17'08".2E
- (17)37°21'27".0N,119°17'12".0E
- (18)37°20'30".4N,119°15'45".0E
(33322 西图廓交点)
- (19)37°20'26".0N,119°15'38".3E
(33321 北图廓交点)
- (20)37°20'04".0N,119°15'04".5E
(33326 南图廓交点)
- (21)37°18'39".0N,119°12'54".0E
- (22)37°18'39".9N,119°10'54".0E
(33324A 东图廓交点)
- (23)position (7) above

Chart 33001(1~6;7,12~17,21,23)[2026-620] 33301(1~6;7,12~17,21,23)[2026-620]


33321(7,10;19,21,23)[2024-] 33322(11~18)[2025-1080]

33324(7,8;22,23)[2025-] 33326(1~6;9,12~17,20)[2025-1079]

Source Weifang Navigation Notice 0411/2026


679.Yellow Sea – Qingdao Coastal – Anchorage

Insert Chaoliandao No 2 outer anchorage boundary

line and note "  No2", joining:


- (1) 35°45'00".0N,121°03'35".0E
- (2) 35°38'28".0N,121°04'27".0E
- (3) 35°38'28".0N,120°59'05".0E
- (4) 35°45'00".0N,120°55'50".0E
- (5) position (1) above

middle of Yellow sea No 1 outer anchorage

boundary line and note "  No1", joining:

- (6) 35°22'13".7N,120°08'07".5E
- (7) 35°22'13".7N,120°07'00".6E
- (8) 35°22'50".4N,120°07'00".7E
- (9) 35°22'50".1N,120°09'30".8E
- (10) 35°21'36".6N,120°09'30".6E
- (11) 35°21'36".7N,120°08'07".5E
- (12) position (6) above

middle of Yellow sea No 2 outer anchorage

line and note "  No2", joining:

- (13) 35°16'47".9N,120°09'29".8E
- (14) 35°16'30".5N,120°07'00".5E
- (15) 35°18'51".6N,120°07'00".3E
- (16) 35°18'51".6N,120°09'29".8E
- (17) position (13) above

Note: Chinese Version Only.

Chart 36144(6~12;13~17)[2026-630] 37001(6~12;13~17)[2026-630] 1306[2026-635]

Source Shandong Navigation Notice 0410/2026

680.East China Sea – Changjiangkou and Approaches – Xiabiandansha – Shallow Depth

Insert 11 31°34'36".4N,121°20'55".0E

Chart 44134[2026-56] 44174[2026-479]
Source Hydrography Department Shanghai MSA

681. East China Sea, Taiwan Strait – Fujian Coastal – Recommended Track

Insert Fujian coastal outer route, joining: (1) 27°00'00".0N, 121°17'30".0E
(2) 25°17'20".0N, 120°08'33".0E
(3) 23°30'00".0N, 117°53'34".0E
(4) 23°11'05".5N, 117°30'35".6E

Note: Chinese Version Only.

Chart 61001(with chart unchanged)[2026-663] 62001(with chart unchanged)[2026-664]
63001(with chart unchanged)[2026-665] 64001(with chart unchanged)[2026-669]
66001(with chart unchanged)[2026-670] 81001(with chart unchanged)[2026-549]
2310(with chart unchanged)[2026-663] 2311(with chart unchanged)[2026-668]
2312(with chart unchanged)[2026-672]

Source MSA 002/2026

682. East China Sea, Taiwan Strait – Fujian Coastal – Recommended Track

Insert Fujian coastal middle route, joining: (1) 27°00'00".0N, 120°53'36".0E
(2) 26°24'24".0N, 120°23'55".0E
(3) 25°25'00".0N, 119°58'18".0E
(4) 25°11'43".0N, 119°49'11".0E
(5) 24°56'04".0N, 119°29'55".0E
(6) 24°03'44".0N, 118°18'50".0E
(7) 23°30'00".0N, 117°31'05".0E
(8) 23°21'52".5N, 117°21'26".2E

Note: Chinese Version Only.

Chart 61001(with chart unchanged)[2026-681] 62001(with chart unchanged)[2026-681]
62561(with chart unchanged)[2026-665] 62661(with chart unchanged)[2026-665]
63001(with chart unchanged)[2026-681] 64001(with chart unchanged)[2026-681]
65171(with chart unchanged)[2026-669] 66001(with chart unchanged)[2026-681]
66241(with chart unchanged)[2026-669] 66341(with chart unchanged)[2026-111]

66441(with chart unchanged)[2026-671] 81001(with chart unchanged)[2026-681]
 2310(with chart unchanged)[2026-681] 2311(with chart unchanged)[2026-681]
 2312(with chart unchanged)[2026-681] 3313(with chart unchanged)[2026-551]

Source MSA 002/2026

683.South China Sea – Zhujiangkou – Fanshi Channel and Approaches – Aids



Insert	(TZ1)  闪红 4s	(1) 22°35'34".9N, 113°45'39".4E
	(TZ2)  闪绿 4s	(2) 22°36'30".8N, 113°44'08".0E
	(TZ3)  闪红 4s	(3) 22°36'22".0N, 113°44'03".0E
	(TZ4)  V-AIS	(4) 22°37'18".6N, 113°42'26".9E
	(TZ5)  V-AIS	(5) 22°37'18".0N, 113°42'10".9E

Chart 84002(1,5)[2026-600] 84206(1,2,5)[2026-601] 84213(1~3)[2026-170]
 84214[2026-10] 84226(1)[2026-] 84230(2,3)[2026-] 84231(4,5)[2026-]

List of Lights CNP83/2025~2026[7410760.01][7410760.02][7410760.03][7410760.04]
 [7410760.05]

Source Nanhai Aids 059/2026

684.South China Sea – Zhujiang River – Dahu Channel – Anchorage

Insert anchorage boundary line and
 note "  No74NZA", joining:

(1) 22°53'00".1N, 113°33'25".0E
(2) 22°52'55".9N, 113°33'48".0E
(3) 22°52'42".1N, 113°33'47".0E
(4) 22°52'42".0N, 113°33'25".1E
(5) position (1) above

Note: Chinese Version Only.

Chart 84216[2026-587] 84234[2026-]

Source Guangzhou Navigation Notice 0846/2026

685.South China Sea – Chuanshan Archipelago Southwestwards – Wreck & Obstruction

Delete	 船:34	(1) 21°17'05".9N, 112°41'29".0E
	 碍:35	(2) 21°20'53".1N, 112°44'07".9E


概位:  据报(2015) (3)21°01'24".0N,112°28'42".0E
 +-+概位 (4)21°00'58".0N,112°27'03".3E

Chart 85001(1,2)(with chart unchanged)[2026-605]
 3314(1,3,4)(with chart unchanged)[2026-604]

Source Guangzhou Hydrographic Center

686.Beibu Gulf – Zhanjiang Port – Buoyage










Insert 湛江军博园(1)  快红 (1)21°16'36".3N,110°25'08".4E
 快绿 (2)21°16'31".4N,110°25'21".5E
 快红 (3)21°16'33".7N,110°25'22".7E
 闪绿4s (4)21°16'25".5N,110°25'29".8E
 闪红4s (5)21°16'27".0N,110°25'31".6E




Chart 88103(1,4)[2026-559] 88108[2025-]

List of Lights CNP83/2025~2026[7811461.01][7811461.02][7811461.03][7811461.04]
 [7811461.05]

Source Nanhai Aids 050/2026

687.Beibu Gulf – Tieshan Port – Aids

Delete (H6A)  闪红4s (1)21°28'49".6N,109°31'45".7E
 (H7)  闪绿(2+1)6s (2)21°28'55".9N,109°31'40".0E
 甚快(6)+长闪10s (3)21°29'04".4N,109°31'32".2E
 甚快(6)+长闪10s

Move (F1)  闪绿4s from: (4)21°28'52".9N,109°31'47".1E
 to: (5)21°28'51".1N,109°31'51".6E
 (H8)  闪红(2)6s 同步 from: (6)21°28'52".3N,109°31'38".3E
 to: (7)21°28'48".4N,109°31'48".3E
 (H10)  闪红(2)6s 同步 from: (8)21°28'52".1N,109°31'26".3E
 to: (9)21°28'42".3N,109°31'25".2E




Insert (H9)  闪绿(2+1)6s (10)position (3) above
 闪3s9.1m5M (11)21°28'54".7N,109°31'23".3E
 闪3s9.1m5M (12)21°28'46".2N,109°31'19".3E

Chart 91001(11)[2026-400] 91201(1~3;6~9;10~12)[2026-401] 91202[2026-401]
 91203[2026-401] 91204(6,7;11,12)[2026-314]

List of Lights CNP83/2025~2026[8110258.01][8110261.001][8110261.061][8110261.07]
[8110261.08][8110261.09][8110268.01][8110268.02]

Source Nanhai Aids 055/2026

688.Beibu Gulf – Weizhou Island Northwards – Aids

Insert	(1)  莫(C)黄12s 同步	(1) 21°03'26".2N,109°04'40".0E
	(2)  莫(C)黄12s 同步	(2) 21°04'24".9N,109°04'03".2E
	(3)  V-AIS	(3) 21°08'13".0N,109°03'38".8E
	(4)  V-AIS	(4) 21°13'29".2N,109°03'00".4E
	(5)  V-AIS	(5) 21°16'54".7N,109°02'35".4E
	(6)  莫(C)黄12s 同步	(6) 21°20'21".0N,109°02'06".4E
	(7)  莫(C)黄12s 同步	(7) 21°24'20".6N,109°03'59".6E
	(8)  莫(C)黄12s10m4M 同步	(8) 21°25'41".9N,109°05'32".0E

Chart 91001(1~7)[2026~687] 91102(1,2)[2026~314] 91204(4~7)[2026~687]
91301(6~8)[2026~314] 92001(1~7)[2026~458]

List of Lights CNP83/2025~2026[8110123][8110123.01][8110123.02][8110123.03]
[8110123.04][8110123.05][8110123.06][8110123.07]

Source Nanhai Aids 049/2026

689.South China Sea – Qizhou Islands – Pingzhi – Lightbeacon


Amend	from: ★ 熄	(1) 19°57'38".0N,111°14'58".1E
	to: ★ 闪(3)8s29m8M	(2) position (1) above

Chart 02001[2026~510] 3315[2026~606]

List of Lights CNP83/2025~2026[9110115]

Source Nanhai Aids 058/2026

690.South China Sea – Hainan Island Southeastwards – Potou Port – Buoyage

Delete	(1)  闪红4s	(1) 18°39'51".0N,110°19'31".1E
	(2)  闪(2)红6s	(2) 18°39'58".0N,110°19'35".4E
	(3)  闪(3)绿10s	(3) 18°39'57".6N,110°19'37".4E
	(4)  快红	(4) 18°40'15".0N,110°19'33".8E

- | | |
|---|---------------------------------|
| (5)  闪红 4s | (5) 18°40'17".2N, 110°19'36".1E |
| (6)  闪(2)红 6s | (6) 18°40'18".2N, 110°19'43".2E |
| (7)  闪(3)红 10s | (7) 18°40'26".5N, 110°19'56".6E |
| (8)  闪红 4s | (8) 18°40'35".0N, 110°20'03".0E |

Chart 02501(1,4,7)(2,3,5,6,8with chart unchanged)[2025-504]

List of Lights CNP83/2025~2026[9310157.01][9310157.02][9310157.03][9310157.04]
[9310157.05][9310157.06][9310157.07][9310157.08]

Source Nanhai Aids 056/2026

691.South China Sea – Hainan Island Southeastwards – Fenjiezhou Northeastwards – Buoyage

- | | |
|---|---------------------------------|
| Insert (1)  莫(F)黄 12s | (1) 18°36'43".1N, 110°13'02".0E |
| (2)  莫(F)黄 12s | (2) 18°36'25".1N, 110°13'21".3E |
| (3)  莫(F)黄 12s | (3) 18°35'23".3N, 110°12'19".6E |
| (4)  莫(F)黄 12s | (4) 18°35'41".4N, 110°11'59".7E |

Chart 03001(1,3)(2,4with chart unchanged)[2025-504]

List of Lights CNP83/2025~2026[9310169.01][9310169.02][9310169.03][9310169.04]

Source Nanhai Aids 057/2026

692.Chart Correction by Patch

Chinese Version Only.

Chart 85001[2026-685] 85101[2026-381] 3314[2026-685]

Temporary Notices

693.Yellow Sea – Dandong Port – Dadong Channel – Dredging(T)

Date April 30 to December 31, 2026

Area area 1, joining: (1)39°50'37".6N,124°09'57".8E
(2)39°50'38".8N,124°09'52".3E
(3)39°50'37".4N,124°09'48".8E
(4)39°50'07".3N,124°09'35".8E
(5)39°49'31".8N,124°09'30".5E
(6)39°49'31".6N,124°09'33".3E
(7)39°50'06".7N,124°09'38".6E
(8)39°50'05".9N,124°09'45".0E
(9)39°50'08".0N,124°09'45".3E
(10)position (1) above

area 2, joining: (11)39°49'16".0N,124°08'59".6E
(12)39°49'11".5N,124°08'50".9E
(13)39°48'59".6N,124°08'47".9E
(14)39°48'55".9N,124°08'51".1E
(15)39°48'51".9N,124°08'50".2E
(16)39°48'31".0N,124°09'08".3E
(17)39°48'30".3N,124°09'13".6E
(18)39°48'12".0N,124°09'23".5E
(19)39°48'39".5N,124°09'23".7E
(20)39°48'40".4N,124°09'14".4E
(21)39°48'47".3N,124°09'08".3E
(22)39°49'01".9N,124°09'12".0E
(23)position (11) above

area 3, joining: (24)39°48'11".2N,124°08'23".9E
(25)39°48'06".6N,124°08'18".1E
(26)39°47'47".1N,124°08'22".7E
(27)39°47'03".3N,124°09'20".6E

area 4, joining:

(28) 39°46'37".1N,124°09'38".2E
(29) 39°47'04".1N,124°09'41".7E
(30) 39°47'08".8N,124°09'40".4E
(31) 39°47'06".9N,124°09'29".0E
(32) 39°47'11".8N,124°09'19".4E
(33) 39°47'28".3N,124°08'57".6E
(34) 39°47'32".4N,124°08'53".5E
(35) 39°47'53".7N,124°08'47".0E
(36) position (24) above
(37) 39°44'23".0N,124°08'48".6E
(38) 39°44'40".9N,124°08'40".4E
(39) 39°44'53".2N,124°08'48".0E
(40) 39°44'59".4N,124°09'11".1E
(41) position (37) above

Chart 11113

Source Dandong Navigation Notice 0176/2026

694. Yellow Sea – Approches to Changshan Archipelago – Construction (T)

Date March 14 to September 30, 2026

Area joining:

(1) 39°23'21".6N,122°41'45".0E
(2) 39°23'45".6N,122°44'02".4E
(3) 39°24'28".8N,122°45'26".4E
(4) 39°23'48".6N,122°47'15".6E
(5) 39°23'34".8N,122°49'36".6E
(6) 39°19'57".6N,122°45'23".4E
(7) 39°21'44".4N,122°44'25".8E
(8) 39°22'16".8N,122°41'27".0E
(9) position (1) above

Chart 12201 12215

Source Dalian Navigation Notice 0062&0158/2026

695.Yellow Sea – Approches to Changshan Archipelago – Bridge Construction (T)

Date March 31 to September 30, 2026

Area joining:

- (1)39°23'41".4N,122°24'53".4E
- (2)39°23'33".0N,122°24'58".2E
- (3)39°23'36".0N,122°25'06".6E
- (4)39°23'21".6N,122°25'15".0E
- (5)39°23'18".6N,122°25'06".6E
- (6)39°23'03".0N,122°25'16".2E
- (7)39°22'51".0N,122°25'24".6E
- (8)39°22'25".2N,122°25'46".8E
- (9)39°22'29".4N,122°25'54".0E
- (10)39°22'16".2N,122°26'06".0E
- (11)39°22'12".0N,122°25'58".2E
- (12)39°21'26".4N,122°26'39".6E
- (13)39°21'10".2N,122°26'53".4E
- (14)39°20'55".2N,122°27'03".0E
- (15)39°20'32".4N,122°27'16".8E
- (16)39°20'35".4N,122°27'25".2E
- (17)39°20'26".4N,122°27'30".0E
- (18)39°20'19".8N,122°27'11".4E
- (19)39°20'28".2N,122°27'06".0E
- (20)39°20'31".8N,122°27'15".6E
- (21)39°20'54".6N,122°27'01".8E
- (22)39°21'09".6N,122°26'51".6E
- (23)39°21'25".8N,122°26'38".4E
- (24)39°22'11".4N,122°25'57".0E
- (25)39°22'06".6N,122°25'48".6E
- (26)39°22'20".4N,122°25'36".6E
- (27)39°22'24".6N,122°25'45".0E
- (28)39°22'49".8N,122°25'23".4E
- (29)39°23'01".8N,122°25'14".4E

- (30) 39°23'18".0N, 122°25'05".4E
- (31) 39°23'14".4N, 122°24'55".8E
- (32) 39°23'29".4N, 122°24'47".4E
- (33) 39°23'32".4N, 122°24'56".4E
- (34) 39°23'40".8N, 122°24'52".2E
- (35) position (1) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.

Chart 12201

Source Dalian Navigation Notice 0087&0140/2026

696. Yellow Sea – Dalian Port – Dayaowan Harbour – Fairway Construction (T)

Date March 10 to September 30, 2026

- Area** joining:
- (1) 39°01'04".2N, 121°52'13".2E
 - (2) 39°01'14".4N, 121°52'22".8E
 - (3) 39°00'45".6N, 121°53'12".0E
 - (4) 39°00'35".4N, 121°53'02".4E
 - (5) position (1) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.

Chart 12334

Source Dalian Navigation Notice 0054&0156/2026

697. Bohai Sea – Changxingdao Harbour – Hulushanwan Harbour – Fairway Construction (T)

Date March 1 to September 30, 2026

- Area** joining:
- (1) 39°27'44".4N, 121°13'40".2E
 - (2) 39°28'08".4N, 121°14'49".2E
 - (3) 39°28'36".6N, 121°16'18".6E
 - (4) 39°28'27".6N, 121°16'24".0E
 - (5) 39°27'54".0N, 121°14'58".2E
 - (6) 39°27'29".4N, 121°13'48".6E

(7)position (1) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.

Chart 12368

Source Dalian Navigation Notice 0044&0142/2026

698.Bohai Sea – Changxingdao Harbour – Hulushanwan Harbour – Fairway Construction (T)

Date February 28 to September 30, 2026

Area joining: (1)39°28'27".6N,121°16'24".0E
(2)39°29'07".2N,121°18'18".0E
(3)39°29'42".0N,121°19'24".6E
(4)39°29'49".8N,121°19'17".4E
(5)39°29'16".2N,121°18'12".0E
(6)39°28'36".6N,121°16'18".6E
(7)position (1) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.

Chart 12368

Source Dalian Navigation Notice 0043&0139/2026

699.Bohai Sea – Binzhou Port – Fairway Construction (T)

Date May 8, 2024 to October 31, 2026

Area joining: (1)38°19'04".8N,118°09'16".2E
(2)38°20'34".2N,118°12'46".2E
(3)38°21'15".0N,118°14'39".0E
(4)38°21'11".4N,118°14'40".8E
(5)38°20'30".6N,118°12'48".6E
(6)38°19'01".8N,118°09'18".6E
(7)position (1) above

Note: Keep watching on VHF ch.16&66.

Chart 31102

Source Binzhou Navigation Notice 0292/2024&0432/2026

700.Bohai Sea – Dongying Port – Dongying Harbour – Construction (T)

Date May 1 to December 30, 2026

Area joining: (1)38°13'05".1N,118°48'37".2E
(2)38°13'17".6N,118°49'36".6E
(3)38°09'40".0N,118°50'43".7E
(4)38°09'49".5N,118°49'38".2E
(5)position (1) above

Note: Keep watching on HF .

Chart 32202

Source Dongying Navigation Notice 0452/2026

701.Bohai Sea – Dongying Port – Dongying Harbour – Construction (T)

Date April 25 to October 31, 2026

Area radius 500m, central point 38°14'28".9N,118°48'22".4E

Note: Keep watching on HF .

Chart 32202

Source Dongying Navigation Notice 0417/2026

702.Bohai Sea – Dongying Port – Drilling (T)

Date April 27 to December 31, 2026

Area radius 500m, central point 38°19'31".4N,119°06'45".3E

Note: Keep watching on HF .

Chart 32202

Source Dongying Navigation Notice 0424/2026

703.Bohai Sea – Dongying Port – Drilling (T)

Date April 27 to December 31, 2026

Area radius 500m, central point 38°24'03".3N,119°08'12".2E

Note: Keep watching on HF .

Chart 32001

Source Dongying Navigation Notice 0423/2026

704.Bohai Sea – Dongying Port – Construction(T)

Date April 22 to December 31, 2026

Area area 1, joining: (1)38°04'05".1N,119°27'54".0E
(2)38°03'49".8N,119°29'54".5E
(3)38°01'44".3N,119°29'34".7E
(4)38°01'59".1N,119°27'29".9E
(5)position (1) above

area 2, joining: (6)38°11'26".9N,119°30'06".2E
(7)38°12'53".2N,119°29'14".8E
(8)38°13'12".3N,119°29'14".8E
(9)38°13'45".0N,119°27'13".5E
(10)38°12'43".9N,119°27'08".8E
(11)38°12'11".0N,119°27'26".2E
(12)position (6) above

area 3, joining: (13)38°16'25".2N,119°23'58".6E
(14)38°16'06".7N,119°25'14".1E
(15)38°15'09".4N,119°23'12".8E
(16)38°15'32".1N,119°22'04".5E
(17)position (13) above

area 4, joining: (18)38°16'48".5N,119°26'45".0E
(19)38°17'19".5N,119°25'54".9E
(20)38°16'22".8N,119°23'53".6E
(21)38°16'00".0N,119°25'00".2E
(22)38°16'46".7N,119°26'39".0E
(23)position (18) above

area 5, joining: (24)38°15'26".2N,119°26'37".5E
(25)38°16'04".3N,119°28'33".0E
(26)38°14'54".2N,119°29'17".4E

(27)38°14'16".3N,119°27'21".4E

(28)position (24) above

Note: Keep watching on HF .

Chart 32202

Source Dongying Navigation Notice 0393/2026

705.Bohai Sea – Dongying Port – Construction(T)

Date March 3 to October 30, 2026

Area radius 500m, central point 37°54'48".7N,119°07'33".0E

Note: Keep watching on HF .

Chart 32001 33001

Source Dongying Navigation Notice 0183&0404/2026

706.Bohai Sea – Weifang Port – Fairway Construction(T)

Date April 22 to December 31, 2026

Area joining: (1)37°18'41".0N,119°15'37".0E

(2)37°18'31".0N,119°15'48".0E

(3)37°22'56".0N,119°21'45".0E

(4)37°23'06".0N,119°21'34".0E

(5)position (1) above

Note: Keep watching on VHF ch.16.

Chart 33321 33322 33326

Source Weifang Navigation Notice 0388/2026

707.Yellow Sea – Approaches to Haiyang Port – Berth Construction(T)

Date October 30, 2025 to October 25, 2026

Area joining: (1)36°42'24".3N,121°17'54".0E

(2)36°42'23".9N,121°18'06".6E

(3)36°41'06".1N,121°18'05".3E

(4)36°41'06".0N,121°18'11".3E

(5)36°39'48".1N,121°18'10".0E

(6)36°39'49".0N,121°16'44".9E

(7)36°41'59".0N,121°16'23".1E

(8)36°42'12".7N,121°16'51".1E

(9)36°42'12".2N,121°17'53".5E

(10)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 34173

Source Yantai Navigation Notice 1081/2025&0385/2026

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.