



NOTICES TO MARINERS

Issue No.9(Total No.1221)

Notice No.186-222

3 March 2025

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Marine Chart Press Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following web-sites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Marine Chart Press Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561, 65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hcmal@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	35144	SHIDAO PORT AND APPROACHES	1:35 000	2025年1月第3版	CHECK NTM FROM ISSUE No.4 2025
2	41321	XUWEI HARBOUR	1:25 000	2025年1月第4版	CHECK NTM FROM ISSUE No.6 2025
3	44258	LUJIAZUI FAIRWAY	1:5 000	2025年2月第32版	CHECK NTM FROM ISSUE No.6 2025
4	81401	SHENQUAN PORT	1:25 000	2025年1月第3版	CHECK NTM FROM ISSUE No.6 2025 Scope of Chart 22°49'38"N ~22°58'50"N 116°10'48"E ~116°25'00"E
5	84235	NIZHOU CHANNEL	1:10 000	2025年1月第16版	CHECK NTM FROM ISSUE No.6 2025
6	84248	JIUZHOU PORT	1:5 000	2025年1月第8版	CHECK NTM FROM ISSUE No.6 2025

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	35144	SHIDAO PORT AND APPROACHES	1:35 000	2020年12月第2版	
2	41321	XUWEI HARBOUR	1:25 000	2022年11月第3版	
3	44258	LUJIAZUI FAIRWAY	1:5 000	2024年8月第31版	

No.	Chart No.	Name	Scale	Date	Note
4	81401	SHENQUAN PORT	1:20 000	2020年7月第2版	
5	84235	NIZHOU CHANNEL	1:10 000	2024年1月第15版	
6	84248	JIUZHOU PORT	1:5 000	2022年10月第7版	

2,Marine Information

1.Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Approaches to Dongying Port	(217),(218),(219),(220),(221)
Yellow Sea	Lianyungang Port and Approaches	(186)
	Lüsi Port	(187)
	Lüsi Port Eastwards	(188)
East China Sea	Shanghai Coastal	(189)
	Changjiangkou and Approaches	(190)
	Hangzhou Gulf	(191),(192)
	Zhoushan Archipelago	(193),(194)
	Niubishan Channel	(195)
	Maotouyang and Approaches	(196)
	Yueqing Bay	(197)
	Sandu'ao Harbour and Approaches	(198)
Taiwan Strait	Meizhou Bay and Approaches	(199),(200)
	Meizhou Bay	(201)
	Dagang and Approaches	(202)
	Quanzhou Bay and Approaches	(203),(204),(205)
	Weitou Bay and Approaches	(206),(207)
	Houcai Bay and Approaches	(208)
	Jiangjun Bay	(209)
	Da'ao Bay	(210)
	Houjiang Port and Approaches	(211)
	Caiyu Islands	(212)
	Dongshan Bay and Approaches	(213)
	P'eng-hu Lieh-tao	(214),(215)
South China Sea	Zhujiangkou	(222)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No. (T)
32001		221
32201		218
32202		217,218,219,220,221
33001		221
41001	186	
41101	186	
41122	186	
41321	186	
43232	187	
43271	187	
43371	190	
44001	190,191	
44133	190	
44173	189	
44174	189,190	
51001	191,192,193	
51123	192	
51131	191	
51171	189,191	
51172	189,192	
52001	191,193	
52112	189	
52130	189	
52131	189	
52132	189	
52133	189	
52134	193	
52141	194	
52171	189	
52172	189	
52173	193	
52174	194	
53001	193,195	
53341	195	
53342	194	
53451	196	

Chart No.	Notice No.	Notice No. (T)
54001	196	
55001	197	
55221	197	
55251	197	
61322	198	
61352	198	
63001	199,201	
63111	201	
63112	201	
63131	201	
64001	199,200,202,203,204,205,206,207,208	
64111	201	
64131	200,201,202,203	
64211	204	
64221	203,204,205	
64311	205	
64321	205	
64322	206,207	
66001	208,209,210,211,212,213	
66241	208,209,210	
66311	211	
66341	209,210,211,212	
66411	213	
66441	212,213	
2308	188,189,195	
2309	195,196	
2311	199,200,203,205,206,207	
2312	208,209,210,211,214,215	
84234		222
92105	216	

Notices to Mariners

186. Yellow Sea – Lianyungang Port and Approaches – Buoyage

Insert	(T1)  莫(0)黄 12s 同步	(1) 34°41'26".4N, 119°28'39".2E
	(T2)  莫(0)黄 12s 同步	(2) 34°41'30".0N, 119°29'13".4E
	(T3)  莫(0)黄 12s 同步	(3) 34°41'42".2N, 119°29'35".0E
	(T4)  莫(0)黄 12s 同步	(4) 34°40'52".1N, 119°31'20".8E
	(T5)  莫(0)黄 12s 同步	(5) 34°40'37".4N, 119°32'22".0E
	(T6)  莫(0)黄 12s 同步	(6) 34°39'27".6N, 119°31'50".9E
	(T7)  莫(0)黄 12s 同步	(7) 34°38'27".5N, 119°30'55".0E
	(T8)  莫(0)黄 12s 同步	(8) 34°39'31".0N, 119°29'19".7E

Note: Chinese version only.

Chart 41001(3,5,7)[2025-55] 41101[2025-55] 41122(1~6,8)[2025-55]
41321(5~8)[2025-]

List of Lights CNP82/2024~2025[4110912.01] [4110912.02] [4110912.03] [4110912.04]
[4110912.05] [4110912.06] [4110912.07] [4110912.08]

Source East China Sea Aids 030/2024

187. Yellow Sea – Lüsi Port – Aids

Insert	卫华(T1)  莫(0)黄 15s	(1) 32°04'11".6N, 121°41'04".6E
	卫华(1) ★ 闪 2s9.3m4M	(2) 32°04'31".5N, 121°40'40".7E
	(2) ★ 闪 5s9.3m4M	(3) 32°04'18".9N, 121°41'07".6E

Chart 43232[2024-1115] 43271(1,2)[2024-]

List of Lights CNP82/2024~2025[4310918.01] [4310919.01] [4310919.02]

Source East China Sea Aids 030/2024

188. Yellow Sea – Lüsi Port Eastwards – V-AIS

Insert  V-AIS 31°59'42".0N, 122°37'48".0E

Chart 2308[2025-64]

List of Lights CNP82/2024~2025[4310835]

Source East China Sea Aids 030/2024

189.East China Sea – Shanghai Coastal – VTS

Delete L1 VTS report line Note "(ASSISTANT WORKING

CHANNEL:ch.65)", approaches to

- (1)30°49'05".3N,122°31'35".0E
- (2)30°51'20".9N,122°38'58".6E
- (3)30°50'47".4N,122°44'04".8E
- (4)30°51'22".2N,122°45'17".7E
- (5)30°49'09".2N,122°31'39".9E
- (6)31°16'04".2N,122°33'45".2E
- (7)31°16'14".5N,122°32'06".9E

L2 VTS report line Note "(ASSISTANT WORKING

CHANNEL:ch.79)", approaches to

- (8)30°31'46".8N,122°21'43".2E
- (9)30°32'00".5N,122°18'38".1E
- (10)30°32'42".9N,122°26'15".2E
- (11)30°31'27".8N,122°23'33".4E
- (12)30°32'02".1N,122°18'25".4E
- (13)30°40'05".5N,122°15'00".8E
- (14)30°34'48".2N,122°15'43".9E
- (15)30°31'28".6N,122°10'06".5E
- (16)30°29'23".9N,122°32'45".4E
- (17)30°28'04".2N,122°30'44".4E
- (18)30°28'57".0N,122°27'38".4E
- (19)30°45'16".6N,122°20'39".4E
- (20)30°41'56".0N,122°15'48".1E
- (21)30°34'14".1N,122°18'45".6E
- (22)30°31'36".9N,122°11'07".3E
- (23)30°33'11".2N,122°25'09".8E

L3 VTS report line Note "(ASSISTANT WORKING

CHANNEL:ch.19)", approaches to

- (24)30°29'44".7N,121°51'26".3E
- (25)30°30'49".3N,121°33'05".0E
- (26)30°33'05".4N,121°19'32".0E
- (27)30°30'09".8N,121°55'42".3E
- (28)30°29'44".2N,121°39'20".4E

L4 VTS report line Note "(ASSISTANT WORKING

CHANNEL:ch.27)", approaches to (29)31°35'39".8N,121°21'23".7E

Chart 44173(6)[2024-1045] 44174(29)[2025-13] 51171(24,25)[2024-1334]
51172(26)[2024-1148] 52112(8,9)[2024-862] 52130(1~4)[2025-62]
52131(10~12)[2025-62] 52132(13~15)[2024-1147] 52133(16~18)[2024-953]
52171(5)[2025-62] 52172(19~22,27)[2024-1334] 2308(7,23,28)[2025-188]

Source Shanghai MSA 013/2024

190.East China Sea – Changjiangkou and Approaches – Beigang Channel – Buoyage

Move (原2)  莫(0)黄 12s from: (1)31°27'07".4N,121°42'03".0E
to: (2)31°27'15".4N,121°42'09".4E
(青水5)  莫(P)黄 12s 同步 from: (3)31°27'01".0N,121°41'06".0E
to: (4)31°27'03".5N,121°41'08".0E

Chart 43371(1,2)[2025-2] 44001(1,2)[2025-13] 44133[2025-]
44174(1,2)[2025-189]

List of Lights CNP82/2024~2025[4510200.05] [4510201.02]

Source East China Sea Aids 029/2024

191.East China Sea – Hangzhou Gulf – Aids

Insert 金电一期(1)  莫(0)黄 12s (1)30°40'14".2N,121°31'14".1E
(2)  莫(0)黄 12s 同步 (2)30°34'42".1N,121°31'16".7E
(3)  莫(0)黄 12s 同步 (3)30°35'35".2N,121°33'20".9E
(4)  莫(0)黄 12s 同步 (4)30°36'27".9N,121°35'25".2E
临港公用(1)  莫(C)黄 12s 10m 5M (5)30°50'10".5N,121°49'22".9E

Note: Chinese version only.

Chart 44001(5)[2025-190] 51001(1,2,4,5)[2025-63] 51131(5)[2024-1173]
51171[2025-189] 52001(5)[2024-1334]

List of Lights CNP82/2024~2025[5110020.011] [5110250.371] [5110250.372] [5110250.373]
[5110250.374]

Source East China Sea Aids 030/2024

192. East China Sea – Hangzhou Gulf – Approaches to Qiantangjiangkou – Aids

Insert	(L201)  V-AIS	(1) 30°29'47".5N, 120°57'36".2E
	(L202)  V-AIS	(2) 30°28'46".6N, 120°57'09".8E
	(L203)  V-AIS	(3) 30°29'25".5N, 120°58'52".4E
	(L204)  V-AIS	(4) 30°27'58".2N, 120°59'18".1E
	(L205)  V-AIS	(5) 30°28'50".9N, 121°00'02".0E
	(L206)  V-AIS	(6) 30°27'15".0N, 121°00'26".4E
	(L207)  莫(0)黄 12s 同步	(7) 30°28'07".7N, 121°01'10".3E
	(L208)  V-AIS	(8) 30°26'35".7N, 121°01'28".4E
	(L209)  V-AIS	(9) 30°27'28".4N, 121°02'12".2E
	(L210)  V-AIS	(10) 30°25'56".4N, 121°02'30".4E
	(L211)  莫(0)黄 12s 同步	(11) 30°26'49".1N, 121°03'14".2E
	(L212)  V-AIS	(12) 30°25'13".0N, 121°03'38".9E
	(L213)  V-AIS	(13) 30°26'05".7N, 121°04'22".7E
	观测  莫(0)黄 12s	(14) 30°18'10".0N, 120°58'10".6E

Note: Chinese version only.

Chart 51001〔2025–191〕 51123(1~13)〔2024–〕 51172〔2025–189〕

List of Lights CNP82/2024~2025[5110619.201] [5110619.202] [5110619.203] [5110619.204]
[5110619.205] [5110619.206] [5110619.207] [5110619.208] [5110619.209]
[5110619.210] [5110619.211] [5110619.212] [5110619.213] [5110645]

Source East China Sea Aids 030/2024

193. East China Sea – Zhoushan Archipelago – Xiushan Island Northeastwards – Aids

Amend	from: ★ 闪 2s17m3M	(1) 30°11'33".5N, 122°15'04".7E
	to:  闪 2s17m3M AIS	(2) position (1) above
Insert	 闪 红 4s	(3) 30°11'37".5N, 122°12'46".6E
	 闪 绿 4s	(4) 30°11'59".7N, 122°12'22".8E

Chart 51001(1,2)〔2025–192〕 52001(1,2)〔2025–191〕 52134〔2024–996〕
52173〔2024–1292〕 53001(1,2)〔2025–64〕

List of Lights CNP82/2024~2025[5312255.01] [5312255.02] [5312270]

Source East China Sea Aids 029/2024

194.East China Sea – Zhoushan Archipelago – Approaches to Jinboyu Island – Buoyage




Insert	金钵孟(1)  闪(2)绿6s	(1)29°45'55".7N,122°10'59".3E
	(2)  闪(2)红6s	(2)29°46'05".1N,122°10'59".9E
	(3)  快(6)+长闪15s	(3)29°46'19".1N,122°11'38".8E
	(4)  快(9)15s	(4)29°46'12".2N,122°11'44".2E

Chart 52141(3,4)[2024-1250] 52174(1,3)[2024-1250] 53342[2024-1175]



List of Lights CNP82/2024~2025[5314450.01][5314450.02][5314450.03][5314450.04]

Source East China Sea Aids 030/2024

195.East China Sea – Niubishan Channel – Denglongshan Southwestwards – Reef

Delete	 (3)	(1)29°32'52".7N,122°01'51".1E
Insert	 I_s 山右	(2)29°32'52".6N,122°01'48".7E
Chart	53001[2025-193] 53341[2024-1047] 2308[2025-189] 2309[2025-133]	
Source	Hydrography Department Shanghai MSA	

196.East China Sea – Maotouyang and Approaches – Aids

Delete	象山风电(L31)  莫(0)黄12s 同步 雷康(C)	(1)28°59'26".6N,122°02'01".9E
	(L32)  莫(0)黄12s 同步 AIS	(2)28°58'18".5N,121°59'20".2E
	(L33)  莫(0)黄12s 同步 AIS	(3)28°57'42".2N,121°58'14".1E
	(L34)  莫(0)黄12s 同步	(4)28°56'14".6N,121°57'50".1E
	(L35)  莫(0)黄12s 同步 AIS	(5)28°54'46".9N,121°57'26".1E
	(L36)  莫(0)黄12s 同步	(6)28°53'10".7N,121°58'03".4E
	(L37)  莫(0)黄12s 同步 雷康(K)	(7)28°51'34".8N,121°59'04".8E
	(L38)  莫(0)黄12s 同步 AIS	(8)28°53'08".2N,122°00'59".1E
	(L39)  莫(0)黄12s 同步	(9)28°55'14".4N,122°01'32".8E
	(L40)  莫(0)黄12s 同步 AIS	(10)28°57'20".6N,122°02'06".5E
Insert	象山风电(11)  莫(C)黄12s18m5M 同步 AIS	(11)28°59'10".7N,122°02'17".0E
	(12)  莫(C)黄12s18m5M 同步 雷康(C)	(12)28°59'10".4N,122°01'28".8E
	(13)  莫(C)黄12s18m5M 同步 AIS	(13)28°58'05".0N,121°59'29".8E
	(14)  莫(C)黄12s18m5M 同步 AIS	(14)28°57'01".8N,121°58'21".9E
	(15)  莫(C)黄12s18m5M 同步	(15)28°55'17".9N,121°57'53".4E

(16)  莫(C)黄 12s18m5M 同步	(16) 28°54'25".9N, 121°57'53".5E
(17)  莫(C)黄 12s18m5M 同步	(17) 28°53'34".2N, 121°58'13".6E
(18)  莫(C)黄 12s18m5M 同步	(18) 28°51'50".7N, 121°58'53".7E
(19)  莫(C)黄 12s18m5M 同步 雷康(K)	(19) 28°51'50".9N, 121°59'20".3E
(20)  莫(C)黄 12s18m5M 同步	(20) 28°53'35".4N, 122°00'47".7E
(21)  莫(C)黄 12s18m5M 同步	(21) 28°55'19".4N, 122°01'15".5E
(22)  莫(C)黄 12s18m5M 同步	(22) 28°57'03".3N, 122°01'43".3E

Note: Chinese version only.

Chart 53451(1;11,12)[2025-163] 54001[2025-163]
2309(1,3,5,7,8,10;11,13,14,16,19,20)[2025-195]

List of Lights CNP82/2024~2025[5710072.11][5710072.12][5710072.13][5710072.14]
[5710072.15][5710072.16][5710072.17][5710072.18][5710072.19]
[5710072.20][5710072.21][5710072.22][5710072.31][5710072.32]
[5710072.33][5710072.34][5710072.35][5710072.36][5710072.37]
[5710072.38][5710072.39][5710072.40]

Source East China Sea Aids 029/2024

197. East China Sea – Yueqing Bay – Bouyage

Move (Y23)  闪(2)绿6s from:	(1) 28°10'07".4N, 121°06'53".9E
to:	(2) 28°10'07".2N, 121°06'55".7E
(Y27)  闪绿4s from:	(3) 28°11'37".2N, 121°07'35".9E
to:	(4) 28°11'36".5N, 121°07'37".5E

Chart 55001(3,4)[2025-133] 55221[2025-133] 55251[2025-133]

List of Lights CNP82/2024~2025[5711650.23][5711650.27]

Source East China Sea Aids 029/2024

198. East China Sea – Sandu'ao Harbour and Approaches – Huangzhuyu Northeastwards

– Aids

Insert 四门桥大桥(1) ★ 快黄 12m3M 同步	(1) 26°34'51".9N, 119°51'03".6E
(2) ★ 快黄 12m3M 同步	(2) 26°34'51".8N, 119°51'04".1E
(3) ■ 闪红4s 同步	(3) 26°34'51".5N, 119°51'03".6E
(4) ■ 闪红4s 同步	(4) 26°34'51".4N, 119°51'03".9E

- | | |
|------------------|----------------------------------|
| (5) ⑩等明暗4s | (5) 26°34'50".9N, 119°51'03".4E |
| (6) ⑩等明暗4s | (6) 26°34'50".8N, 119°51'03".8E |
| (7) ▲闪绿4s 同步 | (7) 26°34'50".4N, 119°51'03".3E |
| (8) ▲闪绿4s 同步 | (8) 26°34'50".3N, 119°51'03".6E |
| (9) ★快黄11m3M 同步 | (9) 26°34'50".0N, 119°51'03".1E |
| (10) ★快黄11m3M 同步 | (10) 26°34'50".0N, 119°51'03".6E |

Note: Chinese version only.

Chart 61322(5)(1~4,6~10with chart unchanged)[2025-68] 61352(5)[2025-69]

List of Lights CNP82/2024~2025[6110829.01][6110829.02][6110829.03][6110829.04]
[6110829.05][6110829.06][6110829.07][6110829.08][6110829.09]
[6110829.10]

Source East China Sea Aids 030/2024

199.Taiwan Strait – Meizhou Bay and Approaches – Dadingyu – Lightbeacon

Amend from:  闪5s28m9M
雷康(N) (1) 25°02'16".3N, 119°10'58".0E
to:  闪5s28m15M
雷康(N) (2) position (1) above

Chart 63001[2025-164] 64001[2025-89] 2311[2025-164]

List of Lights CNP82/2024~2025[6410500]

Source East China Sea Aids 030/2024

200.Taiwan Strait – Meizhou Bay and Approaches – Jianyu – Lighthouse

Amend from:  闪10s65m15M
雷康(G) (1) 24°57'56".8N, 119°01'56".0E
to:  闪10s65m18M
雷康(G) (2) position (1) above

Chart 64001[2025-199] 64131[2024-872] 2311[2025-199]

List of Lights CNP82/2024~2025[6411130]

Source East China Sea Aids 030/2024

201.Taiwan Strait – Meizhou Bay – Aids

Amend from: (314)  闪(2)红6s
红 (1) 25°05'55".1N, 119°03'46".1E
to: (314)  快红
红 (2) 25°05'43".2N, 119°04'01".5E
from: ★ 闪(2)6s6m4M (3) 25°04'43".2N, 119°04'11".7E
to: ★ 闪(2)6s7.4m4M (4) 25°04'43".3N, 119°04'11".6E

Insert 石11泊(1)  莫(0)黄12s (5)25°12'44".7N,119°01'59".5E
 (2)  莫(0)黄15s (6)25°12'52".4N,119°01'33".4E
 东吴东(1)  快 (7)25°05'55".3N,119°03'44".7E
 (2)  莫(0)黄12s (8)25°06'08".3N,119°03'36".3E
 (313)  快绿 (9)25°05'52".5N,119°04'08".8E

Chart 63001(3,4)[2025-199] 63111(5,6)[2024-1181] 63112(1,2;7~9)[2022-205]
 63131[2024-1181] 64111(3,4)[2024-872] 64131(1~4;7~9)[2025-200]

List of Lights CNP82/2024~2025[6410630] [6410690.13] [6410690.131] [6410690.132]
 [6410690.14] [6410820.7051] [6410820.7052]

Source East China Sea Aids 029&030/2024

202.Taiwan Strait – Dagang and Approaches – Chiyu – Lightbeacon

Amend from: ★  闪(2)6s9m4M (1)24°52'30".2N,118°58'53".7E
 to: ★  闪(2)6s10m4M (2)24°52'29".1N,118°58'50".8E

Chart 64001[2025-200] 64131[2025-201]

List of Lights CNP82/2024~2025[6411180]

Source East China Sea Aids 030/2024

203.Taiwan Strait – Quanzhou Bay and Approaches – Nanyangyu – Lightbeacon

Amend from: ★  闪2s12m4M (1)24°52'38".7N,118°52'54".7E
 to: ★  闪2s13m4M (2)24°52'38".2N,118°52'54".6E

Chart 64001[2025-202] 64131[2025-202] 64221[2025-72] 2311[2025-200]

List of Lights CNP82/2024~2025[6411230]

Source East China Sea Aids 030/2024

204.Taiwan Strait – Quanzhou Bay and Approaches – Xiyu – Lightbeacon

Amend from: ★  闪(3)10s24m4M (1)24°51'14".7N,118°47'11".6E
 to: ★  闪(3)10s30m4M (2)24°51'15".0N,118°47'10".8E

Chart 64001[2025-203] 64211[2025-72] 64221[2025-203]

List of Lights CNP82/2024~2025[6411280]

Source East China Sea Aids 030/2024

205.Taiwan Strait – Quanzhou Bay and Approaches – Xiangzhijiao – Lighthouse

Amend from:  闪(3)15s51m16M 雷康(Q) (1)24°46'21".5N,118°46'39".8E
to:  闪(3)15s51m18M 雷康(Q) (2)position (1) above
Chart 64001〔2025–204〕 64221〔2025–204〕 64311〔2024–1232〕 64321〔2024–385〕
2311〔2025–203〕
List of Lights CNP82/2024~2025[6411810]
Source East China Sea Aids 030/2024

206.Taiwan Strait – Weitou Bay and Approaches – Nanbeiweiyu – Lightbeacon

Amend from: ★ 闪(3)10s26m10M (1)24°33'26".3N,118°39'13".0E
to: ★ 闪(3)10s26m15M (2)position (1) above
Chart 64001〔2025–205〕 64322〔2024–1149〕 2311〔2025–205〕
List of Lights CNP82/2024~2025[6411970]
Source East China Sea Aids 030/2024

207.Taiwan Strait – Weitou Bay and Approaches – Waiyu – Lightbeacon

Amend from: ★ 闪(2)6s16m5M (1)24°32'07".4N,118°37'24".6E
to: ★ 闪(2)6s16m13M (2)position (1) above
Chart 64001〔2025–206〕 64322〔2025–206〕 2311〔2025–206〕
List of Lights CNP82/2024~2025[6411990]
Source East China Sea Aids 030/2024

208.Taiwan Strait – Houcai Bay and Approaches – Nanding Island – Lightbeacon

Amend from:  闪5s60m10M 雷康(X) (1)24°08'05".6N,118°02'16".6E
to:  闪5s60m15M 雷康(X) (2)position (1) above
Chart 64001〔2025–207〕 66001〔2025–89〕 66241〔2025–89〕 2312〔2025–76〕
List of Lights CNP82/2024~2025[6611440]
Source East China Sea Aids 030/2024

209.Taiwan Strait – Jiangjun Bay – Jiangjunyu – Lightbeacon

Amend from: ★ 闪2s10m4M (1)24°01'08".6N,117°52'58".6E
to: ★ 闪2s12m4M (2)24°01'08".8N,117°52'58".9E

Chart 66001〔2025-208〕 66241〔2025-208〕 66341〔2024-428〕 2312〔2025-208〕
List of Lights CNP82/2024~2025[6611460]
Source East China Sea Aids 030/2024

210.Taiwan Strait – Da'ao Bay – Xiejiao – Lightbeacon

Amend from: ★ 閃4s11m4M (1)23°57'38".6N,117°47'56".6E
to: ★ 閃4s13m4M (2)23°57'39".0N,117°47'56".0E

Chart 66001(with chart unchanged)〔2025-209〕 66241〔2025-209〕 66341〔2025-209〕
2312(with chart unchanged)〔2025-209〕

List of Lights CNP82/2024~2025[6611470]

Source East China Sea Aids 030/2024

211.Taiwan Strait – Houjiang Port and Approaches – Yangyu – Lightbeacon

Amend from: ★ 閃(3)10s23m4M (1)23°54'23".4N,117°44'57".6E
to: ★ 閃(3)10s25m4M (2)23°54'21".5N,117°44'56".4E

Chart 66001〔2025-210〕 66311〔2021-〕 66341〔2025-210〕 2312〔2025-210〕

List of Lights CNP82/2024~2025[6611530]

Source East China Sea Aids 030/2024

212.Taiwan Strait – Caiyu Islands – Shazhou Island Southwestwards – Lightbeacon

Amend from: ★ 閃(4)10s12m4M (1)23°47'12".4N,117°39'43".6E
to: ★ 閃(4)10s14m4M (2)23°47'12".2N,117°39'43".8E

Chart 66001(with chart unchanged)〔2025-211〕 66341〔2025-211〕 66441〔2024-1344〕

List of Lights CNP82/2024~2025[6611670]

Source East China Sea Aids 030/2024

213.Taiwan Strait – Dongshan Bay and Approaches – Lightbeacon

Amend from: ★ 閃6s13m4M (1)23°45'00".1N,117°31'38".7E
to: ★ 閃6s14m4M (2)23°45'00".0N,117°31'38".3E
from: ★ 閃2s9m5M (3)23°44'15".6N,117°32'10".1E
to: ★ 閃2s11m5M (4)23°44'15".6N,117°32'09".0E

from: ★ 闪 4s5.7m4M (5)23°45'45".6N,117°30'44".5E
to: ★ 闪 4s7.1m4M (6)23°45'45".6N,117°30'43".5E
Move ★ 闪 4s17m4M from: (7)23°46'20".6N,117°34'25".1E
to: (8)23°46'20".6N,117°34'25".2E
Chart 66001(1~4,7,8)(with chart unchanged)[2025-212]
66411(1~6)(7,8with chart unchanged)[2024-1344]
66441(1~6)(7,8with chart unchanged)[2025-212]
List of Lights CNP82/2024~2025[6611860][6611870][6611920][6611950]
Source East China Sea Aids 030/2024

214.Taiwan Strait – P'eng-hu Lieh-tao – P'eng-hutao Southeastwards – Buoyage

Amend from: 气象  互绿黄 8s (1)23°31'51".0N,119°41'23".0E
to:  互绿黄 8s (2)23°31'54".0N,119°41'19".0E
Note: Chinese version only.
Chart 2312[2025-211]
Source NTM 2024-(53)-2059

215.Taiwan Strait – P'eng-hu Lieh-tao – Dongjiyu Southwestwards – Buoyage

Amend from: 气象  闪黄 4s (1)23°14'25".0N,119°39'39".0E
to:  闪黄 4s (2)23°14'23".0N,119°39'27".0E
Note: Chinese version only.
Chart 2312[2025-214]
Source NTM 2024-(53)-2060

216.Chart Correction

Chinese version only.
Chart 92105[2024-]

Temporary Notices

217. Bohai Sea – Approaches to Dongying Port – Drilling (T)

Date January 17 to December 31, 2025
Area radius 1000m, central point 38°19'10".5N, 119°05'37".6E
Note: Keep watching on HF.
Chart 32202
Source Dongying Navigation Notice 53/2025

218. Bohai Sea – Approaches to Dongying Port – Construction (T)

Date October 13, 2023 to December 30, 2025
Area joining:
(1) 38°16'45".0N, 118°47'21".0E
(2) 38°16'59".5N, 118°49'22".3E
(3) 38°14'49".7N, 118°52'27".5E
(4) 38°10'59".5N, 118°51'38".6E
(5) 38°12'30".4N, 118°46'54".0E
(6) position (1) above
Note: Keep watching on HF.
Chart 32201 32202
Source Dongying Navigation notice 921/2023&284/2024&457/2024&460/2024&744/2024&745/2024&31/2025&33/2025&42/2025&43/2025&44/2025&47/2025

219. Bohai Sea – Approaches to Dongying Port – Drilling (T)

Date January 25 to May 31, 2025
Area radius 500m, central point 38°16'06".0N, 118°47'56".2E
Note: Keep watching on HF.
Chart 32202
Source Dongying Navigation Notice 54/2025

220. Bohai Sea – Approaches to Dongying Port – Drilling (T)

Date January 13 to September 30, 2025
Area radius 500m, central point 38°14'44".5N, 118°52'06".4E
Note: Keep watching on HF.

Blank Page

Chart 32202

Source Dongying Navigation Notice 30/2025

221. Bohai Sea – Approaches to Dongying Port – Construction (T)

Date September 3, 2024 to December 30, 2025

Area joining: (1) 37°55'50".1N, 119°07'45".0E
(2) 37°56'44".7N, 119°14'07".5E
(3) 37°55'06".5N, 119°11'49".6E
(4) 37°54'29".0N, 119°07'10".4E
(5) position (1) above

Note: Keep watching on HF.

Chart 32001 32202 33001

Source Dongying Navigation Notice 677/2024&746/2024&45/2025&46/2025

222. South China Sea – Zhujiangkou – Dahu Island Northwards – Construction (T)

Date May 31, 2024 to January 10, 2026

Area joining: (1) 22°51'27".7N, 113°34'37".4E
(2) 22°51'24".0N, 113°34'27".9E
(3) 22°51'12".2N, 113°34'18".0E
(4) 22°51'05".5N, 113°34'20".2E
(5) 22°50'38".6N, 113°34'29".0E
(6) 22°50'23".2N, 113°34'39".6E
(7) 22°50'05".3N, 113°34'55".9E
(8) 22°50'30".5N, 113°34'48".1E
(9) 22°50'37".8N, 113°34'52".4E
(10) 22°50'45".1N, 113°34'56".7E
(11) 22°50'53".3N, 113°34'59".6E
(12) 22°50'58".2N, 113°34'58".9E
(13) position (1) above

Chart 84234

Source Dongguan Navigation Notice 41/2024&91/2025

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai Marine Chart Press Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.