



NOTICES TO MARINERS

Issue No.45(Total No.1257)

Notice No.1001-1031

10 November 2025

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	13145	LIAOHEKOU CHANNEL (I)	1:10 000	2025 年 9 月 第 6 版	CHECK NTM FROM ISSUE No.38 2025
2	13146	LIAOHEKOU CHANNEL (II)	1:10 000	2025 年 9 月 第 6 版	CHECK NTM FROM ISSUE No.38 2025
3	35126	LIDAO PORT AND APPROACHES	1:15 000	2025 年 10 月 第 2 版	CHECK NTM FROM ISSUE No.43 2025
4	44121	DEEP WATER FAIRWAY OF CHANGJIANGKOU(I)	1:25 000	2025 年 10 月 第 55 版	CHECK NTM FROM ISSUE No.43 2025
5	44122	DEEP WATER FAIRWAY OF CHANGJIANGKOU (II)	1:25 000	2025 年 10 月 第 55 版	CHECK NTM FROM ISSUE No.43 2025
6	44123	DEEP WATER FAIRWAY OF CHANGJIANGKOU (III)	1:25 000	2025 年 10 月 第 55 版	CHECK NTM FROM ISSUE No.43 2025
7	81301	JINGHAI BAY AND APPROACHS	1:20 000	2025 年 10 月 第 10 版	CHECK NTM FROM ISSUE No.42 2025

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	13145	LIAOHEKOU CHANNEL (I)	1:10 000	2022 年 11 月 第 5 版	
2	13146	LIAOHEKOU CHANNEL (II)	1:10 000	2022 年 11 月 第 5 版	
3	35126	LIDAO PORT AND APPROACHES	1:15 000	2022 年 9 月 第 1 版	
4	44121	DEEP WATER FAIRWAY OF CHANGJIANGKOU(I)	1:25 000	2025 年 7 月 第 54 版	

No.	Chart No.	Name	Scale	Date	Note
5	44122	DEEP WATER FAIRWAY OF CHANGJIANGKOU (II)	1:25 000	2025 年 7 月 第 54 版	
6	44123	DEEP WATER FAIRWAY OF CHANGJIANGKOU (III)	1:25 000	2025 年 7 月 第 54 版	
7	81301	JINGHAI BAY AND APPROACHS	1:20 000	2023 年 12 月 第 9 版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Tangshan Port	(1001)
	Dongying Port Northeastwards	(1002)
	Dongying Port	(1003)
Yellow Sea	Weihei Port and Approaches	(1004)
	Lianyungang Port	(1005)
	Yangkou Port Northeastwards	(1006)
	Yangkou Port	(1007)
	Lüsi Port Northeastwards	(1008)
	Lüsi Port Eastwards	(1009)
East China Sea	Changjiangkou and Approaches	(1010)
	Zhoushan Archipelago	(1011),(1012)
	Ningbo Port	(1026),(1027)
	Sanmen Bay	(1028)
	Nanji Islands Northwards	(1013)
	Aojiangkou and Approaches	(1014)
	Minjiangkou	(1015)
Taiwan Strait	Meizhou Bay	(1029)
	Jinmen Island Southwards	(1016)
	Dongshan Bay and Approaches	(1017)
South China Sea	Daya Bay	(1030)
	Wanshan Archipelago	(1018)
	Hailing Island Southwards	(1019)
	Yangjiang Port	(1020)
	Approaches to Shuangshan Island	(1021)
	Shuangyuzui Southwards	(1022),(1023)
	Hainan Island Southeastwards	(1025)

	Hainan Island	(1031)
Beibu Gulf	Beihai Port	(1024)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
22001	1001	
22111	1001	
22115	1001	
32001	1002,1003	
32201	1003	
32202	1002,1003	
35001	1004	
35111	1004	
35112	1004	
35113	1004	
1302	1004	
1304	1002	
1305	1004	
41101	1005	
41112	1005	
41122	1005	
42002	1006,1007	
43001	1008,1009	
44001	1010	
44128	1010	
44129	1010	
44173	1010	
52001	1011	
52137	1012	1026,1027
52172	1010	
52174	1012	
53001	1012	
53132		1026,1027
53452		1028
55631	1014	
61001	1013	
62001	1015	
62221	1015	
62261	1015	
62311	1015	
63112		1029

Chart No.	Notice No.	Notice No.(T)
64001	1016	
65171	1016	
66001	1016,1017	
66341	1017	
66411	1017	
66441	1017	
2307	1006,1007,1008	
2308	1010,1011,1012	
2310	1013	
2312	1016,1017	
83103		1030
83104		1030
84001	1018	
84002	1018	
84203	1018	
84211	1018	
84221	1018	
85001	1019,1021,1022	
86101	1019,1020,1021,1022	
86301	1019,1020	
86302	1021,1022	
87001	1022,1023	
91001	1024	
91204	1024	
91301	1024	
91302	1024	
92001	1024	
03301		1031
3314	1018,1019	
3315	1019,1022,1023	
3316	1024	
3317	1025	

Notices to Mariners

1001.Bohai Sea – Tangshan Port – Jingtang Harbour – Pilot Boarding Place

Delete	 No5	(1)39°02'22".8N,119°12'49".8E
Insert	 No5	(2)38°59'51".6N,119°14'40".8E
	 No6	(3)38°57'06".0N,119°17'43".8E
	 No7	(4)39°03'21".6N,119°12'24".6E

Note: Chinese Version Only.

Chart 22001〔2025-973〕 22111〔2025-342〕 22115(1;2,4)〔2024- 〕

Source MOT 030/2025

1002.Bohai Sea – Dongying Port Northeastwards – Pilot Boarding Place

Insert	 No1	(1)38°22'39".6N,119°26'00".6E
	 No2	(2)38°25'57".0N,119°31'41".4E

Note: Chinese Version Only.

Chart 32001〔2025-713〕 32202(1)〔2025-575〕 1304〔2025-973〕

Source MOT 030/2025

1003.Bohai Sea – Dongying Port – Pilot Boarding Place

Delete	 No1	(1)38°10'00".0N,119°07'30".0E
	 No3	(2)38°11'40".2N,119°07'00".0E
Insert	 No1	(3)38°10'09".0N,119°07'19".8E
	 No3	(4)38°08'51".0N,119°08'36".0E

Note: Chinese Version Only.

Chart 32001〔2025-1002〕 32201〔2025-575〕 32202〔2025-1002〕

Source MOT 030/2025

1004.Yellow Sea – Weihai Port and Approaches – Shallow Depth

Delete	 3 ₂	(1)37°30'06".2N,122°08'31".3E
	 7 ₇	(2)37°26'52".2N,122°16'43".6E
Insert	 4 ₈	(3)position (1) above

Chart 35001(2)[2025-879] 35111[2025-879] 35112(1;3)[2024-1309]
35113(2)[2025-879] 1302(2)[2025-879] 1305(2)[2025-879]

Source Tianjin Hydrographic Center

1005.Yellow Sea – Lianyungang Port – Aids

Delete (39A)  V-AIS (1) 34°44'24".9N, 119°30'24".4E
Move (39)  快绿 from: (2) 34°44'29".5N, 119°30'23".5E
to: (3) position (1) above

Chart 41101(2,3)[2025-714] 41112[2025-513] 41122[2025-714]

List of Lights CNP82/2024~2025[4110560.39] [4110560.391]

Source East China Sea Aids 032/2025

1006.Yellow Sea – Yangkou Port Northeastwards – Lightbeacon

Insert (15)  莫(C)黄 12s29m5M 同步 (1) 32°51'00".6N, 121°56'46".5E
AIS
(16)  莫(C)黄 12s29m5M 同步 (2) 32°50'59".5N, 121°56'48".0E
雷康(G)

Note: Chinese Version Only.

Chart 42002(2)(1with chart unchanged)[2025-772] 2307(2)[2025-946]

List of Lights CNP82/2024~2025[4310639.715] [4310639.716]

Source East China Sea Aids 032/2025

1007.Yellow Sea – Yangkou Port Eastwards – Lightbeacon

Insert (10)  莫(C)黄 12s31m5M 同步 (1) 32°37'56".2N, 122°01'48".0E
雷康(G)
(11)  莫(C)黄 12s31m5M 同步 (2) 32°37'55".6N, 122°01'47".8E
AIS

Note: Chinese Version Only.

Chart 42002(1)(2with chart unchanged)[2025-1006] 2307(1)[2025-1006]

List of Lights CNP82/2024~2025[4310645.1010] [4310645.1011]

Source East China Sea Aids 032/2025

1008.Yellow Sea – Lüsi Port Northeastwards – Lightbeacon

Insert (12)  莫(C)黄 12s25m5M 同步 (1) 32°12'07".3N, 122°11'51".8E
AIS
(13)  莫(C)黄 12s25m5M 同步 (2) 32°12'05".7N, 122°11'52".5E
雷康(G)

Note: Chinese Version Only.

Chart 43001(2)(1with chart unchanged)[2025-947] 2307(2)[2025-1007]

List of Lights CNP82/2024~2025[4310831.0212][4310831.0213]

Source East China Sea Aids 032/2025

1009.Yellow Sea – Lüsi Port Eastwards – Lightbeacon

Insert (12)  莫(C)黄 12s22m5M 同步 (1) 32°02'52".2N,122°15'23".6E
(13)  莫(C)黄 12s22m5M 同步 (2) 32°02'51".4N,122°15'25".5E
 雷康(G)

Note: Chinese Version Only.

Chart 43001(with chart unchanged)[2025-1008]

List of Lights CNP82/2024~2025[4310836.12][4310836.13]

Source East China Sea Aids 032/2025

1010.East China Sea – Changjiangkou and Approaches – Below Reach of Nancao Fairway – Shallow Depth

Delete 5₉ (1) 31°02'47".4N,122°07'32".9E
5₉ (2) position (1) above
5₂ (3) 31°04'20".2N,122°02'23".6E
4₇ 及等深线 (4) 31°03'48".5N,122°03'31".5E

Chart 44001(2)[2025-948] 44128(1)[2025-853] 44129(3,4)[2025-853]

44173(1)[2025-853] 52172(2)[2025-950] 2308(2)[2025-950]

Source Hydrography Department Shanghai MSA

1011.East China Sea – Zhoushan Archipelago – Haijiao Northwards – Wreck

Insert 概位:  (2025) 30°57'48"N,123°07'18"E

Note: The wreck is a fishing vessel.

Chart 52001(with chart unchanged)[2025-978] 2308[2025-1010]

Source Shanghai Navigation Warning 0636/2025

1012.East China Sea – Zhoushan Archipelago – Yangxiaomao Island Northeastwards – Wreck

Delete 概位:  据报(2025) 29°54'10".8N,122°10'59".4E

Chart 52137[2025-980] 52174[2025-981] 53001[2025-981] 2308[2025-1011]

Source Hydrography Department Shanghai MSA

1013.East China Sea – Nanji Islands Northwards – Buoyage

Delete	瑞安1号风电(L1)  莫(0)黄12s 同步	(1)27°33'58".5N,121°03'46".3E
	(12)  莫(0)黄12s 同步	(2)27°33'58".5N,121°06'17".4E
	(13)  莫(0)黄12s 同步	(3)27°33'58".5N,121°08'48".4E
	(14)  莫(0)黄12s 同步	(4)27°33'27".2N,121°09'45".1E
	(15)  莫(0)黄12s 同步	(5)27°32'14".0N,121°09'55".3E
	(16)  莫(0)黄12s 同步	(6)27°32'14".0N,121°07'45".5E
	(17)  莫(0)黄12s 同步	(7)27°32'13".9N,121°05'35".7E
	(18)  莫(0)黄12s 同步	(8)27°32'13".7N,121°03'25".8E

Chart 61001〔2025-776〕 2310(1,3,5,8)〔2025-961〕

List of Lights CNP82/2024~2025[5811372.01] [5811372.02] [5811372.03] [5811372.04]
[5811372.05] [5811372.06] [5811372.07] [5811372.08]

Source East China Sea Aids 032/2025

1014.East China Sea – Aojiangkou and Approaches – Pipashan Westwards – Buoyage

Insert	(警L1)  莫(0)黄12s 同步	(1)27°30'17".9N,120°39'27".5E
	(警12)  莫(0)黄12s 同步	(2)27°30'20".7N,120°38'49".4E

Note: Chinese Version Only.

Chart 55631〔2025-982〕

List of Lights CNP82/2024~2025[5811909.01] [5811909.02]

Source East China Sea Aids 032/2025

1015.East China Sea – Minjiangkou – Approaches to Langqi Island – Lightbeacon

Amend	from: ★  闪4s15m6M	(1)26°06'27".4N,119°32'26".0E
	to: ★  闪4s17m6M	(2)26°06'27".5N,119°32'26".0E
	from: ★  闪(3)10s8.2m4M	(3)26°07'56".6N,119°35'27".0E
	to: ★  闪(3)10s7.4m4M	(4)26°07'57".0N,119°35'27".0E
	from: ★  闪4s13m4M	(5)26°06'57".6N,119°40'11".5E
	to: ★  闪4s14m6M	(6)26°06'57".5N,119°40'11".6E

Move ★ 閃(3)10s34m7M from: (7)26°07'16".8N,119°38'33".7E
to: (8)26°07'17".0N,119°38'33".7E

Chart 62001(5,6)(7,8with chart unchanged)[2025-961]
62221(3~6)(7,8with chart unchanged)[2025-777]
62261(5,6)(7,8with chart unchanged)[2025-961] 62311(1~4)[2023-]

List of Lights CNP82/2024~2025[6210440][6210510][6210560][6210710]

Source East China Sea Aids 032/2025

1016.Taiwan Strait – Jinmen Island Southwards – V-AIS

Delete (AB1)  V-AIS (1)24°11'29".8N,118°21'33".9E
(AB3)  V-AIS (2)24°12'14".2N,118°25'17".1E
(AB4)  V-AIS (3)24°14'18".2N,118°27'31".9E
(AB5)  V-AIS (4)24°15'36".6N,118°26'03".6E
(AB6)  V-AIS (5)24°13'33".2N,118°23'48".7E

Insert (C4)  V-AIS (6)24°12'16".3N,118°24'02".8E

Chart 64001[2025-722] 65171[2025-965] 66001[2025-963]
2312(1,3,4;6)[2025-915]

List of Lights CNP82/2024~2025[6611202.01][6611202.03][6611202.04][6611202.05]
[6611202.06][6611203]

Source East China Sea Aids 032/2025

1017.Taiwan Strait – Dongshan Bay and Approaches – Guleitou Eastwards – Submarine Cable

Insert Submarine cable and note "光缆", joining: (1)23°43'23".2N,117°35'41".8E
(2)23°43'48".6N,117°36'54".6E
(3)23°43'54".6N,117°37'12".0E
(66341 西图廓交点)
(4)23°43'57".4N,117°37'20".0E
(66411 东图廓交点)
(5)23°44'07".7N,117°37'49".8E
(6)23°44'48".9N,117°38'32".7E
(7)23°44'53".1N,117°40'12".0E
(66441 东图廓交点)

- (8)23°44'53".3N,117°40'16".1E
- (9)23°45'03".3N,117°44'15".2E
- (10)23°45'06".4N,117°45'27".5E
- (11)23°45'06".2N,117°46'03".6E
- (12)23°45'05".3N,117°48'02".2E
- (13)23°45'04".7N,117°49'00".2E
- (14)23°45'04".1N,117°50'01".6E
- (15)23°44'12".3N,117°51'41".6E
- (16)23°44'52".8N,117°46'29".6E
- (17)23°44'58".7N,117°46'17".8E
- (18)23°45'06".2N,117°46'03".6E
- (19)23°44'50".9N,117°49'25".8E
- (20)23°44'57".2N,117°49'13".8E
- (21)23°45'04".2N,117°49'00".8E

Submarine cable and note "光缆", joining:

Submarine cable and note "光缆", joining:

Chart 66001(1,2,5,6,9,11,13~15;16,18;19,21)[2025-1016]
 66341(3,5,6,8~15;16~18;19~21)[2025-842]
 66411(1,2,4)[2025-966]
 66441(1,2,5~7)[2025-966]
 2312(1,5,6,11,13~15)[2025-1016]

Source Hydrography Department Shanghai MSA

1018.South China Sea – Wanshan Archipelago – Aizhou Islands Northwestwards – Obstruction

Insert  据报 (1)22°02'42".6N,113°53'51".6E
 据报 (2)22°02'56".4N,113°53'38".4E
 碍

Chart 84001[2025-988] 84002[2025-988] 84203[2025-988]
 84211[2025-725] 84221[2025-725] 3314(2)[2025-964]

Source Guangzhou Navigation Warning 0267/2025

1019.South China Sea – Hailing Island Southwards – Wreck & Shallow Depth

Delete 概位:  据报(2004) (1)21°32'06".6N,111°52'20".4E
 Insert  17.4 右 (2)21°32'06".6N,111°52'20".2E

Chart 85001〔2025-901〕 86101〔2025-615〕 86301〔2025-709〕 3314〔2025-1018〕
3315〔2025-865〕

Source Guangzhou Hydrographic Center

1020.South China Sea – Yangjiang Port – Shallow Depth

Insert  (1)21°42'27".3N,111°48'06".5E
 (2)21°42'52".9N,111°47'37".8E

Chart 86101〔2025-1019〕 86301〔2025-1019〕

Source Guangzhou Hydrographic Center

1021.South China Sea – Approaches to Shuangshan Island – Wreck & Shallow Depth

Delete  船骸 (1)21°31'57".5N,111°40'39".4E
 右 (2)21°32'04".9N,111°41'08".0E
 右 (3)21°31'51".1N,111°41'33".3E

Chart 85001(2)〔2025-1019〕 86101(1,2)〔2025-1020〕 86302〔2025-231〕

Source Guangzhou Hydrographic Center

1022.South China Sea – Shuangyuzui Southwards – Submarine Power Line

Insert The west submarine power line of the
Bodhi wind farm, joining:
(1)21°31'44".8N,111°39'18".9E
(2)21°31'44".6N,111°39'19".3E
(3)21°31'43".8N,111°39'22".6E
(4)21°31'43".0N,111°39'26".0E
(5)21°31'38".5N,111°39'30".3E
(6)21°31'25".4N,111°39'55".0E
(7)21°31'27".5N,111°40'04".3E
(8)21°31'23".2N,111°40'13".8E
(9)21°31'19".1N,111°40'19".1E
(10)21°31'02".7N,111°40'33".4E
(11)21°30'47".8N,111°41'02".1E
(12)21°30'42".6N,111°41'08".6E
(13)21°30'22".0N,111°41'12".5E

(14)21°29'43".1N,111°40'52".2E

(15)21°29'27".1N,111°40'41".6E

(16)21°29'15".7N,111°40'37".3E

(17)21°28'52".2N,111°40'30".7E

(18)21°27'40".6N,111°39'51".9E

(19)21°27'24".0N,111°39'47".5E

(86302 南图廓交点)

(20)21°27'21".4N,111°39'46".8E

(21)21°27'10".1N,111°39'44".6E

(22)21°26'51".2N,111°39'42".0E

(23)21°26'48".0N,111°39'41".5E

(24)21°24'11".5N,111°39'41".9E

(25)21°23'23".9N,111°41'04".3E

(26)21°23'10".6N,111°41'04".1E

(27)21°23'00".0N,111°41'04".1E

(86101 南图廓交点)

(28)21°17'46".4N,111°41'04".2E

(29)21°07'48".3N,111°41'03".7E

(30)21°07'23".6N,111°40'28".5E

(31)21°01'08".0N,111°40'28".3E

(32)21°00'09".0N,111°37'20".0E

(87001 东图廓交点)

(33)21°00'06".5N,111°37'11".9E

(34)21°00'01".3N,111°36'58".5E

(35)20°59'09".0N,111°36'36".9E

(36)20°58'58".0N,111°36'32".7E

The east submarine power line of the
Bodhi wind farm, joining:

(37)21°31'44".8N,111°39'19".0E

(38)21°31'44".7N,111°39'19".3E

(39)21°31'43".5N,111°39'26".4E

(40)21°31'39".1N,111°39'30".6E

(41)21°31'35".0N,111°39'39".9E
 (42)21°31'32".2N,111°39'43".2E
 (43)21°31'26".7N,111°39'55".4E
 (44)21°31'28".5N,111°40'04".6E
 (45)21°31'24".0N,111°40'14".4E
 (46)21°31'19".9N,111°40'19".9E
 (47)21°31'03".4N,111°40'33".9E
 (48)21°30'57".3N,111°40'46".3E
 (49)21°30'48".5N,111°41'02".6E
 (50)21°30'42".8N,111°41'09".0E
 (51)21°30'25".8N,111°41'12".8E
 (52)21°30'21".9N,111°41'13".0E
 (53)21°29'42".5N,111°40'53".1E
 (54)21°29'38".1N,111°40'49".0E
 (55)21°29'26".8N,111°40'42".4E
 (56)21°29'15".5N,111°40'38".3E
 (57)21°28'52".0N,111°40'31".2E
 (58)21°27'40".4N,111°39'52".6E
 (59)21°27'24".0N,111°39'48".3E
 (86302南图廓交点)
 (60)21°27'16".8N,111°39'46".5E
 (61)21°26'47".9N,111°39'42".3E
 (62)21°24'11".7N,111°39'42".2E
 (63)21°23'24".1N,111°41'04".8E
 (64)21°07'47".9N,111°41'04".6E
 (65)21°07'23".3N,111°40'29".2E
 (66)21°01'07".6N,111°40'28".8E
 (67)21°00'22".3N,111°38'04".6E
 (68)21°00'11".5N,111°37'32".2E
 (69)21°00'05".9N,111°37'12".2E
 (70)21°00'00".7N,111°36'59".2E

(71)20°59'08".7N,111°36'37".6E
 (72)position (36) above

Chart 85001(2,4~18,20~23)[2025-1021] 86101(2,4~18,20~27)[2025-1021]
 86302(2,4~19;38~59)[2025-1021] 87001(32~36)[2025-990]
 3315(31,33~36)[2025-1019]

Source Guangzhou Hydrographic Center

1023.South China Sea – Shuangyuzui Southwards – Windmotor & Offshore Platform & Offshore Production Area

Insert	⏏	(1)21°00'49".1N,111°39'49".3E
	⏏	(2)21°00'33".7N,111°39'49".3E
	⏏	(3)21°00'18".3N,111°39'49".2E
	⏏	(4)21°00'02".9N,111°39'49".1E
	⏏	(5)20°59'47".5N,111°39'49".1E
	⏏	(6)20°59'32".0N,111°39'49".0E
	⏏	(7)20°59'16".8N,111°39'46".8E
	⏏	(8)20°59'01".1N,111°39'48".9E
	⏏	(9)20°58'45".7N,111°39'48".8E
	⏏	(10)20°58'30".2N,111°39'48".7E
	⏏	(11)20°58'14".8N,111°39'48".7E
	⏏	(12)20°57'59".4N,111°39'48".6E
	⏏	(13)20°57'03".6N,111°33'00".1E
	⏏	(14)21°00'20".0N,111°38'26".1E
	⏏	(15)21°00'04".6N,111°38'27".1E
	⏏	(16)20°59'49".2N,111°38'27".7E
	⏏	(17)20°59'29".5N,111°38'28".9E
	⏏	(18)20°59'12".6N,111°38'29".6E
	⏏	(19)20°58'57".2N,111°38'30".6E
	⏏	(20)20°58'41".7N,111°38'31".2E
	⏏	(21)20°58'26".3N,111°38'31".9E
	⏏	(22)20°58'11".0N,111°38'32".8E
	⏏	(23)20°57'55".6N,111°38'33".4E

┆	(24)20°57'40".2N,111°38'34".4E
┆	(25)20°57'24".8N,111°38'34".7E
┆	(26)21°00'03".6N,111°37'12".0E
┆	(27)20°59'37".2N,111°37'02".1E
┆	(28)20°59'21".8N,111°37'03".0E
┆	(29)20°59'02".1N,111°37'04".0E
┆	(30)20°58'43".5N,111°37'05".0E
┆	(31)20°58'28".1N,111°37'05".7E
┆	(32)20°56'12".6N,111°32'53".9E
┆	(33)20°57'57".3N,111°37'07".2E
┆	(34)20°57'41".9N,111°37'08".2E
┆	(35)20°57'26".5N,111°37'08".9E
┆	(36)20°57'11".1N,111°37'09".8E
┆	(37)20°56'55".8N,111°37'09".8E
┆	(38)20°59'25".7N,111°35'37".1E
┆	(39)20°59'10".3N,111°35'38".1E
┆	(40)20°58'54".9N,111°35'38".6E
┆	(41)20°58'34".3N,111°35'40".1E
┆	(42)20°58'15".4N,111°35'40".7E
┆	(43)20°57'59".9N,111°35'41".7E
┆	(44)20°57'44".6N,111°35'42".3E
┆	(45)20°57'29".2N,111°35'43".3E
┆	(46)20°57'13".8N,111°35'43".9E
┆	(47)20°56'58".4N,111°35'44".6E
┆	(48)20°56'43".0N,111°35'45".6E
┆	(49)20°56'27".6N,111°35'46".2E
┆	(50)20°59'04".0N,111°34'14".1E
┆	(51)20°58'48".5N,111°34'12".6E
┆	(52)20°58'33".1N,111°34'13".5E
┆	(53)20°58'17".8N,111°34'14".2E
┆	(54)20°58'02".3N,111°34'15".2E

└─┘	(55)20°57'37".5N,111°34'15".8E
└─┘	(56)20°57'16".1N,111°34'17".4E
└─┘	(57)20°55'57".2N,111°32'53".8E
└─┘	(58)20°56'45".4N,111°34'19".0E
└─┘	(59)20°55'41".8N,111°32'53".8E
└─┘	(60)20°55'26".4N,111°32'53".7E
└─┘	(61)20°55'59".2N,111°34'21".6E
└─┘	(62)20°58'43".6N,111°33'06".8E
└─┘	(63)20°58'20".8N,111°32'54".3E
└─┘	(64)20°58'05".4N,111°32'54".3E
└─┘	(65)20°57'50".0N,111°32'54".2E
└─┘	(66)20°57'34".6N,111°32'54".2E
└─┘	(67)20°57'19".2N,111°32'54".1E
升压站 	(68)20°58'58".0N,111°36'32".7E

maritime limit in general and note "Wind Farm
Protection Zone", joining:

- (69)21°00'56".9N,111°39'52".2E
(70)20°57'42".1N,111°39'52".2E
(71)20°56'50".2N,111°37'20".0E
(87001 东图廓交点)
(72)20°55'07".4N,111°32'18".5E
(73)20°58'35".0N,111°32'18".5E
(74)21°00'09".3N,111°37'20".0E
(87001 东图廓交点)
(75)position (1) above

Chart 87001 (13,26,29,32,33,37,38,41,43,46,49,50,53,55,58,60~62,64,68; 71~74)
〔2025–1022〕
3315 (1,8,12~14,18,25,33,38,43,49,53,58,60,62,68; 69,70,72,73,75)〔2025–1022〕
Source Guangzhou Hydrographic Center

1024.Beibu Gulf – Beihai Port – Wreck

Insert 概位数据报(2025) 21°28'30".0N,109°03'17".4E

Note: The wreck is named "Qiongchengyu 13783".

Chart 91001[2025-927] 91204[2025-927] 91301[2025-784] 91302[2025-]
92001[2025-927] 3316[2025-927]

Source Beihai Navigation Warning 0115/2025

1025.South China Sea – Hainan Island Southeastwards – Obstruction

Insert 据报 碍 18°11'51".1N,110°50'59".5E

Note: The obstruction is a offshore platform centered on the position above, within a radius of 0.108M.

Chart 3317[2025-785]

Source Beihai Navigation Warning 0312/2025

Temporary Notices

1026.East China Sea – Ningbo Port – Beilun Harbour – Surveying (T)

Date September 18, 2025 to July 8, 2026

Area joining: (1)29°55'54".5N,121°54'10".8E
(2)29°56'02".2N,121°54'11".9E
(3)29°56'07".1N,121°54'20".0E
(4)29°56'07".0N,121°54'31".0E
(5)29°56'13".1N,121°54'34".7E
(6)29°56'12".2N,121°54'50".1E
(7)29°55'54".9N,121°54'51".0E
(8)29°55'32".8N,121°55'12".2E
(9)29°55'21".6N,121°54'59".2E
(10)29°55'51".9N,121°54'31".7E
(11)position(1)above

Note: Keep watching on VHF ch.14.

Chart 52137 53132

Source Ningbo Navigation Notice 0410/2025

1027.East China Sea – Ningbo Port – Daxie Harbour – Surveying (T)

Date September 21, 2025 to July 8, 2026

Area joining: (1)29°55'05".4N,121°55'31".8E
(2)29°54'56".4N,121°55'35".6E
(3)29°54'53".1N,121°55'25".3E
(4)29°55'02".2N,121°55'21".6E
(5)position(1)above

Note: Keep watching on VHF ch.14.

Chart 52137 53132

Source Ningbo Navigation Notice 0418/2025

Blank Page

1028.East China Sea – Sanmen Bay – Baidaimen – Construction (T)

Date September 19, 2024 to March 19, 2026, day and night

Area joining:

- (1)28°52'48"N,121°40'28"E
- (2)28°52'35"N,121°40'13"E
- (3)28°52'16"N,121°40'08"E
- (4)28°52'04"N,121°40'09"E
- (5)28°51'44"N,121°40'04"E
- (6)28°51'47"N,121°40'35"E
- (7)28°52'00"N,121°40'54"E
- (8)28°52'13"N,121°40'54"E
- (9)28°52'27"N,121°40'37"E
- (10)28°52'34"N,121°40'43"E
- (11)position (1) above

Note: Keep watching on VHF ch.16 .

Chart 53452

Source Taizhou Navigation Notice 0083/2024&0118/2025

1029.Taiwan Strait – Meizhou Bay – Approaches to Panyu – Berth Construction (T)

Date September 10, 2025 to March 31, 2026

Area area1, joining:

- (1)25°06'39".5N,119°03'17".7E
- (2)25°06'25".2N,119°03'07".8E
- (3)25°06'43".5N,119°02'36".4E
- (4)25°06'58".5N,119°02'46".2E
- (5)position(1)above

area2, joining:

- (6)25°06'39".5N,119°03'17".7E
- (7)25°06'32".8N,119°03'13".8E
- (8)25°06'38".5N,119°03'04".3E
- (9)25°06'50".1N,119°02'40".0E
- (10)25°06'58".5N,119°02'46".2E
- (11)position(6)above

area3, Maximum area occupied by construction vessels' anchorage operation:330m*160m.

Note: Keep watching on VHF ch.16&10.

Blank Page

Chart 63112

Source Putian Navigation Notice 0596/2025

1030.South China Sea – Daya Bay – Dongma Harbour – Pier Construction (T)

Date September 12, 2025 to July 31, 2027

Area joining: (1)22°44'16".2N,114°36'52".8E
(2)22°44'18".6N,114°36'59".4E
(3)22°44'17".4N,114°37'00".6E
(4)22°43'59".4N,114°37'08".4E
(5)22°43'57".6N,114°37'05".4E
(6)22°43'57".0N,114°37'04".2E
(7)22°43'56".4N,114°37'01".2E
(8)22°44'14".4N,114°36'52".8E
(9)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation area. Keep watching on VHF ch.08.

Chart 83103 83104

Source Huizhou Navigation Notice 2158/2025

1031.South China Sea – Hainan Island – Nanshan Port – Pier Construction (T)

Date September 8, 2025 to March 28, 2026

Area joining: (1)18°19'23".4N,109°08'23".2E
(2)18°19'18".9N,109°08'30".0E
(3)18°19'23".6N,109°08'38".4E
(4)18°19'23".5N,109°08'42".2E
(5)18°19'23".5N,109°08'47".6E
(6)18°19'07".8N,109°08'47".5E
(7)18°19'07".9N,109°08'38".8E
(8)18°19'09".8N,109°08'38".8E
(9)18°19'12".4N,109°08'35".0E
(10)18°19'16".7N,109°08'28".4E

Blank Page

(11) $18^{\circ}19'19''.5\text{N}, 109^{\circ}08'24''.0\text{E}$

(12) position (1) above

Note: Keep watching on VHF ch.16&08.

Chart 03301

Source Sanya Navigation Notice 0310/2025

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.