



NOTICES TO MARINERS

Issue No.14(Total No.1278)

Notice No.375-413

6 April 2026

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Tangshan Port	(375),(405)
Yellow Sea	Shandong Peninsula Eastwards	(406)
	Rushan Port	(407)
	Dongling Port Northwards	(376)
East China Sea	Ningbo–Zhoushan Port	(408),(409),(410)
	Approaches to Dongtou Island	(377)
Taiwan Strait	Xiamen Port and Approaches	(378),(411),(412)
	Zhangjiang River	(379)
South China Sea	Guangdong Coastal	(380),(381)
	Honghai Bay	(382)
	Zhujiangkou	(383),(384)
	Zhujiang River	(385)
	Huangmao Sea	(386),(387)
	Yangjiang Port	(388)
	Shuangyuzui Southwards	(389)
	Shapa Coastal	(390)
	Zhanjiang Port	(391),(392)
	Naozhou Island Northwards	(393)
	Naozhou Island Southwards	(394)
	Leizhou Bay	(395)
	Xinliao Island Northwards	(396)
	Qiongzhou Strait	(397),(398)
Beibu Gulf	Leizhou Peninsula Westwards	(399),(400)
	Tieshan Port	(401)
	Qinzhou Port	(402),(413)

Hainan Island Northwestwards (403)

Yangpu Port and Approaches (404)


2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
22001		405
22111	375	405
22113	375	
22122		405
32001		405
35001		406
35002		406
35122		406
35124		406
35144		406
35145		406
35166		407
43134	376	
43171	376	
52137		410
53132		408,409,410
55001	377	
55121	377	
55122	377	
55151	377	
65113		411,412
65131		411,412
65171	378	
66412	379	
66441	379	
2309	377	
2310	377	
2312	380,381	
81001	380,381	
81101	381	
81201	381	
81301	381	
82001	380,381	
82311	381	
82312	381,382	
83001	380,381,382	

Chart No.	Notice No.	Notice No. (T)
83101	381	
84001	380,381,383,386,387	
84002	381,383	
84203	380,381	
84204	381,387	
84206	383	
84212	383,384	
84217	385	
84220	383,384	
84241	385	
84242	385	
84301	387	
84302	386,387	
85001	380,381,389	
85101	381	
86101	388	
86301	388	
87001	381,389,390,393,394,395,396	
87101	390	
88001	380,396,397,398,399,400	
88102	393	
88103	391	
88106	392	
88107	391,392	
88110	393,394	
88201	395	
88302	394,396	
88401	397	
88402	398	
88403	398	
91001	399,400	
91201	401	
91202	401	
91203	401	
92101	402	
92104	402	
92105		413

Notices to Mariners

375. Bohai Sea – Tangshan Port – Jingtang Harbour – Buoyage

Insert  39°09'52".7N, 119°04'46".7E
Chart 22111[2025-1118] 22113[2025-342]
List of lights CNP81/2025~2026[2310281]
Source Beihai Aids 008/2026

376. Yellow Sea – Dongling Port Northwards – Submarine Power Line

Delete submarine power line, joining:
(1) 32°22'30".8N, 121°25'00".3E
(2) 32°22'28".6N, 121°24'59".6E
(3) 32°22'28".1N, 121°25'01".0E
(4) 32°22'26".7N, 121°24'59".0E
(5) 32°22'25".7N, 121°24'59".0E
(6) 32°22'25".7N, 121°24'57".5E
(7) 32°22'22".7N, 121°24'56".0E
(8) 32°22'21".6N, 121°24'54".4E
Insert submarine power line, joining:
(9) 32°22'30".8N, 121°25'00".3E
(10) 32°22'29".7N, 121°24'59".6E
(11) 32°22'29".5N, 121°24'59".9E
(12) 32°22'29".4N, 121°25'00".0E
(13) 32°22'29".1N, 121°24'59".3E
(14) 32°22'28".8N, 121°24'59".1E
(15) 32°22'28".6N, 121°24'59".2E
(16) 32°22'28".5N, 121°24'59".4E
(17) 32°22'28".8N, 121°24'59".7E
(18) 32°22'28".8N, 121°25'00".0E
(19) 32°22'28".6N, 121°25'00".1E
(20) 32°22'27".7N, 121°24'59".4E
(21) 32°22'27".9N, 121°24'59".0E
(22) 32°22'27".9N, 121°24'58".7E

- (23) 32°22'27".6N, 121°24'58".6E
- (24) 32°22'27".2N, 121°24'59".1E
- (25) 32°22'26".8N, 121°24'58".9E
- (26) 32°22'26".7N, 121°24'58".8E
- (27) 32°22'26".8N, 121°24'58".2E
- (28) 32°22'26".0N, 121°24'57".0E
- (29) 32°22'25".4N, 121°24'56".6E
- (30) 32°22'24".2N, 121°24'57".0E
- (31) 32°22'23".7N, 121°24'56".6E
- (32) 32°22'21".8N, 121°24'54".5E
- (33) 32°22'21".6N, 121°24'54".4E
- (34) 32°22'20".7N, 121°24'52".0E

Chart 43134(1~8;9~34)(with chart unchanged)[2026-164]
 43171(1~8;9,27,29,30,33,34)(with chart unchanged)[2026-291]

Source Shanghai Nautical Chart Center

377. East China Sea – Approaches to Dongtou Island – Zhuangyuan 'ao Island

Northwestwards– Submarine Pipeline

Insert submarine pipeline and note "intake pipe",
 joining:

- (1) 27°52'22".0N, 121°05'38".5E
- (2) 27°52'26".4N, 121°05'40".7E
- (3) 27°52'31".8N, 121°05'40".5E
- (4) 27°52'36".7N, 121°05'38".6E
- (5) 27°52'46".5N, 121°05'33".1E
- (6) 27°52'57".4N, 121°05'27".9E
- (7) 27°53'02".7N, 121°05'26".1E
- (8) 27°53'06".5N, 121°05'25".5E
- (9) 27°53'17".9N, 121°05'24".4E
- (10) 27°53'20".0N, 121°05'24".1E
 (55122 南图廓交点)
- (11) 27°53'35".5N, 121°05'22".0E

- (12) 27°53'45".1N, 121°05'21".7E
- (13) 27°53'52".0N, 121°05'22".8E
- (14) 27°53'56".1N, 121°05'24".5E
- (15) 27°53'57".9N, 121°05'25".4E
- (16) 27°54'00".0N, 121°05'26".7E
- (2310北图廓交点)
- (17) 27°54'01".6N, 121°05'27".7E
- (18) 27°54'06".1N, 121°05'31".6E
- (19) 27°54'19".8N, 121°05'47".9E
- (20) 27°54'27".0N, 121°05'57".7E
- (21) 27°54'30".6N, 121°06'05".3E
- (22) 27°54'35".2N, 121°06'23".7E

Note: Chinese version only.

Chart 55001(1~4,7,11,13,15,18,20,22)[2026-339]
 55121(1~9,11~15,17~22)[2026-250] 55122(10~15,17~22)[2025-830]
 55151(1~4,7,8,11~13,15,18,20~22)[2026-251]
 2309(1~4,7,11,13,15,18,20,22)[2026-339]
 2310(1~4,7,11,13,16)[2026-339]

Source Wenzhou Navigation Notice 0116/2025

378.Taiwan Strait – Xiamen Port and Approaches – Fugong Bridge – Vertical Clearance & Caution

Insert note " $\overline{7}$ ", approaches to (1) 24°21'37".7N, 117°54'08".3E
 caution and note "The navigable clearance
 height of the fugong elevated water supply
 pipeline nearby is 5.5 meters. Vessels should
 navigate with caution." (2) 24°21'35".4N, 117°54'10".3E

Chart 65171(with chart unchanged)[2026-168]

Source Zhangzhou Navigation Notice 0052/2026

379.Taiwan Strait – Zhangjiang River – Zhangjiangwan Grand Bridge – Vertical Clearance

Delete note " $\overline{17}$ ", approaches to (1) 23°55'00".0N, 117°30'00".0E

Insert note " 14 ", approaches to (2)position (1) above
 Chart 66412[2026-112] 66441[2026-146]
 Source Zhangzhou Navigation Notice 0052/2026

380.East China Sea – Guangdong Coastal – Recommended Track

Insert Guangdong coastal outer route, joining: (1)23°11'05".5N,117°30'35".6E
 (2)22°41'42".0N,116°54'50".0E
 (3)22°07'53".0N,115°12'10".0E
 (4)21°29'24".0N,113°42'06".0E
 (5)20°15'23".0N,111°04'32".0E

Note: Chinese version only.

Chart 81001(with chart unchanged)[2026-9]
 82001(with chart unchanged)[2025-1164]
 83001(with chart unchanged)[2026-310]
 84001(with chart unchanged)[2026-312]
 84203(with chart unchanged)[2026-311]
 85001(with chart unchanged)[2026-171]
 88001(with chart unchanged)[2026-284]
 2312(with chart unchanged)[2026-298]
 3313(with chart unchanged)[2026-9] 3314(with chart unchanged)[2026-311]
 3315(with chart unchanged)[2026-275]
 Source MSA 002/2026

381.East China Sea – Guangdong Coastal – Recommended Track

Insert Guangdong coastal inner route, joining: (1)23°21'52".5N,117°21'26".2E
 (2)23°14'40".0N,117°12'49".0E
 (3)22°45'48".0N,116°21'46".0E
 (4)22°36'03".0N,115°52'12".0E
 (5)22°24'44".0N,114°57'03".0E
 (6)22°07'10".0N,114°22'45".0E
 (7)21°55'48".0N,113°51'44".5E
 (8)21°29'20".0N,112°50'57".0E

(9)21°06'42".0N,111°25'46".0E

(10)21°00'34".0N,110°59'42".4E

Note: Chinese version only.

Chart 81001(with chart unchanged)[2026-380] 81101(with chart unchanged)[2026-9]
81201(with chart unchanged)[2026-9] 81301(with chart unchanged)[2025-]
82001(with chart unchanged)[2026-380]
82311(with chart unchanged)[2025-987]
82312(with chart unchanged)[2025-1164]
83001(with chart unchanged)[2026-380]
83101(with chart unchanged)[2026-283]
84001(with chart unchanged)[2026-380]
84002(with chart unchanged)[2026-312]
84203(with chart unchanged)[2026-380]
84204(with chart unchanged)[2026-226]
85001(with chart unchanged)[2026-380]
85101(with chart unchanged)[2025-862]
87001(with chart unchanged)[2025-1238]
2312(with chart unchanged)[2026-380] 3313(with chart unchanged)[2026-380]
3314(with chart unchanged)[2026-380] 3315(with chart unchanged)[2026-380]

Source MSA 002/2026

382.South China Sea – Honghai Bay – Yanzhou Port Southwards – Buoyage

Delete (1)  莫(0)黄12s (1)22°39'33".8N,114°59'51".8E
(2)  莫(0)黄12s (2)22°40'00".1N,114°59'34".7E

Chart 82312[2026-381] 83001(1)[2026-381] 3313(1)[2026-381]

List of Lights CNP83/2023~2024[7210423.01][7210423.02]

Source Nanhai Aids 004/2026

383.South China Sea – Zhujiangkou – Approaches to The Brothers – Shallow Depth

Insert 9, 及等深线 (1)22°19'28".8N,113°58'38".9E
9, (2)position (1) above
16, (3)22°20'50".0N,113°57'30".6E

Chart 84001(2,3)[2026-381] 84002(2,3)[2026-381] 84206(2,3)[2026-313]
 84212(1,3)[2026-312] 84220(1,3)[2026-312]
 Source Hongkong NTM 2026-(3)-8&9

384.South China Sea – Zhujiangkou – Tuen Mun Ferry Terminal – Restricted Area

Delete restricted area boundary line and note, joining: (1)22°22'20".5N,113°57'55".4E
 (2)22°22'13".4N,113°57'53".7E
 (3)22°22'12".8N,113°57'56".2E
 (4)22°22'16".2N,113°57'57".4E

Chart 84212[2026-383] 84220[2026-383]
 Source Hongkong NTM 2026-(3)-10

385.South China Sea – Zhujiang River – Datanwei Southeastwards – Buoyage

Delete (S1)  闪绿4s (1)23°06'47".8N,113°13'28".8E
 (S2)  闪(2+1)红9s (2)23°06'48".1N,113°13'24".6E
 (S3)  闪绿4s (3)23°07'09".5N,113°13'20".7E
 (S4)  闪红4s (4)23°07'06".5N,113°13'18".8E
 Insert (95)  闪绿4s (5)23°06'49".9N,113°13'18".5E

Chart 84217(1,4;5)[2025-1165] 84241[2025-1136] 84242[2025-229]
 List of Lights CNP83/2025~2026[7412920.95][7412921.01][7412921.02][7412921.03]
 [7412921.04]
 Source Nanhai Aids 126/2025


386.South China Sea – Huangmao Sea – Huangmaohai Sea-crossing Passage –

Vertical Clearance

Insert note " $\overline{64}$ ", approaches to (1)22°01'18".8N,113°07'18".8E
 note " $\overline{64}$ ", approaches to (2)22°00'33".8N,113°05'37".6E

Chart 84001[2026-383] 84302[2025-1210]
 Source Western Zhujiang Waterway Notice 004/2026

387.South China Sea – Huangmao Sea – Huangmaohai Sea-crossing Passage – Aids

Delete (D01)  闪绿4s (1)22°00'58".7N,113°07'39".8E

Insert

- (D02)  闪红 4s
- (D03)  闪绿 4s
- (D04)  闪红 4s
- (D05)  闪绿 4s
- (D06)  闪红 4s
- (D07)  闪绿 4s
- (D08)  闪红 4s
- (Y15A)  闪红 4s
- (Y15B)  闪绿 4s
- (1) ★ 快黄
- (2) ★ 快黄
- (3) ★ 快黄
- (4) ★ 快黄
- (5) ★ 快黄
- (6) ★ 快黄
- (7) ■ 闪红 4s
- (8) ■ 闪红 4s
- (9) ① 莫(A) 6s
- (10) ① 莫(A) 6s
- (11) ▲ 闪绿 4s
- (12) ▲ 闪绿 4s
- (13) ★ 快黄
- (14) ★ 快黄
- (15) ★ 快黄
- (16) ★ 快黄
- (17) ★ 快黄
- (18) ★ 快黄
- (53A)  闪绿 4s
- (53B)  闪红 4s
- (53C)  闪绿 4s
- (53D)  闪红 4s
- (1) ★ 快黄

- (2) 22°00'54".7N, 113°07'34".6E
- (3) 22°01'08".7N, 113°07'31".1E
- (4) 22°01'05".3N, 113°07'25".6E
- (5) 22°01'27".8N, 113°07'14".7E
- (6) 22°01'26".6N, 113°07'07".2E
- (7) 22°01'36".8N, 113°07'07".0E
- (8) 22°01'41".3N, 113°06'54".6E
- (9) 21°59'47".9N, 113°06'14".2E
- (10) 22°00'00".5N, 113°06'08".8E
- (11) 22°01'04".3N, 113°06'55".0E
- (12) 22°01'04".8N, 113°06'54".8E
- (13) 22°01'06".1N, 113°06'58".4E
- (14) 22°01'06".5N, 113°06'58".1E
- (15) 22°01'09".9N, 113°07'06".0E
- (16) 22°01'10".5N, 113°07'05".7E
- (17) 22°01'15".6N, 113°07'18".2E
- (18) 22°01'16".9N, 113°07'17".1E
- (19) 22°01'16".6N, 113°07'20".1E
- (20) 22°01'17".9N, 113°07'19".0E
- (21) 22°01'17".5N, 113°07'22".0E
- (22) 22°01'18".8N, 113°07'20".9E
- (23) 22°01'20".8N, 113°07'27".4E
- (24) 22°01'21".4N, 113°07'27".1E
- (25) 22°01'24".8N, 113°07'34".9E
- (26) 22°01'25".2N, 113°07'34".7E
- (27) 22°01'26".5N, 113°07'38".3E
- (28) 22°01'26".9N, 113°07'38".0E
- (29) 22°00'55".2N, 113°07'42".4E
- (30) 22°00'54".6N, 113°07'35".0E
- (31) 22°01'37".3N, 113°07'06".6E
- (32) 22°01'36".5N, 113°06'58".8E
- (33) 22°00'32".7N, 113°05'27".3E

- | | |
|----------------------------------|----------------------------------|
| (2) ★快黄 | (34) 22°00'33".4N, 113°05'27".0E |
| (3) ■闪红4s | (35) 22°00'34".7N, 113°05'35".2E |
| (4) ■闪红4s | (36) 22°00'36".1N, 113°05'34".1E |
| (5) ①莫(A)6s | (37) 22°00'35".2N, 113°05'36".8E |
| (6) ①莫(A)6s | (38) 22°00'36".6N, 113°05'35".7E |
| (7) ▲闪绿4s | (39) 22°00'35".7N, 113°05'38".4E |
| (8) ▲闪绿4s | (40) 22°00'37".0N, 113°05'37".2E |
| (9) ★快黄 | (41) 22°00'40".1N, 113°05'51".1E |
| (10) ★快黄 | (42) 22°00'40".7N, 113°05'50".9E |
| (11) ★快黄 | (43) 22°00'43".0N, 113°06'00".4E |
| (12) ★快黄 | (44) 22°00'43".5N, 113°06'00".2E |
| (13) ★快黄 | (45) 22°00'43".7N, 113°06'03".8E |
| (14) ★快黄 | (46) 22°00'44".5N, 113°06'03".5E |
| (Y15A) ▲闪绿4s
<small>绿</small> | (47) 22°00'14".4N, 113°05'58".2E |
| (Y15B) ▲闪红4s
<small>红</small> | (48) 22°00'13".9N, 113°05'51".9E |
| (1) ★快黄 | (49) 22°00'21".7N, 113°04'50".8E |
| (2) ★快黄 | (50) 22°00'22".1N, 113°04'50".6E |
| (3) ★快黄 | (51) 22°00'22".7N, 113°04'54".1E |
| (4) ★快黄 | (52) 22°00'23".1N, 113°04'53".9E |
| (5) ★快黄 | (53) 22°00'25".4N, 113°05'03".4E |
| (6) ★快黄 | (54) 22°00'26".1N, 113°05'03".2E |
| (7) ☒莫(P)黄12s | (55) 22°00'28".6N, 113°05'15".5E |
| (8) ☒莫(P)黄12s | (56) 22°00'30".2N, 113°05'14".9E |



- Chart 84001(9;19,37)[2026-386]
84204(1,8,9;11,15,19,24,28,29,32,33,37,41,45,49,53,56)[2026-381]
84301(1,2;29,30)[2026-38]
84302(1~10;11,14,15,18,19,21,24,25,28~33,36,37,40,41,44,45,47~49,
52,53,56)(12,13,16,17,20,22,23,26,27,34,35,38,39,42,43,46,50,51,54,
55with chart unchanged)[2026-386]
3314(19,37)[2026-381]

List of Lights CNP83/2025~2026[7413720.1501][7413720.1502][7413726.531]












[7413726.532] [7413726.533] [7413726.534] [7413727.01] [7413727.02]
 [7413727.03] [7413727.04] [7413727.05] [7413727.06] [7413727.07]
 [7413727.08] [7413731.01] [7413731.02] [7413731.03] [7413731.04]
 [7413731.05] [7413731.06] [7413731.07] [7413731.08] [7413731.09]
 [7413731.10] [7413731.11] [7413731.12] [7413731.13] [7413731.14]
 [7413731.15] [7413731.16] [7413731.17] [7413731.18] [7413733.01]
 [7413733.02] [7413733.03] [7413733.04] [7413733.05] [7413733.06]
 [7413733.07] [7413733.08] [7413733.09] [7413733.10] [7413733.11]
 [7413733.12] [7413733.13] [7413733.14] [7113736.01] [7113736.02]
 [7113736.03] [7113736.04] [7113736.05] [7113736.06] [7113736.07]
 [7113736.08]

Source Western Zhujiang Waterway Notice 004/2026

388.South China Sea – Yangjiang Port – Buoyage

Delete (M2)  闪(2)红 6s (1)21°42'36".7N,111°48'31".3E
 Insert (M2)  莫(K)黄 12s (2)position (1) above
 Chart 86101[2026-171] 86301[2025-]
 List of Lights CNP83/2025~2026[7610465.02]
 Source Nanhai Aids 127/2025

389.South China Sea – Shuangyuzui Southwards – Aids

Insert 青洲一二(1)  莫(C)黄 12s20m5M (1)20°59'08".2N,111°32'52".9E
 (2)  莫(C)黄 12s20m3M (2)21°00'03".7N,111°32'53".0E
 (3)  莫(C)黄 12s20m3M (3)21°01'37".6N,111°32'53".0E
 (4)  莫(C)黄 12s20m3M (4)21°03'11".4N,111°32'53".0E
 (5)  莫(C)黄 12s20m3M (5)21°04'43".7N,111°32'53".0E
 (6)  莫(C)黄 12s20m5M (6)21°05'36".4N,111°32'53".7E
 (7)  莫(C)黄 12s20m3M (7)21°05'49".1N,111°33'42".1E
 (8)  莫(C)黄 12s20m3M (8)21°06'17".6N,111°35'29".5E
 (9)  莫(C)黄 12s20m3M (9)21°06'45".8N,111°37'15".2E
 (10)  莫(C)黄 12s20m5M (10)21°07'13".3N,111°38'58".7E
 (11)  莫(C)黄 12s20m3M (11)21°06'29".8N,111°39'49".1E





- | | |
|--|----------------------------------|
| (12) ★莫(C)黄 12s20m3M | (12) 21°04'55".4N, 111°39'49".0E |
| (13) ★莫(C)黄 12s20m3M | (13) 21°03'32".9N, 111°39'49".1E |
| (14) ★莫(C)黄 12s20m3M | (14) 21°02'00".4N, 111°39'48".9E |
| (15)  莫(C)黄 12s20m5M
AIS | (15) 21°01'30".5N, 111°39'49".0E |
| (16) ★莫(U)15s38m5M | (16) 21°04'46".6N, 111°37'14".9E |
| (1)  V-AIS | (17) 21°08'24".1N, 111°40'54".2E |
| (2)  V-AIS | (18) 21°13'45".6N, 111°40'40".3E |
| (3)  V-AIS | (19) 21°19'26".9N, 111°40'54".2E |

Chart 85001(5~12,16~19)[2026-381] 87001(1~9,16)[2026-381]

3315(1,4,6,8,10,12,15~19)(13,14with chart unchanged)[2026-381]

List of Lights CNP83/2025~2026[7710026.01][7710026.02][7710026.03][7710026.04]
 [7710026.05][7710026.06][7710026.07][7710026.08][7710026.09]
 [7710026.10][7710026.11][7710026.12][7710026.13][7710026.14]
 [7710026.15][7710026.16][7710027.01][7710027.02][7710027.03]

Source Nanhai Aids 005/2026

390.South China Sea – Shapa Coastal – Radar Transponder Beacon

Insert  雷康(D) 21°16'47".4N, 111°22'46".8E

Chart 87001[2026-389] 87101[2026-] 3315[2026-389]

Source Nanhai Aids 001/2026

391.South China Sea – Zhanjiang Port – Lightbeacon

Delete (1) ★闪红 3s57m3M (1) 21°10'23".7N, 110°24'31".9E

(2) ★闪红 3s60m3M (2) 21°10'24".2N, 110°24'30".6E

Chart 88103(1)[2026-] 88107[2025-]

List of Lights CNP83/2025~2026[7811260][7811270]

Source Nanhai Aids 002/2026

392.South China Sea – Zhanjiang Port – Buoyage

Move (M4)  闪红 4s from: (1) 21°07'53".3N, 110°23'40".2E

to: (2) 21°07'53".9N, 110°23'45".2E

Chart 88106[2026-208] 88107[2026-391]

List of Lights CNP83/2025~2026[7810951.04]

Source Nanhai Aids 003/2026

393.South China Sea – Naozhou Island Northwards – Lightbeacon

Amend from: ★^{閃3s4m4M} (1)20°57'14".6N,110°35'53".8E

to: ★^{閃紅1.5s4m4M} (2)position (1) above

Chart 87001[2026-390] 88102[2026-] 88110[2025-754]

List of Lights CNP83/2025~2026[7810529]

Source Nanhai Aids 002/2026

394.South China Sea – Naozhou Island Southwards – Lightbeacon

Delete ★^{快12m4M} 20°52'10".5N,110°36'04".6E

Chart 87001[2026-393] 88110[2026-393] 88302[2025-1181]

List of Lights CNP83/2025~2026[7810370]

Source Nanhai Aids 002/2026

395.South China Sea – Leizhou Bay – Donghai Island Southwards – Lightbeacon

Delete ★^{閃紅1.5s7m4M} 20°58'31".7N,110°18'37".6E

Chart 87001[2026-394] 88201[2025-96]

List of Lights CNP83/2025~2026[7811811]

Source Nanhai Aids 002/2026

396.South China Sea – Xinliao Island Northwards – Aids

Delete ★^{閃3s5.5m4M} 20°39'45".5N,110°26'34".9E

Chart 87001[2026-395] 88001[2026-380] 88302[2026-394]

List of Lights CNP83/2025~2026[7811865]

Source Nanhai Aids 002/2026

397.South China Sea – Qiongzhou Strait – Hai'an Bay – Aids


Delete ★^{閃紅1.5s7m4M} 20°15'53".9N,110°16'23".4E

Chart 88001[2026-396] 88401[2025-] 01103[2025-727]

List of Lights CNP83/2025~2026[7812180]

Source Nanhai Aids 002/2026

398.South China Sea – Qiongzhou Strait – Northern Port of Yuehai Railway Ferry – Aids

Move (北港1)  闪红4s from: (1)20°12'39".5N,110°06'49".7E

to: (2)20°12'39".5N,110°06'23".7E

Insert (2A)  V-AIS (3)20°12'59".5N,110°07'00".7E

Chart 88001(1,2)[2026-397] 88402[2025-] 88403[2025-]

01103(1,2)[2026-397]

List of Lights CNP83/2025~2026[7812330.01][7812330.021]

Source Nanhai Aids 121/2025

399.Beibu Gulf – Leizhou Peninsula Westwards – Yanting Southeastwards – Lightbeacon

Delete ★ 闪绿3s6m4M 20°38'01".1N,109°46'01".7E

Chart 88001(with chart unchanged)[2026-398]

91001(with chart unchanged)[2026-314]

04002(with chart unchanged)[2026-284]

List of Lights CNP83/2025~2026[7812661.02]

Source Nanhai Aids 002/2026

400.Beibu Gulf – Leizhou Peninsula Westwards – Xuhuangjiao – Lightbeacon

Delete ★ 闪绿3s6m4M (1)20°39'28".6N,109°44'33".0E

★ 闪2s5.5m4M (2)20°39'13".8N,109°44'43".5E

Chart 88001(with chart unchanged)[2026-399]

91001(with chart unchanged)[2026-399]

04002(with chart unchanged)[2026-399]

List of Lights CNP83/2025~2026[7812682][7812683.01]

Source Nanhai Aids 002/2026

401.Beibu Gulf – Tieshan Port – Buoyage

Insert (H5A)  闪绿4s (1)21°28'45".8N,109°32'04".5E

(H6A)  闪红4s
红

(2)21°28'49".6N,109°31'45".7E

Chart 91201[2025-1182] 91202[2025-1182] 91203[2025-]

List of Lights CNP83/2025~2026[8110261.051][8110261.061]

Source Nanhai Aids 124/2025

402.Beibu Gulf – Qinzhou Port – Jingusha – Aids

Insert  闪4s10m3M (1)21°43'02".6N,108°38'16".0E

 闪4s10m3M (2)21°43'18".9N,108°38'17".9E

(J4B)  闪(3)绿10s (3)21°42'54".6N,108°38'06".6E

(J4C)  闪(2+1)绿6s (4)21°43'22".3N,108°38'09".8E
红 绿 红 绿

Chart 92101(1,2,4)[2026-274] 92104[2025-] 92107(1,2,4)[2026-]

List of Lights CNP83/2025~2026[8310106.042][8310106.043][8310611.12][8310611.13]

Source Nanhai Aids 120/2025

403.Beibu Gulf – Hainan Island Northwestwards – Haitou Port Southwestwards – Aids

Move (2)  闪红4s from: (1)19°28'35".1N,108°53'03".0E

to: (2)19°28'35".9N,108°53'03".0E

Insert (排水1)  莫(C)黄12s (3)19°29'52".9N,108°51'45".3E

(2)  莫(C)黄12s (4)19°29'47".3N,108°51'59".9E

(3)  莫(C)黄12s (5)19°29'37".0N,108°51'46".9E

(4)  莫(C)黄12s (6)19°29'28".2N,108°52'17".0E

(5)  莫(C)黄12s (7)19°29'17".9N,108°52'04".2E

(6)  莫(C)黄12s (8)19°29'11".2N,108°52'19".1E

(7)  莫(C)黄12s (9)19°28'58".4N,108°52'21".7E

(8)  莫(C)黄12s (10)19°29'08".6N,108°52'34".4E

(9)  莫(C)黄12s (11)19°28'42".1N,108°52'36".0E

(10)  莫(C)黄12s (12)19°28'25".8N,108°52'51".0E

(排水1)  定红9m5M (13)19°28'10".1N,108°53'12".7E

Chart 04001(3,13)(1,2;4~12with chart unchanged)[2026-365] 3316(3)[2026-314]

List of Lights CNP83/2025~2026[9510341.01][9510341.02][9510341.03][9510341.04]
[9510341.05][9510341.06][9510341.07][9510341.08][9510341.09]
[9510341.10][9510342.01][9510350.02]

Source Nanhai Aids 125/2025

404.Beibu Gulf – Yangpu Port and Approaches – Buoyage

Insert	华能洋浦(1)  莫(C)黄12s	(1) 19°49'58".0N, 109°11'39".0E
	(2)  莫(C)黄12s	(2) 19°49'56".0N, 109°11'41".0E
	(3)  莫(C)黄12s	(3) 19°50'30".5N, 109°11'57".0E
	(4)  莫(C)黄12s	(4) 19°50'32".2N, 109°11'59".2E

Chart 04002(4)[2026-400] 04401(1,4)(3with chart unchanged)[2026-]
04404(1,2)[2025-]

List of Lights CNP83/2025~2026[9510815.01] [9510815.02] [9510815.03] [9510815.04]

Source Nanhai Aids 117/2025

Temporary Notices

405. Bohai Sea – Tangshan Port – Construction (T)

Date	February 15 to September 30, 2026, day and night	
Area	joining:	(1) 38°44'33".2N, 118°55'00".8E (2) 38°51'10".0N, 119°16'10".0E (3) 38°49'37".0N, 119°16'52".0E (4) 38°50'30".0N, 119°20'03".0E (5) 38°48'14".6N, 119°22'53".6E (6) 38°35'27".0N, 119°06'26".7E (7) position (1) above
Note:	Keep watching on VHF ch.16.	
Chart	22001 22111 22122 32001	
Source	Dongjiang Navigation Notice 0012/2026	

406. Yellow Sea – Shandong Peninsula Eastwards – Construction (T)

Date	June 20, 2025 to August 13, 2026	
Area	area1, radius800m, central point	(1) 37°27'37".2N, 122°40'12".4E
	area2, radius800m, central point	(2) 37°22'05".6N, 122°43'36".2E
	area3, radius800m, central point	(3) 37°15'42".5N, 122°43'36".2E
	area4, radius800m, central point	(4) 37°01'55".4N, 122°37'33".2E
	area5, radius800m, central point	(5) 37°00'18".1N, 122°37'33".2E
	area6, radius800m, central point	(6) 36°58'40".8N, 122°37'33".2E
	area7, radius800m, central point	(7) 36°57'03".4N, 122°37'33".2E
	area8, radius800m, central point	(8) 36°55'26".0N, 122°35'31".8E
	area9, radius800m, central point	(9) 36°53'48".6N, 122°33'30".5E
	area10, radius800m, central point	(10) 36°52'43".6N, 122°31'29".2E
	area11, radius800m, central point	(11) 37°01'55".4N, 122°38'54".0E
	area12, radius800m, central point	(12) 37°01'06".8N, 122°37'33".2E
	area13, radius800m, central point	(13) 37°01'06".8N, 122°38'54".0E
	area14, radius800m, central point	(14) 37°00'18".1N, 122°38'54".0E

area15, radius800m, central point	(15)36°59'29".5N,122°36'12".3E
area16, radius800m, central point	(16)36°59'29".5N,122°37'33".2E
area17, radius800m, central point	(17)36°59'29".5N,122°38'54".0E
area18, radius800m, central point	(18)36°58'40".8N,122°36'12".3E
area19, radius800m, central point	(19)36°58'40".8N,122°38'54".0E
area20, radius800m, central point	(20)36°57'52".1N,122°36'12".3E
area21, radius800m, central point	(21)36°57'52".1N,122°37'33".2E
area22, radius800m, central point	(22)36°57'03".4N,122°36'12".3E
area23, radius800m, central point	(23)36°56'14".8N,122°34'51".4E
area24, radius800m, central point	(24)36°56'14".8N,122°36'12".3E
area25, radius800m, central point	(25)36°56'14".8N,122°37'33".2E
area26, radius800m, central point	(26)36°55'26".0N,122°34'51".4E
area27, radius800m, central point	(27)36°55'26".0N,122°36'12".3E
area28, radius800m, central point	(28)36°54'37".3N,122°33'30".5E
area29, radius800m, central point	(29)36°54'37".3N,122°34'10".9E
area30, radius800m, central point	(30)36°54'37".3N,122°35'31".8E
area31, radius800m, central point	(31)36°53'48".6N,122°32'50".0E
area32, radius800m, central point	(32)36°53'48".6N,122°34'10".9E
area33, radius800m, central point	(33)36°53'48".6N,122°35'31".8E
area34, radius800m, central point	(34)36°53'16".1N,122°32'09".6E
area35, radius800m, central point	(35)36°52'43".6N,122°32'09".6E
area36, radius800m, central point	(36)36°52'11".2N,122°31'29".2E

Note: Keep watching on VHF ch.08&16.

Chart 35001 35002 35122 35124 35144 35145

Source Weihai Navigation Notice 0551/2025&0134/2026

407.Yellow Sea – Rushan Port – Berth Construction(T)

Date August 28, 2025 to June 30, 2026

Area joining:

(1)36°47'49".6N,121°29'50".6E

(2)36°47'38".3N,121°29'54".1E

(3)36°47'46".6N,121°30'17".9E

(4)36°47'59".1N,121°30'07".5E

(5)position (1) above

Note: Keep watching on VHF ch.16.

Chart 35166

Source Weihai Navigation Notice 0829/2025&0119/2026

408.East China Sea – Ningbo–Zhoushan Port – Zhenhai Harbour – Construction (T)

Date January 28 to August 31, 2026

Area joining:

- (1)30°00'33".0N,121°45'39".0E
- (2)30°01'15".2N,121°45'39".0E
- (3)30°01'15".2N,121°46'17".3E
- (4)30°00'05".0N,121°46'57".0E
- (5)29°59'47".0N,121°47'29".9E
- (6)29°59'30".2N,121°47'30".0E
- (7)29°59'00".3N,121°46'14".3E
- (8)29°59'21".4N,121°46'13".1E
- (9)30°00'00".7N,121°46'12".7E
- (10)30°00'06".0N,121°46'06".0E
- (11)30°00'19".0N,121°46'06".0E
- (12)30°00'19".0N,121°45'21".0E
- (13)29°59'58".1N,121°45'21".2E
- (14)29°59'57".6N,121°44'24".0E
- (15)30°00'09".2N,121°44'24".0E
- (16)30°00'17".7N,121°44'44".5E
- (17)30°00'17".7N,121°45'18".5E
- (18)30°00'20".3N,121°45'18".7E
- (19)30°00'33".0N,121°45'17".5E
- (20)position(1)above

Note: Keep watching on VHF ch.06&16. Irrespective vessels are prohibited from entering into safety area.

Chart 53132

Source Ningbo Navigation Notice 0115/2026

409. East China Sea – Ningbo–Zhoushan Port – Beilun Harbour – Surveying (T)

Date January 27, 2026 to January 25, 2027

Area joining: (1) 29°57'13".8N, 121°49'14".1E
(2) 29°56'57".2N, 121°49'55".2E
(3) 29°56'36".9N, 121°49'43".9E
(4) 29°56'57".7N, 121°49'05".7E
(5) 29°56'44".6N, 121°48'48".6E
(6) 29°56'52".0N, 121°48'43".0E
(7) position (1) above

Note: Keep watching on VHF ch.14.

Chart 53132

Source Ningbo Navigation Notice 0114/2026

410. East China Sea – Ningbo–Zhoushan Port – Daxie Harbour – Surveying (T)

Date February 3 to December 31, 2026

Area joining: (1) 29°57'18".3N, 121°57'54".1E
(2) 29°57'35".7N, 121°58'05".3E
(3) 29°56'49".5N, 121°58'38".7E
(4) 29°56'44".1N, 121°58'17".4E
(5) position (1) above

Note: Keep watching on VHF ch.14.

Chart 52137 53132

Source Ningbo Navigation Notice 0118/2026

411. Taiwan Strait – Xiamen Port and Approaches – Xiamen Island Northeastwards – Berth Construction (T)

Date January 29, 2026 to January 19, 2029

Area joining: (1) 24°32'02".9N, 118°13'19".9E
(2) 24°31'39".2N, 118°13'00".3E

- (3)24°31'41".6N,118°12'53".0E
- (4)24°32'15".7N,118°12'17".2E
- (5)24°32'33".1N,118°12'16".5E
- (6)24°32'48".6N,118°12'31".5E
- (7)24°32'49".2N,118°12'34".9E
- (8)24°33'02".2N,118°12'47".7E
- (9)24°32'57".5N,118°13'10".2E
- (10)24°32'48".1N,118°13'15".1E
- (11)24°32'43".4N,118°13'16".6E
- (12)24°32'35".4N,118°13'27".9E
- (13)24°32'32".5N,118°13'28".4E
- (14)24°32'27".1N,118°13'33".9E
- (15)24°32'26".2N,118°13'38".8E
- (16)position(1)above

Chart 65113 65131

Source Xiamen Navigation Notice 0055/2026

412.Taiwan Strait – Xiamen Port and Approaches – Xiamen Island Northeastwards – Berth Construction(T)

Date January 30, 2026 to December 31, 2027

- Area joining:
- (1)24°32'02".9N,118°13'19".9E
 - (2)24°32'02".4N,118°13'19".9E
 - (3)24°32'01".3N,118°13'21".6E
 - (4)24°31'25".7N,118°13'13".8E
 - (5)24°31'39".1N,118°13'00".4E
 - (6)24°31'39".2N,118°13'00".3E
 - (7)24°31'41".6N,118°12'53".0E
 - (8)24°32'15".7N,118°12'17".2E
 - (9)24°32'33".1N,118°12'16".5E
 - (10)24°32'48".0N,118°12'30".5E
 - (11)24°32'49".2N,118°12'34".9E

- (12)24°33'02".2N,118°12'47".7E
- (13)24°32'57".5N,118°13'10".2E
- (14)24°32'48".1N,118°13'15".1E
- (15)24°32'43".4N,118°13'16".6E
- (16)24°32'35".4N,118°13'27".9E
- (17)24°32'32".5N,118°13'28".4E
- (18)24°32'27".1N,118°13'33".9E
- (19)24°32'26".2N,118°13'38".8E
- (20)24°32'21".9N,118°13'38".3E
- (21)position(1)above

Chart 65113 65131

Source Xiamen Navigation Notice 0061/2026

413.Beibu Gulf – Qinzhou Port – Maowehai – Work(T)

Date January 30 to August 31, 2026

Area joining:

- (1)21°47'37".5N,108°33'08".2E
- (2)21°48'21".0N,108°33'46".7E
- (3)21°48'18".6N,108°33'39".8E
- (4)21°48'28".0N,108°33'27".6E
- (5)21°47'53".6N,108°32'57".2E
- (6)21°47'44".2N,108°33'09".4E
- (7)position(1)above

Note: Keep watching on VHF ch.16&09.

Chart 92105

Source Qinzhou Navigation Notice 0097/2026

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.