



NOTICES TO MARINERS

Issue No.1 (Total No.1160)

Notice No.1-32

1 January 2024

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Marine Chart Press Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following web-sites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hedd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Marine Chart Press Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561, 65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. For symbols used in the Notices to Mariners, see GB12319-2022.
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	12005	APPROACHES TO LAOTIESHAN CHANNEL	1:150 000	2023 年 12 月第 1 版	CHECK NTM FROM ISSUE No.50 2023 New polt range 38°15'00"N ~39°11'00"N 120°22'00"E ~122°05'00"E
2	32202	DONGYING PORT AND APPROACHES	1:75 000	2023 年 12 月第 2 版	CHECK NTM FROM ISSUE No.51 2023
3	52152	YANGSHAN DEEP WATER HARBOUR(Ⅱ)	1:15 000	2023 年 12 月第 8 版	CHECK NTM FROM ISSUE No.49 2023
4	87105	BOHEXINGANG FAIRWAY	1:10 000	2023 年 12 月第 1 版	CHECK NTM FROM ISSUE No.50 2023 New polt range 21°22'14"N ~21°27'35"N 111°16'00"E ~111°19'56"E
5	92103	QINZHOU PORT(Ⅱ)	1:15 000	2023 年 12 月第 6 版	CHECK NTM FROM ISSUE No.50 2023
6	92105	QINZHOU PORT(Ⅲ)	1:15 000	2023 年 12 月第 5 版	CHECK NTM FROM ISSUE No.51 2023

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	32202	DONGYING PORT AND APPROACHES	1:75 000	2023 年 3 月第 1 版	
2	52152	YANGSHAN DEEP WATER HARBOUR(Ⅱ)	1:15 000	2023 年 7 月第 7 版	
3	92103	QINZHOU PORT(Ⅱ)	1:15 000	2022 年 8 月第 5 版	
4	92105	QINZHOU PORT(Ⅲ)	1:15 000	2022 年 8 月第 4 版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Tianjin Port	(1)
Yellow Sea	Rizhao Port	(26)
East China Sea	Changjiangkou and Approaches	(2),(3)
	Approaches to Dazhihe Outfall	(27)
	Zhoushan Archipelago	(4), (6), (7), (8), (9), (10), (28), (29)
	Hangzhou Gulf	(5)
	Pishan Island Southeastwards	(11)
	Wenzhou Bay	(30)
Taiwan Strait	Xiamen Island Northeastwards	(31)
	Taiwan Island Westwards	(12)
South China Sea	Guang'ao Bay	(32)
	Daya Bay	(13),(14)
	Huizhou Port	(15)
	Lingdingyang	(16)
	Guangzhou Port	(17)
	Zhujiangkou	(18),(19),(21)
	Zhujiang River	(20)
	Nansan Island Northeastwards	(22)
	Zhanjiang Port	(23)
	East Qiongzhou Strait	(25)
Beibu Gulf	Weizhou Island Southwestwards	(24)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No. (T)
23001	1	
23101	1	
37001		26
37122		26
37123		26
1304	1	
44001	2,3	
44124	3	
44125	2	
44126	2	
44129		27
44173	3	
44174	2,3	
44211	2	
51001	5,6,7	
52001	5,6,7	
52130	4	
52132	5	
52134	6	
52135	7	
52136	8	
52137	9	28
52172	5	
52173	6,7	
52174	8,9	
53001	6,7,8,9,10	
53132		29
53171	7	
53341	9	
53342	9,10	
53343	10	
53344	10	
54631	11	
55121		30
55122		30
65113		31

Chart No.	Notice No.	Notice No. (T)
2308	3,7,8,9	
2309	9	
2312	12	
81203		32
83001	13,14	
83101	13,14,15	
83102	13	
83103	14,15	
83104	15	
84002	16,21	
84206	16,18,19	
84213	16,17,19	
84214	16,17,19	
84215	18,21	
84216	21	
84220	16	
84226	16	
84230	17,19	
84232	18	
84233	21	
84234	20	
84235	21	
87001	22,23	
88001	25	
88101	23	
88102	23	
88103	23	
91102	24	
01102	25	
3313	13,14	
3315	23,25	

Notices to Mariners

1.Boha iSea – Tianjin Port – Obstruction

Insert  38°57'34".6N,118°00'17".2E
 Note: Chinese Version Only.
 Chart 23001〔2023-1326〕 23101〔2023-955〕 1304〔2023-1311〕
 Source Tianjin Hydrography Centre

2.East China Sea – Changjiangkou and Approaches – Changxing Island Westwards – Shallow Depth

Delete 18₂ (1)31°23'44".1N,121°33'05".4E
 Insert  (2)31°23'51".7N,121°32'31".7E
 (3)31°23'42".1N,121°33'03".9E
 Chart 44001(2)〔2023-1301〕 44125(2,3)〔2023-1154〕 44126(2,3)〔2023-1048〕
 44174〔2023-1271〕 44211(2,3)〔2023-431〕
 Source NTM 2023-(48)-1767&1768

3.East China Sea – Changjiangkou and Approaches – Approaches to Beicao Channel – Wreck

Delete (1954)  (淤埋) (1)31°15'00".3N,121°51'03".0E
 (1954)  (2)position(1)above
 (3)position(1)above
 Insert (淤埋)  (4)31°15'01".0N,121°51'03".0E
 Chart 44001(2;4)〔2024-2〕 44124(1;4)〔2023-1154〕 44173(2;4)〔2024-2〕
 44174(2;4)〔2024-2〕 2308(3;4)〔2023-1339〕
 Source NTM 2023-(48)-1769

4.East China Sea – Zhoushan Archipelago – Donglvhua Island Northwards – Shallow Depth

Delete  (1)30°50'02".5N,122°38'25".7E
 Insert 11_s  (2)30°50'02".6N,122°38'25".6E

Chart 52130〔2023-469〕
Source NTM 2023-(48)-1771

5.East China Sea – Hangzhou Gulf – Daijiyang – Reef

Insert  (1_s) 30°43′02″.6N,122°03′12″.0E
Chart 51001〔2023-1334〕 52001〔2023-1334〕 52132〔2023-1303〕
52172〔2023-1303〕
Source NTM 2023-(48)-1772

6.East China Sea – Zhoushan Archipelago – Dachangtushan Southwestwards – Reef

Delete • (1)30°13′21″.4N,122°18′15″.0E
Insert  (2)30°13′22″.6N,122°18′14″.0E
Chart 51001〔2024-5〕 52001〔2024-5〕 52134〔2023-901〕 52173〔2023-1306〕 53001〔2023-1339〕
Source NTM 2023-(48)-1775

7.East China Sea – Zhoushan Archipelago – Daishan Island Southwestwards – Shallow Depth

Delete 10_s (1)30°13′15″.4N,122°05′29″.2E
石
10_s (2)position(1)above
石
 10_s (3)position(1)above
石
Insert 7_s (4)position(1)above
石
Chart 51001(1;4)〔2024-6〕 52001(1;4)〔2024-6〕 52135(1;4)〔2023-781〕
52173(1;4)〔2024-6〕 53001(1;4)〔2024-6〕 53171(2;4)〔2023-1337〕
2308 (3; 4with chart unchanged)〔2024-3〕
Source NTM 2023-(48)-1776

8.East China Sea – Zhoushan Archipelago – Zhoushan Island Southeastwards – Obstruction

Delete  28_s 碍 (1)29°54′27″.8N,122°19′43″.2E
 28_s 碍 (2)position(1)above

	28 ₇	(3)position(1)above
Insert	28 ₄ 碍	(2)29°54'28".0N,122°19'43".5E
Chart	52136(1,4)[2023-1333] 52174(2,4)[2023-1338] 53001(3,4)[2024-7] 2308(2,4)[2024-7]	
Source	NTM 2023-(48)-1780	

9.East China Sea – Zhoushan Archipelago – Liuheng Islands Westwards – Obstruction

Delete	危险区及警示语,连接:(表6)	(1)29°39'30".8N,121°57'57".6E
		(2)29°39'22".0N,121°58'25".8E
		(3)29°39'03".8N,121°58'25".3E
		(4)29°39'06".3N,121°57'53".9E
		(5)29°38'53".0N,121°57'41".7E
		(6)29°39'20".5N,121°57'49".6E
		(7)position(1)above
	(2006): 44 船	(8)29°43'18".8N,122°01'55".0E
	44 船	(9)position(8)above
	44	(10)position(8)above
	(1995): 4 ₄ 船	(11)29°41'38".9N,122°01'01".0E
	4 ₄ 船	(12)position(11)above
	(1995): 5 船桅	(13)29°40'58".3N,122°01'00".0E
	5 船	(14)position(13)above
	(1992): 6 ₇ 船	(15)29°39'55".7N,122°01'25".0E
	6 ₇ 船	(16)29°39'17".4N,121°58'15".5E
	8 ₇ 船	(17)29°39'19".9N,121°58'23".3E
	表6危险区及注记2船,中心点:	(18)29°39'20".0N,121°58'40".0E
	12 ₄	(19)29°43'20".2N,122°02'23".6E
	9 ₇	(20)29°39'43".2N,121°59'03".7E
	28 ₉	(21)29°47'35".8N,122°04'07".1E
Insert	50	(22)29°42'39".7N,122°01'44".5E
	51 船骸	(23)29°43'18".5N,122°01'54".9E
	(1992): 6 ₂ 船	(24)29°39'55".9N,122°01'26".0E

	 船骸	(25)29°39'17".6N,121°58'15".4E
	12 ₁	(26)29°43'20".3N,122°02'23".7E
	7 ₇	(27)29°37'31".8N,122°04'50".5E
	9 ₂	(28)29°39'42".2N,121°59'00".3E
	27 ₄	(29)29°46'31".8N,122°03'48".0E
	29 ₁	(30)29°47'35".8N,122°04'07".1E
	16 ₃	(31)29°48'12".6N,122°06'00".4E
Chart	52137(31)[2023–1336] 52174(1~7,8,11,13,15~17,19~21;23~26,28,30,31) [2024–8] 53001(1~7,9,11,14~17,20;23~25,27,28,31)[2024–8] 53341(27) [2023–1339] 53342(1~7,8,11,13,15~17,19~21;23~31)[2023–1338] 2308(10,12,14,15,18;22,24,25)[2024–8] 2309(15,18;24,25)[2023–1342]	
Source	Shanghai Hydrography Centre	

10. East China Sea – Zhoushan Archipelago – Xiangshan Port – Obstruction

Delete	11 ₄ 石	(1)29°38'28".0N,121°48'37".5E
	17 ₉ 石	(2)29°30'50".9N,121°35'33".6E
Insert	 石	(3)29°38'28".5,121°48'37".7
	7 ₅	(4)29°30'38".1N,121°33'24".1E
	8 ₅	(5)29°30'28".0N,121°33'52".1E
	9 ₃	(6)29°30'57".2N,121°37'12".6E
	9 ₆	(7)29°31'02".8N,121°37'36".7E
Chart	53001(1;3)[2024–9] 53342(1;3)[2024–9] 53343(1;3)[2023–1308] 53344(2;4~7)[2021–1212]	
Source	Shanghai Hydrography Centre	

11. East China Sea – Pishan Island Southeastwards – Reef

Insert	 (4 ₉)	28°04'48".2N,121°30'21".7E
Chart	54631[2023–1274]	
Source	NTM 2023–(48)–1785	

12.Taiwan Strait – Taiwan Island Westwards – Wreck

Delete	 (2022)	(1)23°55′35″.5N,119°59′08″.8E
Insert	 24 ₆ 船	(2)23°55′34″.8N,119°59′08″.4E
Chart	2312〔2023–1238〕	
Source	NTM 2023–(48)–1789	

13.South China Sea – Daya Bay – Baishahu – Obstruction

Delete	虎洲排  I_1 岩	(1)22°37′09″.1N,114°44′17″.9E
	 I_1 岩	(2)position(1)above
	I_1 岩	(3)22°37′03″.2N,114°44′15″.8E
Chart	83001(2)〔2023–1348〕 83101(2)〔2023–1316〕 83102(1)〔2023–369〕 3313(3)〔2023–1316〕	
Source	Guangzhou Hydrography Centre	

14.South China Sea – Daya Bay – Baishahu – Obstruction

Delete	猪兜排  (2 ₁)	(1)22°41′46″.4N,114°34′47″.0E
	 (2 ₂)	(2)position(1)above
		(3)position(1)above
	I_6	(4)position(1)above
	危险区, 中心点	(5)position(1)above
Chart	83001(2)〔2024–13〕 83101(2)〔2024–13〕 83103(1,4,5)〔2023–1160〕 3313(3)〔2024–13〕	
Source	Guangzhou Hydrography Centre	

15.South China Sea – Huizhou Port – Dongma Harbour – Lighttower

Delete	★ 闪4s12m4M	(1)22°44′20″.4N,114°36′54″.6E
Insert	★ 闪红2s12m5M	(2)22°44′15″.2N,114°36′57″.1E
Chart	83101〔2024–14〕 83103〔2024–14〕 83104〔2023–1160〕	
List of Lights	CNP83/2023~2024〔7310460〕	
Source	Nanhai Aids 107/2023	

16.South China Sea – Lingdingyang – Fanshi Channel – Bouyage

Move  (1) 等明暗 4s from: (1) 22°32'58".0N, 113°48'09".8E
to: (2) 22°33'04".3N, 113°48'10".0E
Chart 84002〔2023-1348〕 84206〔2023-1348〕 84213〔2023-1211〕
84214〔2023-1211〕 84220〔2023-1211〕 84226〔2023-1211〕
List of Lights CNP83/2023~2024〔7410881.01〕
Source Shenzhen Waterway Notice 018/2023

17.South China Sea – Guangzhou Port – Nansha Harbour – Bouyage

Move  (3) 甚快 (9) 10s from: (1) 22°36'19".1N, 113°41'57".1E
to: (2) 22°36'25".6N, 113°41'56".0E
Chart 84213〔2024-16〕 84214〔2024-16〕 84230〔2023-1163〕
List of Lights CNP83/2023~2024〔7410895.03〕
Source Nanhai Aids 108/2023

18.South China Sea – Zhujiangkou – Jibaosha Northeastwards – Lighttower

Insert (1)  等明暗红 4s 9.6m 3M (1) 22°43'21".3N, 113°38'11".0E
(2)  等明暗红 4s 9.6m 3M (2) 22°43'34".0N, 113°37'50".7E
Chart 84206(2)〔2024-16〕 84215〔2023-1239〕 84232〔2023-785〕
List of Lights CNP83/2023~2024〔7410996.01〕〔7410996.02〕
Source Nanhai Aids 109/2023

19.South China Sea – Zhujiangkou – Lingding Channel – Bouyage

Move (38)  闪 (2+1) 红 6s 同步 from: (1) 22°35'57".3N, 113°42'25".1E
to: (2) 22°35'59".0N, 113°42'24".6E
Chart 84206〔2024-18〕 84214〔2024-17〕 84214〔2024-17〕 84230〔2024-17〕
List of Lights CNP83/2023~2024〔7411430.38〕
Source Nanhai Aids 110/2023

20.South China Sea – Zhujiang River – Dahu Channel – Aids

Delete (4)  闪绿 4s (1) 22°52'15".5N, 113°32'48".2E

Insert  V-AIS (2)position (1)above
Chart 84234〔2023-1000〕
List of Lights CNP83/2023~2024〔7412210.04〕〔7412210.004〕
Source Nanhai Aids 112/2023

21.South China Sea – Zhujiangkou – Shiziyang – Obstruction

Delete  船 (1)22°53'25".7N,113°34'22".6E
 6_s (2)22°47'37".8N,113°36'50".3E
 8_s (3)22°48'02".5N,113°36'25".2E
 11_s (4)22°48'02".8N,113°36'24".6E
Insert  船 (5)22°53'25".8N,113°34'22".6E
 6 (6)position (2)above
 11_s (7)22°48'02".9N,113°36'24".6E
Chart 84002(2;6)〔2024-16〕 84215(2~4;6,7)〔2024-18〕 84216(1;5)〔2023-1240〕
84233(2~4;6,7)〔2023-〕 84235(1;5)〔2023-190〕
Source Guangzhou Hydrography Centre

22.South China Sea – Nansan Island Northeastwards – Buoyage

Delete 利剑门(1)  闪绿4s (1)21°10'40".7N,110°40'29".4E
 (3)  闪绿4s (2)21°12'48".0N,110°39'18".0E
Move (4)  闪(2+1)红12s from: (3)21°13'29".8N,110°38'31".3E
to: (4)21°13'29".4N,110°38'29".7E
Insert 利剑门(1)  闪红4s (5)21°11'59".9N,110°41'11".2E
 (3)  闪(2)红6s (6)21°13'18".4N,110°39'22".6E
Chart 87001(1;5)(2;3,4;6with chart unchanged)〔2023-1349〕
List of Lights CNP83/2023~2024〔7810040.01〕〔7810040.03〕〔7810040.04〕
Source NTM 2023-(48)-1794

23.South China Sea– Zhanjiang Port – Aids

Delete 导航线,连接 (1)21°03'29".1N,110°33'03".1E
(2)21°03'18".1N,110°34'40".0E

		(88103 东图廓交点)
		(3)21°03′02″.2N,110°37′00″.0E
		(88101A 西图廓交点)
		(4)21°03′02″.0N,110°37′01″.7E
		(5)21°02′33″.8N,110°41′10″.0E
		(88101B 东图廓交点)
		(6)21°01′55″.8N,110°46′44″.5E
		(7)21°01′14″.2N,110°52′50″.6E
		(8)21°03′29″.1N,110°33′03″.1E
		(9)position(8)above
		(10)21°03′38″.0N,110°31′43″.8E
		(11)21°03′38″.0N,110°31′43″.8E
		(12)21°03′32″.2N,110°32′35″.0E
		(88201 东图廓交点)
		(13)21°03′18″.1N,110°34′40″.0E
		(88103 东图廓交点)
		(14)21°03′02″.2N,110°37′00″.0E
		(88101A 西图廓交点)
		(15)21°03′02″.0N,110°37′01″.7E
		(16)21°02′33″.8N,110°41′10″.0E
		(88101A 西图廓交点)
		(17)21°01′55″.8N,110°46′44″.5E
		(18)21°01′14″.2N,110°52′50″.6E
Amend	from:  等明暗绿白红 4s41m15M 雷康(C)	
	to: 前灯  等明暗 4s41m15M 同步 雷康(C)	
Insert	后灯  等明暗 4s78m15M 同步	
	导航线,连接	
Note:	Chinese Version Only.	
Chart	87001(1,4,6,7;8,9;10,11,15,17,18)[2024-22]	
	88101(1,3,4,6,7;8,9;10,11,14~18)[2023-1349]	
	88102(1,4,6,7;8,9;10,11,15,17,18)[2023-1349]	
	88103(1,2;8,9;10,11,13)[2023-1349] 88201(11,12)[2023-1349]	
	3315(8,9)[2023-1349]	
List of Lights	CNP83/2023~2024[7810700][7810701]	
Source	Nanhai Aids 104/2023	

24.Beibu Gulf – Weizhou Island Southwestwards – Aids

Insert (1)  莫(0)黄12s 21°01'42".7N,109°03'34".4E
Chart 91102〔2023–1120〕
List of Lights CNP83/2023~2024[8110104]
Source Nanhai Aids 102/2023

25.South China Sea – East Qiongzhou Strait – North Channel – Obstruction

Delete  (1)20°21'03".2N,110°48'16".8E
7_s (2)20°23'27".9N,110°51'16".4E
 (3)20°21'02".9N,110°48'23".2E
(2006)概位: 本 (4)20°20'53".3N,110°49'07".7E
据报
(2006)概位: (5)position(4)above
概位: (6)position(4)above
Insert  (7)20°21'03".0N,110°48'18".7E
8_s (8)20°23'27".5N,110°51'17".1E
 (9)20°21'03".7N,110°48'24".4E
Chart 88001(1,2,5;7,8)〔2023–1186〕 01102(1~4;7~9)〔2023–763〕
3315(1,2;6)〔2024–23〕
Source Guangzhou Hydrography Centre

Temporary Notices

26. Yellow Sea – Rizhao Port – Lanshan Harbour – Scientific Research Experiments (T)

Date November 15, 2023 to December 30, 2024, 09:00~20:00

Area area1, joining: (1) 35°07'42".0N, 119°27'18".0E
(2) 35°08'24".0N, 119°40'00".0E
(3) 35°07'18".0N, 119°35'36".0E
(4) 35°06'00".0N, 119°27'18".0E
(5) position (1) above
area2, joining: (6) 35°11'00".0N, 119°59'00".0E
(7) 35°11'00".0N, 120°05'00".0E
(8) 35°09'00".0N, 120°05'00".0E
(9) 35°09'00".0N, 119°59'00".0E
(10) position (6) above

Note: Keep watching on VHF ch.09&16.

Chart 37101 37122 37123

Source Rizhao Navigation Notice 1000/2023

27. East China Sea – Approaches to Dazhihe Outfall – Construction (T)

Date December 1, 2023 to December 1, 2024, day and night

Area joining: (1) 31°02'05".9N, 121°58'25".6E
(2) 31°03'15".5N, 122°00'15".1E
(3) 31°02'15".9N, 122°01'58".3E
(4) 31°01'00".1N, 121°59'15".8E
(5) position (1) above

Note: Keep watching on VHF ch.16.

Chart 44129

Source Shanghai Navigation Notice 915/2023

28. East China Sea – Zhoushan Archipelago – Approaches to Meishan Island – Detecting (T)

Date November 28, 2023 to September 29, 2024

Blank Page

Area joining: (1)29°48'36".9N、122°02'31".8E
 (2)29°48'32".4N、122°02'35".2E
 (3)29°48'27".0N、122°02'26".6E
 (4)29°48'31".2N、122°02'29".4E
 (5)position (1) above

Chart 52137

Source Ningbo Navigation Notice 529/2023

29.East China Sea – Zhoushan Archipelago – Jintang Island Southwestwards – Sludge Cleaning(T)

Date December 1, 2023 to May 31, 2024

Area radius 700m, central point: 29°58'43".3N、121°47'54".3E

Note: Keep watching on VHF ch.06.

Chart 53132

Source Ningbo Navigation Notice 538/2023

30.East China Sea – Wenzhou Bay – Zhuangyuan'ao Harbour – Berth Construction(T)

Date February 10 to June 21, 2024, 07:00~17:00

Area joining: (1)27°54'14".5N、121°07'19".3E
 (2)27°54'25".7N、121°07'43".7E
 (3)27°54'16".8N、121°07'48".9E
 (4)27°54'13".8N、121°07'52".6E
 (5)27°54'11".2N、121°07'54".1E
 (6)27°54'08".6N、121°07'48".5E
 (7)27°54'15".6N、121°07'44".8E
 (8)27°54'07".5N、121°07'23".3E
 (9)position (1) above

Note: Keep watching on VHF ch.16.

Chart 55121 55122

Source Wenzhou Navigation Notice 015&186/2023

Blank Page

31.Taiwan Strait – Xiamen Island Northeastwards – Construction (T)

Date June 10, 2021 to June 10, 2024

Area area1, joining: (1)24°33'42".9N、118°11'35".7E
(2)24°33'45".3N、118°11'38".9E
(3)24°33'47".4N、118°11'41".8E
(4)24°33'30".9N、118°12'00".2E
(5)24°33'04".7N、118°12'19".2E
(6)24°32'55".7N、118°12'28".8E
(7)24°32'53".3N、118°12'31".2E
(8)24°32'47".5N、118°12'24".1E
(9)position (1) above
area2, joining: (10)24°33'56".9N、118°11'31".0E
(11)24°33'53".2N、118°11'19".9E
(12)24°33'40".5N、118°11'32".5E
(13)24°33'46".8N、118°11'40".8E
(14)position (10) above
area3, joining: (15)24°33'40".5N、118°11'35".5E
(16)24°33'37".0N、118°11'43".2E
(17)24°33'31".3N、118°11'40".4E
(18)24°33'34".8N、118°11'32".6E
(19)position (15) above

Note: Keep watching on VHF ch.08(Tel.:15605089764).

Chart 65113

Source Xiamen Navigation Notice 035/2021&138/2023

32.South China Sea – Guang'ao Bay – Guang'ao Harbour – Pier Construction (T)

Date June 15, 2021 to June 15, 2024

Area joining: (1)23°13'00".2N、116°46'17".4E
(2)23°12'58".9N、116°46'18".1E
(3)23°13'01".0N、116°46'33".5E
(4)23°13'02".1N、116°46'33".1E
(5)position (1) above

Chart 81203

Blank Page

Source Shantou Navigation Notice 051/2021&043&090/2023

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Marine Chart Press Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.