



NOTICES TO MARINERS

Issue No.16(Total No.1228)

Notice No.342-367

21 April 2025

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	23101	TIANJIN PORT AND APPROACHES	1:75 000	2025年3月第7版	CHECK NTM FROM ISSUE No.13 2025
2	24101	HUANGHUA PORT AND APPROACHES	1:75 000	2025年3月第7版	CHECK NTM FROM ISSUE No.13 2025
3	34122	LONGKOU PORT AND APPROACHES	1:25 000	2025年3月第5版	CHECK NTM FROM ISSUE No.13 2025
4	34145	LUANJIAKOU HARBOUR AND APPROACHES	1:25 000	2025年3月第5版	CHECK NTM FROM ISSUE No.13 2025
5	34166	WESTERN HARBOUR TO MUPING HARBOUR	1:50 000	2025年3月第2版	CHECK NTM FROM ISSUE No.13 2025
6	81001	DONGSHAN ISLAND TO SHIBEISHANJIAO	1:150 000	2025年3月第3版	CHECK NTM FROM ISSUE No.14 2025
7	81105	NAN'AO ISLAND AND APPROACHES	1:30 000	2025年3月第2版	CHECK NTM FROM ISSUE No.13 2025
8	84213	DACHANDAO AND APPROACHES	1:30 000	2025年3月第7版	CHECK NTM FROM ISSUE No.13 2025
9	84214	FANSHI CHANNEL AND APPROACHES	1:30 000	2025年3月第5版	CHECK NTM FROM ISSUE No.13 2025
10	84215	SHANBANZHOU TO DAHU ISLAND	1:30 000	2025年3月第4版	CHECK NTM FROM ISSUE No.13 2025

No.	Chart No.	Name	Scale	Date	Note
11	84216	NIZHOUTOU TO DAHAOZHOU	1:30 000	2025年3月第4版	CHECK NTM FROM ISSUE No.14 2025
12	84217	HUANGPU TO GUANGZHOU	1:30 000	2025年3月第4版	CHECK NTM FROM ISSUE No.13 2025
13	84218	DONG'AO ISLAND TO JIUZHOU ISLANDS	1:30 000	2025年3月第5版	CHECK NTM FROM ISSUE No.13 2025
14	84224	TONGGU FAIRWAY	1:15 000	2025年3月第16版	CHECK NTM FROM ISSUE No.13 2025
15	84226	APPROACHES TO XIAOCHAN ISLAND	1:15 000	2025年3月第15版	CHECK NTM FROM ISSUE No.13 2025

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	23101	TIANJIN PORT AND APPROACHES	1:75 000	2024年3月第6版	
2	24101	HUANGHUA PORT AND APPROACHES	1:75 000	2021年3月第6版	
3	34122	LONGKOU PORT AND APPROACHES	1:25 000	2022年12月第4版	
4	34145	LUANJIAKOU HARBOUR AND APPROACHES	1:25 000	2022年1月第4版	
5	34166	WESTERN HARBOUR TO MUPING HARBOUR	1:50 000	2021年5月第1版	
6	81001	DONGSHAN ISLAND TO SHIBEISHANJIAO	1:150 000	2021年3月第2版	
7	81105	NAN'AO ISLAND AND APPROACHES	1:30 000	2021年2月第1版	
8	84213	DACHANDAO AND APPROACHES	1:30 000	2023年3月第6版	

No.	Chart No.	Name	Scale	Date	Note
9	84214	FANSHI CHANNEL AND APPROACHES	1:30 000	2022年8月第4版	
10	84215	SHANBANZHOU TO DAHU ISLAND	1:30 000	2020年3月第3版	
11	84216	NIZHOUTOU TO DAHAOZHOU	1:30 000	2020年3月第3版	
12	84217	HUANGPU TO GUANGZHOU	1:30 000	2020年3月第3版	
13	84218	DONG'AO ISLAND TO JIUZHOU ISLANDS	1:30 000	2020年1月第4版	
14	84224	TONGGU FAIRWAY	1:15 000	2024年3月第15版	
15	84226	APPROACHES TO XIAOCHAN ISLAND	1:15 000	2024年3月第14版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Yingkou Port	(356),(357),(358)
	Panjin Port	(359),(360)
	Tangshan Port	(342)
	Approaches to Dongying Port	(361),(362)
Yellow Sea	Dawangjia Island Eastwards	(355)
	Qingdao Port	(343)
East China Sea	Changjiangkou and Approaches	(363)
	Zhoushan Archipelago	(364)
	Sanmen Bay	(344)
	Dongtouyang	(345)
	Dongtou Island Westwards	(365)
	Aojiangkou	(366)
Taiwan Strait	Taiwan Shore	(346)
	Chaozhou Port	(347)
South China Sea	Haimen Bay	(348)
	Daya Bay	(349)
	Mirs Bay	(367)
	Lantau Northwards	(350)
	Wanshan Archipelago	(351)
	Yangjiang Port	(352)
	Zhanjiang Port	(353)
	Leizhou Peninsula Southeastwards	(354)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
11001		355
13001		358
13112		356,357
13144		359
14101		360
22111	342	
22113	342	
32201		362
32202		361,362
36144	343	
36145	343	
37001	343	
1306	343	
43371		363
44124		363
44128		363
44129		363
44173		363
44174		363
52137		364
52172		363
53132		364
53251		364
53342		364
53452	344	
54121	344	
55001	345	
55121		365
55151	345	
55631		366
2309	345	
2310	345	
2312	346	
81101	347	
81102	347	
81201	348	

Notices to Mariners

342. Bohai Sea – Tangshan Port – Jingtang Harbour – Lightbeacon

Move ★^{閃5s} from: (1)39°10'38".6N,118°58'55".7E
to: (2)39°10'39".0N,118°58'55".7E

Chart 22111(with chart unchanged)[2025-273] 22113(with chart unchanged)[2024-]

List of Lights CNP81/2024~2025[2310480]

Source: Beihai Aids 005/2025

343. Yellow Sea – Qingdao Port – Dongjiakou Harbour – Obstruction

Insert  35°33'24".4N, 119°44'55".4E

Note: Chinese Version Only.

Chart 36144[2025-328] 36145[2024-1083] 37001[2025-328] 1306[2025-328]

Source Dongjiakou Navigation Notice 0171/2025

344.East China Sea – Sanmen Bay – Jiantiao Harbour – Submarine Pipeline

Insert submarine pipeline and note "sewer", joining: (1)29°02'21".6N,121°36'47".3E
(2)29°02'33".0N,121°36'54".8E

Chart 53452〔2024-1178〕 54121〔2023-1341〕

Source Taizhou Navigation Notice 0022/2025

345. East China Sea – Dongtouyang – Anchorage

Insert Yueqing Bay Harbour No 2 Anchorage

boundary line and note "◈⊕⚓No2", joining:

(1)27°51'54".7N,121°18'21".0E

(2) $27^{\circ}52'58''.0\text{N}, 121^{\circ}19'24''.7\text{E}$

(3) $27^{\circ}52'32''.4\text{N}, 121^{\circ}20'24''.4\text{E}$

(4) 27°51'16".9N, 121°19'08".5E

(5)position (1) above

Note: Chinese Version Only.

Chart 55001[2025-300] 55151[2025-260] 2309[2025-317] 2310[2025-303]

Source Wenzhou Navigation Notice 0047/2025

346.Taiwan Strait – Taiwan Shoal – Shallow Depth

Delete	18 _s	(1)23°11'00"N,119°05'48"E
Insert	21 及等深线	(2)23°13'30"N,119°04'06"E
	13	(3)23°11'00"N,119°06'00"E
	15 _s 及等深线	(4)23°10'18"N,119°07'48"E
	15 _s 及等深线	(5)23°09'06"N,119°02'36"E
Chart	2312〔2025-275〕	
Source	NTM 2025-(8)-178	

347.Taiwan Strait – Chaozhou Port – Aids

Move	(13)  闪(2)绿6s 同步 from:	(1)23°32'10".8N,117°07'17".6E
	to:	(2)23°32'23".0N,117°07'04".2E
Insert	(CY1)  闪绿4s 同步	(3)23°32'40".6N,117°06'57".0E
	(CY2)  闪(2+1)绿6s	(4)23°32'40".1N,117°06'44".7E
	(CY3)  闪绿4s 同步	(5)23°32'54".8N,117°06'58".7E
	(CY4)  闪红4s 同步	(6)23°33'11".3N,117°06'53".8E
	(CY5)  闪绿4s 同步	(7)23°33'19".1N,117°07'08".0E
	(CY6)  闪红4s 同步	(8)23°33'42".0N,117°07'03".2E
	★ 等明暗绿6s14m5M	(9)23°33'32".1N,117°07'24".4E
	★ 长闪6s16m5M	(10)23°33'34".0N,117°07'21".8E
	★ 长闪6s15m5M	(11)23°33'46".6N,117°07'14".7E
Chart	81101(1,2;4,5,7~9,11)〔2025-306〕 81102〔2025-306〕	
List of Lights	CNP83/2024~2025[7110290.13][7110321.01][7110321.02][7110321.03] [7110321.04][7110321.05][7110321.06][7110322][7110323.01] [7110323.02]	

Source Nanhai Aids 023/2025

348.South China Sea – Haimen Bay – Aids

Insert	 闪红4s4m3M	(1)23°09'20".3N,116°33'01".7E
	(1)  莫(C)黄12s AIS	(2)23°09'18".4N,116°33'20".3E

(2)  莫(C)黄12s

(3) 23°09'12".5N, 116°33'17".2E

Chart 81201(1,2)[2025-276] 81209[2025-136]

List of Lights CNP83/2024~2025[7111109][7111109.01][7111109.02]

Source Nanhai Aids 022/2025

349.South China Sea – Daya Bay – Aotou Port – Lightbeacon

Insert ★ 闪3s9.8m5M

22°42'23".0N, 114°32'38".9E

Chart 83101[2024-1311] 83103[2025-91]

List of Lights CNP83/2024~2025[7310721]

Source Nanhai Aids 020/2025

350.South China Sea – Lantau Northwards – Shallow Depth

Insert 3₃ 及等深线

(1) 22°20'00".0N, 113°58'59".6E

2₉ 及等深线

(2) 22°19'58".2N, 113°59'06".0E

2₉

(3) position (2) above

4₄ 及等深线

(4) 22°19'51".6N, 113°58'47".3E

Chart 84001(3)[2025-308] 84002(3)[2025-278] 84206(3,4)[2025-318]

84212(1,4)[2024-1349] 84220(1,2,4)[2024-1349]

Source NTM 2025-(8)-181

351.South China Sea – Wanshan Archipelago – Dong'ao Island Northeastwards – Aids

Delete (临1)  莫(0)黄12s

(1) 22°01'37".0N, 113°43'18".8E

(临2)  莫(0)黄12s

(2) 22°01'38".7N, 113°43'08".9E

(临3)  莫(0)黄12s

(3) 22°01'48".1N, 113°43'08".8E

Insert (防波堤1) ★ 等明暗2s10m5M

(4) 22°01'37".4N, 113°43'14".0E

(2) ★ 等明暗2s10m5M

(5) 22°01'44".3N, 113°43'08".3E

(客运1)  闪绿4s

(6) 22°01'53".8N, 113°43'04".8E

(2)  闪红4s

(7) 22°01'31".2N, 113°43'23".5E

(3)  闪绿4s

(8) 22°01'42".6N, 113°43'02".8E

(4)  闪红4s

(9) 22°01'33".3N, 113°43'05".3E

(客运1)  V-AIS

(10) 22°01'44".4N, 113°43'06".4E

(2)  V-AIS

(11) 22°01'35".5N, 113°43'13".9E

Chart 84203(1;4)[2025-307] 84218[2025-318] 84221(1~3;4~6)[2025-318]
List of Lights CNP83/2024~2025[7411121.01][7411121.02][7411121.03][7411122.01]
[7411122.02][7411123.01][7411123.02][7411123.03][7411123.04]
[7411124.01][7411124.02]
Source Hongkong-Zhuhai-Macao Bridge Aids 028/2024

352.South China Sea – Yangjiang Port – Aids

Insert	(1)  莫(0)黄 12s	(1) 21°42'18".1N, 111°48'34".5E
	(2)  莫(0)黄 12s	(2) 21°42'28".3N, 111°48'30".0E
	(山河1)  闪(3)绿 10s	(3) 21°43'14".1N, 111°48'29".4E
	(2)  甚快(6)+长闪 10s	(4) 21°43'25".3N, 111°48'33".7E
	★ 等明暗红 4s12m4M	(5) 21°43'18".4N, 111°48'39".2E

Chart 86101(1,4,5)[2025-279] 86301[2025-28]
List of Lights CNP83/2024~2025[7610432.01][7610432.02][7610466.01][7610466.02]
[7610467]
Source Nanhai Aids 016&017/2025

353.South China Sea – Zhanjiang Port – Dongtoushan Island Southeastwards – Lightbeacon

Delete	(2) ★ 闪红 2s6.2m4M	(1) 21°05'07".8N, 110°25'16".7E
	(3) ★ 闪红 2s6.2m4M	(2) 21°05'12".0N, 110°25'19".4E
Insert	(2) ★ 闪红 3s9.5m4M	(3) 21°05'06".4N, 110°25'15".2E
	(3) ★ 闪红 3s9.5m4M	(4) 21°05'14".3N, 110°25'05".7E
	(4) ★ 闪红 3s9.5m4M	(5) 21°05'30".3N, 110°24'46".8E
	(5) ★ 闪红 3s9.5m4M	(6) 21°05'37".9N, 110°24'37".2E

Chart 88101(2;3~6)[2025-232] 88103(2;3~6)[2025-320] 88105[2025-232]
88106(5,6)[2025-232]
List of Lights CNP83/2024~2025[7811032.02][7811032.03][7811034.02][7811034.03]
[7811034.04][7811034.05]
Source Nanhai Aids 019/2025

354.South China Sea – Leizhou Peninsula Southeastwards – Minefield

Delete	limit of minefield, joining:	(1) 20°24'55".8N, 111°00'03".5E
--------	------------------------------	---------------------------------

		(2)20°19'20".8N,111°00'03".0E
	note "DOUBTFUL MINED-AREA"	(3)20°21'13".8N,110°55'42".6E
		(4)20°22'20".8N,110°55'52".6E
Insert	limit of minefield, joining:	(5)20°24'55".8N,111°00'03".5E
		(6)20°24'59".0N,111°00'01".5E
		(01102北图廓交点)
		(7)20°25'19".2N,110°59'48".9E
		(8)20°25'19".2N,110°56'22".7E
		(9)20°24'59".0N,110°56'02".1E
		(01102北图廓交点)
		(10)20°19'08".1N,110°50'04".7E
		(11)20°19'20".8N,111°00'03".0E
	note "DOUBTFUL MINED-AREA"	(12)20°17'30".0N,110°54'17".0E
Chart	88001(1,2;3;5,7,8,10,11;12)[2025-234] 01102(1,2;5,6;9~11)[2024-]	
	3315(1,2;4;5,7,8,10,11;12)[2025-231]	
Source	NTM 2025-(8)-187	

Temporary Notices

355. Yellow Sea – Dawangjia Island Eastwards – Construction (T)

Date March 4 to July 31, 2025

Area joining: (1) 39°27'09".0N, 123°16'48".6E
(2) 39°27'02".4N, 123°24'00".0E
(3) 39°24'24".0N, 123°24'00".0E
(4) 39°22'30".0N, 123°21'36".0E
(5) 39°22'30".0N, 123°16'42".0E
(6) position (1) above

Note: Irrespective vessels and offshore facilities are prohibited from entering the safety operating area.

Chart 11001

Source Dalian Navigation Notice 0064/2025

356. Bohai Sea – Yingkou Port – Xianrendao Harbour – Pier Construction (T)

Date March 6 to November 30, 2025, day and night

Area joining: (1) 40°12'40".5N, 121°58'07".8E
(2) 40°12'42".7N, 121°58'22".6E
(3) 40°12'21".9N, 121°58'27".4E
(4) 40°12'21".2N, 121°58'23".0E
(5) 40°12'04".1N, 121°58'27".5E
(6) 40°12'03".9N, 121°58'17".2E
(7) position (1) above

Note: Keep watching on VHF ch.69.

Chart 13112

Source Yingkou Navigation Notice 0069/2025

357. Bohai Sea – Yingkou Port – Xianrendao Harbour – Dredging (T)

Date March 6 to November 30, 2025, day and night

Area area1, joining: (1) 40°12'40".6N, 121°58'09".3E

Blank Page

(2)40°12'41".9N,121°58'17".5E

(3)40°12'36".3N,121°58'18".9E

(4)40°12'36".2N,121°58'24".0E

(5)40°12'28".7N,121°58'24".0E

(6)40°12'28".7N,121°58'21".0E

(7)40°12'04".1N,121°58'27".5E

(8)40°12'04".0N,121°58'18".6E

(9)position (1) above

area2, joining:

(10)40°13'02".6N,121°57'59".1E

(11)40°13'02".8N,121°58'33".4E

(12)40°13'00".3N,121°58'49".0E

(13)40°13'12".2N,121°58'49".2E

(14)40°13'11".9N,121°58'08".4E

(15)position (10) above

Note: Keep watching on VHF ch.69.

Chart 13112

Source Yingkou Navigation Notice 0070/2025

358.Bohai Sea – Yingkou Port – Spring Buoyage(T)

Chinese Version Only.

Note: Delete the temporary notices No.1267 in Issue No.50 2024.

Chart 13001

Source Beihai Aids 006/2025

359.Bohai Sea – Panjin Port – Spring Buoyage(T)

Chinese Version Only.

Note: Delete the temporary notices No.1268 in Issue No.50 2024.

Chart 13144

Source Beihai Aids 006/2025

Blank Page

360. Bohai Sea – Jinzhou Port – Spring Buoyage (T)

Chinese Version Only.

Note: Delete the temporary notices No.1269 in Issue No.50 2024.

Chart 14101

Source Beihai Aids 006/2025

361. Bohai Sea – Approaches to Dongying Port – Construction (T)

Date March 25 to August 31, 2025

Area radius 500m, central point 38°16'45".0N, 118°49'06".3E

Note: Keep watching on HF.

Chart 32202

Source Dongying Navigation Notice 0173/2025

362. Bohai Sea – Approaches to Dongying Port – Construction (T)

Date March 5 to December 30, 2025

Area joining:

- (1) 38°12'36".9N, 118°48'31".0E
- (2) 38°10'33".0N, 118°47'09".7E
- (3) 38°06'18".0N, 118°57'31".4E
- (4) 38°08'21".8N, 118°58'53".0E
- (5) position (1) above

Note: Keep watching on HF.

Chart 32201 32202

Source Dongying Navigation Notice 0176/2025

363. East China Sea – Changjiangkou and Approaches – Construction (T)

Date March 7 to December 31, 2025, day and night

Area area1, joining:

- (1) 31°33'45".4N, 122°15'48".0E
- (2) 31°33'24".3N, 122°15'48".1E
- (3) 31°33'18".6N, 122°16'12".0E
- (4) 31°33'17".3N, 122°16'33".7E
- (5) 31°33'45".6N, 122°16'33".4E

Blank Page

	(6)position (1) above
area2, joining:	(7)30°53'19".3N,122°08'01".6E
	(8)30°52'52".5N,122°07'56".4E
	(9)30°52'56".7N,122°08'41".5E
	(10)30°53'19".5N,122°08'41".3E
	(11)position (7) above
area3, joining:	(12)31°08'53".3N,121°51'35".1E
	(13)31°08'42".1N,121°51'35".2E
	(14)31°08'14".7N,121°52'13".3E
	(15)31°08'14".7N,121°52'20".9E
	(16)31°08'48".2N,121°52'20".5E
	(17)31°08'53".6N,121°52'13".9E
	(18)position (12) above
area4, joining:	(19)31°33'33".3N,122°05'50".1E
	(20)31°32'54".4N,122°05'50".4E
	(21)31°32'54".7N,122°06'35".9E
	(22)31°33'33".6N,122°06'35".6E
	(23)position (19) above
area5, joining:	(24)31°04'22".4N,122°15'39".2E
	(25)31°03'43".4N,122°15'39".5E
	(26)31°03'43".6N,122°16'24".8E
	(27)31°04'22".6N,122°16'24".5E
	(28)position (24) above
area6, joining:	(29)31°16'17".4N,122°22'17".2E
	(30)31°15'38".4N,122°22'17".4E
	(31)31°15'38".6N,122°23'02".8E
	(32)31°16'17".6N,122°23'02".6E
	(33)position (29) above

Note: Keep watching on VHF ch.06&16.Irrespective vessels are prohibited from entering the safety operating area.

Chart 43371 44124 44128 44129 44173 44174 52172

Source Shanghai Navigation Notice 0167/2025

Blank Page

364. East China Sea – Zhoushan Archipelago – Surveying (T)

Date March 4 to December 31, 2025

Area	area1, joining:	(1) 29°57'44".4N, 121°43'26".4E (2) 29°57'37".4N, 121°43'23".1E (3) 29°57'36".8N, 121°43'24".9E (4) 29°57'43".7N, 121°43'28".0E (5) position (1) above
	area2, joining:	(6) 29°58'30".0N, 121°44'31".1E (7) 29°58'29".2N, 121°44'28".4E (8) 29°58'27".6N, 121°44'28".8E (9) 29°58'28".6N, 121°44'31".6E (10) position (6) above
	area3, joining:	(11) 29°57'27".7N, 121°43'18".7E (12) 29°57'26".8N, 121°43'20".9E (13) 29°57'22".3N, 121°43'19".3E (14) 29°57'23".1N, 121°43'16".9E (15) position (11) above
	area4, joining:	(16) 29°56'02".8N, 121°52'25".7E (17) 29°55'59".9N, 121°52'35".5E (18) 29°55'52".8N, 121°52'34".4E (19) 29°55'56".3N, 121°52'23".3E (20) position (16) above
	area5, joining:	(21) 29°53'23".1N, 121°57'56".4E (22) 29°53'23".4N, 121°58'02".4E (23) 29°53'24".4N, 121°58'02".3E (24) 29°53'24".1N, 121°57'56".4E (25) position (21) above
	area6, joining:	(26) 29°54'12".1N, 121°55'47".4E (27) 29°54'11".2N, 121°55'46".5E (28) 29°54'07".7N, 121°55'49".7E (29) 29°54'08".6N, 121°55'50".5E

Blank Page

	(30)position (26) above
area7, joining:	(31)29°53'57".8N,121°58'48".9E
	(32)29°53'58".5N,121°58'51".5E
	(33)29°53'56".0N,121°58'54".1E
	(34)29°53'54".5N,121°58'48".4E
	(35)position (31) above
area8, joining:	(36)29°53'24".7N,122°03'52".5E
	(37)29°53'23".9N,122°03'57".2E
	(38)29°53'26".8N,122°04'00".9E
	(39)29°53'31".4N,122°04'01".4E
	(40)position (36) above
area9, joining:	(41)29°45'51".1N,121°59'39".1E
	(42)29°45'44".6N,121°59'27".9E
	(43)29°45'31".8N,121°59'36".4E
	(44)29°45'39".9N,121°59'49".9E
	(45)position (41) above

Chart 52137 53132 53251 53342

Source Ningbo Navigation Notice 0076/2025

365.East China Sea – Dongtou Island Westwards – Bridge Construction (T)

Date March 8, 2025 to March 8, 2026, 07:00~18:00

Area	joining:	(1)27°49'53"N,121°05'19"E
		(2)27°49'51"N,121°05'17"E
		(3)27°49'43"N,121°05'30"E
		(4)27°49'42"N,121°05'32"E
		(5)27°49'44"N,121°05'34"E
		(6)27°49'47"N,121°05'31"E
		(7)27°49'46"N,121°05'28"E
		(8)27°49'49"N,121°05'23"E
		(9)position (1) above

Chart 55121

Blank Page

Source Wenzhou Navigation Notice 0048/2025

366.East China Sea – Aojiangkou – Pipashan Southwards – Pier Construction (T)

Date March 10 to October 31, 2025, day and night

Area joining: (1)27°29'23".7N,120°40'33".8E
(2)27°29'21".6N,120°40'32".1E
(3)27°29'19".3N,120°40'35".6E
(4)27°29'16".6N,120°40'36".9E
(5)27°29'11".1N,120°40'47".2E
(6)27°29'20".2N,120°40'54".7E
(7)27°29'32".5N,120°40'35".5E
(8)27°29'26".9N,120°40'30".4E
(9)position (1) above

Chart 55631

Source Wenzhou Navigation Notice 0049/2025

367.South China Sea – Mirs Bay – Yantian Bay Southeastwards – Pier Construction (T)

Date March 6, 2025 to May 31, 2026

Area joining: (1)22°34'46".6N,114°17'21".5E
(2)22°34'25".7N,114°17'40".9E
(3)22°34'27".2N,114°17'42".8E
(4)22°34'48".1N,114°17'23".4E
(5)position (1) above

Note: Keep watching on VHF ch.74.

Chart 84102

Source Yantian Navigation Notice 0010/2025

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.