



NOTICES TO MARINERS

Issue No.16(Total No.1280)

Notice No.440-468

20 April 2026

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	85001	SHANGCHUAN ISLAND TO HAILING ISLAND	1:150 000	2026年3月第1版	CHECK NTM FROM ISSUE No.13 2026

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	85001	SHANGCHUAN ISLAND TO HAILING ISLAND	1:150 000	2012年7月第1版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX











Bohai Sea	Changxingdao	(461)
	Tangshan Port	(462)
	Tianjin Port	(463)
	Dongying Port	(464),(465)
Yellow Sea	Dandong Port	(459)
	Zhuanhe Port	(460)
	Yantai Port	(440),(466)
	Haiyang Port	(467)
East China Sea	Changjiangkou Eastwards	(441)
	Hangzhou Gulf	(442),(443)
	Lingjiang River	(444)
Taiwan Strait	Fotan Port	(445)
South China Sea	Shenquan Southeastwards	(446)
	Zhujiang River	(447),(448),(449),(450),(451)
	Chuanshan Archipelago and Approaches	(452)
	Hailing Island Southwards	(453)
	Yangjiang Port	(454)
	Shapa Southeastwards	(455)
	Shapa Southwards	(456)
	Zhanjiang Port	(468)
	Leizhou Peninsula	(457)
Beibu Gulf	Dafengjiangkou	(458)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
11101		459
12002	440	
12113		460
12366		461
22125		462
23101		463
32001		465
32201		465
32202		464,465
33001		465
34161		466
34175		467
35001	440	
1302	440	
1304	440	
51001	442,443	
51121	442	
51132	442	
51171	442,443	
54313	444	
65132	445	
66241	445	
2308	441,442,443	
82001	446	
84216	448,449	
84217	450,451	
84235	447	
84238	450,451	
84239	450	
84244	447,448,449	
84245	449	
85001	452	
86101	454	
86301	454	
87001	455,456	
88101		468

Notices to Mariners



440. Yellow Sea – Yantai Port – Muping Harbour Northeastwards – Lightbeacon

Insert	BDB6号(W1)  莫(C)黄 12s9m5M	(1) 37°52'31".4N, 121°54'47".7E
	(W4)  莫(C)黄 12s9m5M	(2) 37°52'48".0N, 121°52'49".0E
	(W6)  莫(C)黄 12s9m5M	(3) 37°53'09".2N, 121°51'30".0E
	(W13)  莫(C)黄 12s9m5M	(4) 37°54'13".3N, 121°54'49".6E
	(W18)  莫(C)黄 12s9m5M	(5) 37°54'58".9N, 121°51'30".0E
	(W24)  莫(C)黄 12s9m5M	(6) 37°55'52".2N, 121°54'50".4E
	(W29)  莫(C)黄 12s9m5M	(7) 37°56'25".5N, 121°51'33".9E
	(W31)  莫(C)黄 12s9m5M	(8) 37°57'49".2N, 121°51'31".6E
	(W34)  莫(C)黄 12s9m5M	(9) 37°56'40".5N, 121°53'28".3E
	升压站  莫(C)黄 12s9m5M	(10) 37°54'23".5N, 121°52'20".3E
Chart	12002(8)[2026-330] 35001[2026-331] 1302(1,3,6,8,10)[2026-330] 1304(1,3,6,8,10)[2026-288]	

List of Lights CNP81/2025~2026[3510015][3510015.01][3510015.04][3510015.06]
[3510015.13][3510015.18][3510015.24][3510015.29][3510015.31]
[3510015.34]

Source Beihai Aids 013/2026

441. East China Sea – Changjiangkou Eastwards – Wreck

Delete	概位:  据报(2026)	(1) 37°07'36"N, 123°25'54"E
Insert	概位:  据报(2026)	(2) 31°07'36"N, 123°25'54"E
Chart	2308(with chart unchanged)[2026-340]	
Source	Shanghai Navigation Warning 0010/2026	

442. East China Sea – Hangzhou Gulf – Submarine Power Line

Insert	220kV main cable submarine power line, joining:	(1) 30°38'33".0N, 121°31'35".7E
		(2) 30°39'01".0N, 121°31'00".8E
		(3) 30°39'26".2N, 121°29'56".1E

(4)30°39'04".4N,121°28'30".0E

(51121 东图廓交点)

(5)30°38'31".9N,121°26'22".0E

(6)30°38'57".8N,121°25'00".0E

(2308 西图廓交点)

(7)30°39'01".8N,121°24'47".5E

(8)30°40'24".0N,121°24'12".1E

(51132 南图廓交点)

(9)30°42'09".7N,121°23'26".5E

(10)30°43'14".4N,121°23'24".0E

(51132 西图廓交点)

(11)30°43'58".8N,121°23'22".3E

(12)30°44'02".0N,121°23'20".1E

(13)30°44'08".9N,121°23'12".2E

(14)30°44'10".2N,121°23'10".8E

35kV branch cable A submarine power line,
joining:

(15)position (1) above

(16)30°39'14".3N,121°32'02".0E

(17)30°40'10".0N,121°32'02".3E

(18)30°39'47".1N,121°30'33".9E

35kV branch cable B submarine power line,
joining:

(19)position (1) above

(20)30°38'34".5N,121°31'49".3E

(21)30°38'36".7N,121°32'04".0E

(22)30°38'55".9N,121°32'34".0E

(23)30°39'14".2N,121°32'04".7E

(24)30°39'16".2N,121°32'04".0E

(25)30°39'33".7N,121°32'04".4E

(26)30°40'17".1N,121°32'32".2E

35kV branch cable C submarine power line,
joining:

(27)position (1) above

(28)30°38'28".7N,121°31'50".4E

(29)30°38'13".4N,121°32'53".8E
(30)30°38'06".7N,121°33'19".1E
(31)30°37'36".5N,121°34'23".9E
(32)30°37'15".0N,121°35'01".5E

35kV branch cable D submarine power line,
joining: (33)position (1) above
(34)30°37'31".4N,121°33'22".7E
(35)30°36'58".5N,121°34'22".8E
(36)30°36'54".1N,121°35'17".9E

35kV branch cable E submarine power line,
joining: (37)position (1) above
(38)30°38'06".2N,121°32'01".8E
(39)30°36'58".5N,121°33'21".8E
(40)30°36'19".9N,121°34'22".8E
(41)30°36'36".3N,121°35'01".5E

35kV branch cable F submarine power line,
joining: (42)position (1) above
(43)30°37'30".9N,121°32'03".9E
(44)30°36'26".4N,121°33'19".0E
(45)30°35'52".7N,121°33'18".9E
(46)30°36'06".3N,121°33'50".9E

35kV branch cable G submarine power line,
joining: (47)position (1) above
(48)30°38'01".8N,121°31'45".4E
(49)30°36'58".7N,121°32'03".9E
(50)30°35'53".4N,121°32'03".9E
(51)30°35'36".7N,121°32'41".4E

35kV branch cable H submarine power line,
joining: (52)position (1) above
(53)30°38'04".1N,121°31'39".6E
(54)30°36'58".9N,121°31'50".7E

(55)30°36'44".6N,121°31'51".7E

(56)30°35'20".7N,121°32'03".9E

(57)30°35'08".5N,121°31'34".7E

(58)30°34'46".7N,121°30'45".1E

35kV branch cable I submarine power line,

joining:

(59)position (1) above

(60)30°36'54".9N,121°30'45".1E

(61)30°35'19".1N,121°30'45".1E

35kV branch cable J submarine power line,

joining:

(62)position (1) above

(63)30°38'30".7N,121°30'45".2E

(64)30°39'02".3N,121°30'45".2E

(65)30°38'30".7N,121°30'45".2E

(66)30°37'26".8N,121°30'45".2E

Chart 51001(1~3,5,7,9,11,14; 15~18; 19,21~23,25,26; 27,30~32; 33~36; 37~41;
42~46; 47~51; 52,54,56,58; 59~61; 62,63; 64~66)[2026-417]
51121(4,5,7,9,11~13)[2024-] 51132(8~10)[2026-]
51171(1~3,5,7,9,11,14; 15~18; 19~26; 27~32; 33~36; 37~41; 42~46; 47~51;
52~58; 59~61; 62,63; 64~66)[2026-417]
2308(1~3,5,6; 15~18; 19,21~23,25,26; 27,30~32; 33~36; 37~41; 42~46; 47~51;
52,54,56,58; 59~61; 62,63; 64~66)[2026-441]

Source Hydrography Department Shanghai MSA

443.East China Sea – Hangzhou Gulf – Windmotor & Offshore Platform & Offshore Production

Area

Insert	┆	(1)30°39'46".7N,121°30'32".7E
	┆	(2)30°39'54".8N,121°31'02".5E
	┆	(3)30°40'01".9N,121°31'32".3E
	┆	(4)30°40'10".0N,121°32'02".3E
	┆	(5)30°40'17".1N,121°32'32".2E
	┆	(6)30°38'55".9N,121°32'34".0E

- | | |
|---|--------------------------------|
| ┆ | (7)30°39'02".3N,121°30'45".2E |
| ┆ | (8)30°38'30".7N,121°30'45".2E |
| ┆ | (9)30°37'58".8N,121°30'45".2E |
| ┆ | (10)30°37'26".8N,121°30'45".2E |
| ┆ | (11)30°36'54".9N,121°30'45".1E |
| ┆ | (12)30°36'23".0N,121°30'45".1E |
| ┆ | (13)30°35'51".0N,121°30'45".1E |
| ┆ | (14)30°35'19".1N,121°30'45".1E |
| ┆ | (15)30°34'46".7N,121°30'45".1E |
| ┆ | (16)30°35'03".9N,121°31'24".5E |
| ┆ | (17)30°35'20".7N,121°32'03".9E |
| ┆ | (18)30°35'53".4N,121°32'03".9E |
| ┆ | (19)30°36'25".6N,121°32'04".0E |
| ┆ | (20)30°36'58".7N,121°32'03".9E |
| ┆ | (21)30°37'30".9N,121°32'03".9E |
| ┆ | (22)30°38'04".0N,121°32'04".0E |
| ┆ | (23)30°38'36".7N,121°32'04".0E |
| ┆ | (24)30°38'06".7N,121°33'19".1E |
| ┆ | (25)30°37'33".5N,121°33'19".1E |
| ┆ | (26)30°36'59".9N,121°33'19".0E |
| ┆ | (27)30°36'26".4N,121°33'19".0E |
| ┆ | (28)30°35'36".7N,121°32'41".4E |
| ┆ | (29)30°35'52".7N,121°33'18".9E |
| ┆ | (30)30°36'06".3N,121°33'50".9E |
| ┆ | (31)30°36'19".9N,121°34'22".8E |
| ┆ | (32)30°36'58".5N,121°34'22".8E |
| ┆ | (33)30°37'37".1N,121°34'22".9E |
| ┆ | (34)30°37'15".0N,121°35'01".5E |
| ┆ | (35)30°36'36".3N,121°35'01".5E |
| ┆ | (36)30°36'54".1N,121°35'17".9E |
| ┆ | (37)30°38'33".0N,121°31'35".7E |

升压站

maritime limit in general and note "Wind Farm

Protection Zone", joining: (38)position (15) above
(39)30°39'49".1N,121°30'32".5E
(40)position (5) above
(41)position (6) above
(42)position (34) above
(43)30°36'45".3N,121°35'25".3E

Chart 51001(1,5,6,8,12,15,19,22,26,28,30,33,36,37;38~43)[2026-442]

51171[2026-442] 2308(1,5,6,15,36,37;38~43)[2026-442]

Source Hydrography Department Shanghai MSA

444.East China Sea – Lingjiang River – Overhead Power Line and Pylon

Delete ● (1)28°47'53".2N,121°11'53".5E

● (2)28°49'09".8N,121°13'04".8E

overhead power line and note, joining: (3)position (1) above

(4)position (2) above

Insert ● (5)28°48'35".5N,121°12'33".0E

● (6)28°48'59".5N,121°12'55".3E

● (7)28°48'50".3N,121°12'53".7E

● (8)28°48'24".7N,121°12'32".2E

overhead power line and note "28", joining: (9)position (5) above

(10)position (6) above

overhead power line and note "28", joining: (11)position (7) above

(12)position (8) above

Chart 54313[2026-419]

Source Taizhou Navigation Notice 0184/2026


445.Taiwan Strait – Fotan Port – Fotanwan Grand Bridge – Vertical Clearance

Insert note "18", approaches to 24°10'27".1N,117°57'54".6E







Chart 65132[2026-168] 66241(with chart unchanged)[2025-842]

Source Zhangzhou Navigation Notice 0052/2026


446.South China Sea – Shenquan Southeastwards – Buoyage

Insert  莫(0)黄12s 22°38'44".2N,116°26'35".0E
 Chart 82001[2026-381] 3313[2026-382]
 List of Lights CNP83/2025~2026[7210031]
 Source Nanhai Aids 006/2026





447.South China Sea – Zhujiang River – Shatian Bridge – Bridge Opening Mark

Insert  定红 (1)22°54'32".9N,113°35'16".9E
 定红 (2)22°54'31".9N,113°35'16".2E
 定绿 (3)22°54'35".3N,113°35'11".8E
 定绿 (4)22°54'30".9N,113°35'22".0E
 定绿 (5)22°54'33".9N,113°35'11".1E
 定绿 (6)22°54'29".5N,113°35'21".3E
 Chart 84235(with chart unchanged)[2026-] 84244(with chart unchanged)[2026-]
 List of Lights CNP83/2025~2026[7412273.01] [7412273.02] [7412273.03] [7412273.04]
 [7412273.05] [7412273.06]
 Source Eastern Zhujiang Waterway Notice 005/2026

448.South China Sea – Zhujiang River – Yinjiazhou Westwards – Buoyage






Insert (5-1)  闪绿4s 22°58'02"N,113°36'32"E
 Chart 84216[2026-299] 84244[2026-447]
 List of Lights CNP83/2025~2026[7412274]
 Source Eastern Zhujiang Waterway Notice 006/2026

449.South China Sea – Zhujiang River – Xinzhou and Approaches – Buoyage















Insert (1)  闪绿4s (1)22°56'44"N,113°36'35"E
(2)  闪红4s (2)22°57'28"N,113°36'43"E
(3)  闪(3)绿6s (3)22°58'15"N,113°37'09"E
(4)  闪绿4s (4)22°59'40"N,113°37'28"E
 Chart 84216(1~3)[2026-448] 84244(1~3)[2026-448] 84245(3,4)[2026-299]
 List of Lights CNP83/2025~2026[7412275.01] [7412275.02] [7412275.03] [7412275.04]

Source Eastern Zhujiang Waterway Notice 007/2026

450.South China Sea – Zhujiang River – Huangpu Channel – Buoyage

Delete (8A)  闪(2)红 6s (1) 23°05'29".7N, 113°24'43".1E
Move (8)  闪(2)绿 6s from: (2) 23°05'31".0N, 113°24'48".8E
to: (3) 23°05'27".0N, 113°24'47".9E
(9)  闪(2)绿 6s from: (4) 23°05'48".5N, 113°24'23".3E
to: (5) 23°05'38".8N, 113°24'26".8E
(9A)  闪(2)红 6s from: (6) 23°05'51".2N, 113°24'11".6E
to: (7) 23°05'49".0N, 113°24'08".2E
Insert (9B)  闪(2)红 6s (8) 23°06'01".1N, 113°23'55".6E
Chart 84217[2026-385] 84238[2025-1165] 84239(1;2~7)[2025-1135]
List of Lights CNP83/2025~2026[7412700.08][7412700.081][7412700.09][7412700.091]
[7412700.092]
Source Nanhai Aids 014/2026

451.South China Sea – Zhujiang River – Pazhou Bridge – Aids

Amend from: (1)  定红 (1) 23°06'35".5N, 113°22'07".4E
to: (1)  莫(P)黄 12s2M (2) position (1) above
from: (2)  定红 (3) 23°06'35".5N, 113°22'06".3E
to: (2)  莫(P)黄 12s2M (4) 23°06'35".6N, 113°22'06".3E
from: (3)  快黄 (5) 23°06'37".7N, 113°22'08".0E
to: (3)  快黄 2M (6) 23°06'37".7N, 113°22'07".5E
from: (4)  快黄 (7) 23°06'37".8N, 113°22'06".0E
to: (4)  快黄 2M (8) 23°06'37".4N, 113°22'06".3E
from: (5)  快黄 (9) 23°06'38".0N, 113°22'07".4E
to: (5)  快黄 2M (10) 23°06'37".8N, 113°22'07".9E
from: (6)  快黄 (11) 23°06'38".1N, 113°22'06".5E
to: (6)  快黄 2M (12) 23°06'37".8N, 113°22'06".0E
from: (7)  快黄 (13) 23°06'38".2N, 113°22'07".8E
to: (7)  快黄 2M (14) 23°06'38".2N, 113°22'07".6E

from: (8) ★快黄	(15) 23°06'38".2N,113°22'06".2E
to: (8) ★快黄2M	(16) 23°06'38".3N,113°22'06".4E
from: (9) ■闪红4s	(17) 23°06'38".4N,113°22'07".5E
to: (9) ■闪红4s2M	(18) 23°06'38".5N,113°22'07".6E
from: (10) ■闪红4s	(19) 23°06'38".5N,113°22'06".5E
to: (10) ■闪红4s2M	(20) 23°06'38".6N,113°22'06".4E
from: (11) ㊦定绿	(21) 23°06'40".4N,113°22'07".7E
to: (11) ①莫(A)6s2M	(22) position (21) above
from: (12) ㊦定绿	(23) 23°06'40".4N,113°22'06".6E
to: (12) ①莫(A)6s2M	(24) 23°06'40".5N,113°22'06".6E
from: (13) ▲闪绿4s	(25) 23°06'42".3N,113°22'07".8E
to: (13) ▲闪绿4s2M	(26) 23°06'42".4N,113°22'07".8E
from: (14) ▲闪绿4s	(27) 23°06'42".4N,113°22'06".7E
to: (14) ▲闪绿4s2M	(28) position (27) above
from: (15) ★快黄	(29) 23°06'42".5N,113°22'08".0E
to: (15) ★快黄2M	(30) 23°06'42".5N,113°22'07".9E
from: (16) ★快黄	(31) 23°06'42".6N,113°22'06".5E
to: (16) ★快黄2M	(32) 23°06'42".6N,113°22'06".7E
from: (17) ★快黄	(33) 23°06'42".7N,113°22'07".7E
to: (17) ★快黄2M	(34) 23°06'43".0N,113°22'08".2E
from: (18) ★快黄	(35) 23°06'42".8N,113°22'06".8E
to: (18) ★快黄2M	(36) 23°06'43".0N,113°22'06".3E
from: (19) ★快黄	(37) 23°06'42".9N,113°22'08".3E
to: (19) ★快黄2M	(38) 23°06'43".4N,113°22'07".9E
from: (20) ★快黄	(39) 23°06'43".0N,113°22'06".3E
to: (20) ★快黄2M	(40) 23°06'43".5N,113°22'06".7E
from: (21) ㊦定红	(41) 23°06'44".4N,113°22'07".9E
to: (21) ㊦莫(P)黄12s2M	(42) 23°06'44".5N,113°22'07".9E
from: (22) ㊦定红	(43) 23°06'44".5N,113°22'06".8E
to: (22) ㊦莫(P)黄12s2M	(44) 23°06'44".6N,113°22'06".8E

Chart 84217(23,24)[2026-450]

84238(1,2,5,6,19~22,27,28,37,38,41,42)(3,4,7~18,25,26,29~36,
39,40,43,44with chart unchanged)[2026-450]

List of Lights CNP83/2025~2026[7412810.01][7412810.02][7412810.03][7412810.04]
[7412810.05][7412810.06][7412810.07][7412810.08][7412810.09]
[7412810.10][7412810.11][7412810.12][7412810.13][7412810.14]
[7412810.15][7412810.16][7412810.17][7412810.18][7412810.19]
[7412810.20][7412810.21][7412810.22]

Source Nanhai Aids 015/2026

452.South China Sea – Chuanshan Archipelago and Approaches – Shangchuan Island

Southwards – Buoyage

Delete  21°24'55".6N,112°44'36".9E

Chart 85001[2026-389] 3314[2026-387]

List of Lights CNP83/2025~2026[7411607]

Source Nanhai Aids 009/2026

453.South China Sea – Hailing Island Southwards – Aids















Delete	三山岛六风电钢管桩(1) 	(1)20°57'45".2N,112°00'02".3E
	(2) 	(2)20°57'43".9N,112°00'01".8E
Insert	(S1) 	(3)20°56'19".4N,111°58'36".0E
	(S2) 	(4)20°57'40".1N,111°58'36".0E
	(S3) 	(5)20°58'57".7N,111°58'36".0E
	(S4) 	(6)21°00'10".8N,111°58'36".0E
	(S5) 	(7)21°01'00".8N,112°00'20".6E
	(S6) 	(8)21°01'51".2N,112°02'02".5E
	(S7) 	(9)21°02'41".8N,112°03'44".6E
	(S8) 	(10)21°01'24".7N,112°03'44".6E
	(S9) 	(11)21°00'07".5N,112°03'44".6E
	(S10) 	(12)20°58'50".0N,112°03'44".6E
	(S11) 	(13)20°57'57".1N,112°01'57".3E
	(S12) 	(14)20°57'07".3N,112°00'15".1E

Chart 3314(1;6,9,12)(2;3~5,7,8,10,11,13,14with chart unchanged)[2026-452]

List of Lights CNP83/2025~2026[7710074.01] [7710074.02] [7710082.01] [7710082.02]
 [7710082.03] [7710082.04] [7710082.05] [7710082.06] [7710082.07]
 [7710082.08] [7710082.09] [7710082.10] [7710082.11] [7710082.12]

Source Nanhai Aids 017/2026

454.South China Sea – Yangjiang Port – Yangjianggangteda Bridge – Aids



Insert	(1) ★快黄2M 同步	(1) 21°42'51".6N,111°47'20".2E
	(2) ★快黄2M 同步	(2) 21°42'51".9N,111°47'19".8E
	(3) ■闪红4s2M 同步	(3) 21°42'55".1N,111°47'23".0E
	(4) ■闪红4s2M 同步	(4) 21°42'55".7N,111°47'22".0E
	(5) ⑩等明暗4s2M 同步	(5) 21°42'56".3N,111°47'23".8E
	(6) ⑩等明暗4s2M 同步	(6) 21°42'56".9N,111°47'22".8E
	(7) ▲闪绿4s2M 同步	(7) 21°42'57".4N,111°47'24".6E
	(8) ▲闪绿4s2M 同步	(8) 21°42'58".0N,111°47'23".6E
	(9) ★快黄2M 同步	(9) 21°42'58".3N,111°47'25".4E
	(10) ★快黄2M 同步	(10) 21°42'59".1N,111°47'24".2E
	(11) ☒莫(P)黄12s2M 同步	(11) 21°43'01".1N,111°47'27".3E
	(12) ☒莫(P)黄12s2M 同步	(12) 21°43'01".8N,111°47'26".2E
	(26A)  闪红4s	(13) 21°42'50".2N,111°47'31".3E
	(27A)  闪绿4s	(14) 21°42'53".2N,111°47'33".6E

Chart 86101(13)[2026~388] 86301(1,4,5,8,9,12~14)(2,3,6,7,10,11
 with chart unchanged)[2026~388]

List of Lights CNP83/2025~2026[7610426.01] [7610426.02] [7610426.03] [7610426.04]
 [7610426.05] [7610426.06] [7610426.07] [7610426.08] [7610426.09]
 [7610426.10] [7610426.11] [7610426.12] [7610430.261] [7610430.271]

Source Nanhai Aids 008/2026

455.South China Sea – Shapa Southeastwards – Buoyage

Delete	(QZ1)  莫(0)黄12s	(1) 20°57'58".0N,111°36'32".7E
	(QZ2)  莫(0)黄12s AIS	(2) 20°59'28".0N,111°36'32".7E
	(QZ3)  莫(0)黄12s	(3) 21°00'18".6N,111°37'09".8E
	(QZ4)  莫(0)黄12s	(4) 21°00'45".0N,111°38'26".1E












(QZ5)  莫(0)黄 12s	(5) 21°01'19".1N, 111°40'19".3E
(QZ6)  莫(0)黄 12s	(6) 20°59'17".3N, 111°40'19".3E
(QZ7)  莫(0)黄 12s	(7) 20°56'54".8N, 111°38'26".1E
(QZ8)  莫(0)黄 12s	(8) 20°56'25".8N, 111°37'09".8E
(QZ9)  莫(0)黄 12s	(9) 20°55'57".6N, 111°35'37".0E
(QZ10)  莫(0)黄 12s	(10) 20°55'30".1N, 111°34'14".1E
(QZ11)  莫(0)黄 12s	(11) 20°54'56".4N, 111°32'30".3E
(QZ12)  莫(0)黄 12s	(12) 20°57'05".0N, 111°32'30".3E
(QZ13)  莫(0)黄 12s	(13) 20°58'53".7N, 111°32'30".2E
(QZ14)  莫(0)黄 12s	(14) 20°59'28".3N, 111°34'14".1E
(QZ15)  莫(0)黄 12s	(15) 20°59'55".8N, 111°35'37".0E

Chart 87001(1~3,8~15)[2026~396] 3315(2,5,8,11,13)(4,6,7with chart unchanged)
[2026~390]

List of Lights CNP83/2025~2026[7710058.01][7710058.02][7710058.03][7710058.04]
[7710058.05][7710058.06][7710058.07][7710058.08][7710058.09]
[7710058.10][7710058.11][7710058.12][7710058.13][7710058.14]
[7710058.15]

Source Nanhai Aids 012&013/2026

456.South China Sea – Shapa Southwards – Buoyage

Delete  快红 21°04'05".0N, 111°25'43".8E

Chart 87001[2026~455]

List of Lights CNP83/2025~2026[7710077]

Source Nanhai Aids 010/2026

457.South China Sea – Leizhou Peninsula – Tiaoshun Wharf – Buoyage

Delete (TS1)  闪绿 4s	(1) 21°19'20".6N, 110°24'55".3E
(TS2)  闪红 4s	(2) 21°19'20".5N, 110°24'52".0E
(TS3)  闪绿 4s	(3) 21°19'31".7N, 110°24'55".4E
(TS4)  闪红 4s	(4) 21°19'31".6N, 110°24'52".1E

Chart 88103(2)[2026~391] 88109[2026~37]

List of Lights CNP83/2025~2026[7811639.01][7811639.02][7811639.03][7811639.04]

458.Beibu Gulf – Dafengjiangkou – Aids

<p>Amend from: (10)  闪绿 4s to: (15)  闪绿 4s</p> <p>Insert (10)  闪(2)红 6s (11)  闪(2)绿 6s (12)  莫(K)黄 12s (13)  闪(2)绿 6s (14)  闪(2)红 6s (16)  闪(2)红 6s (17)  莫(K)黄 12s (18)  闪(2)红 6s (19)  闪(2)绿 6s 大风江大桥(1) ★ 快黄 3M (2) ★ 快黄 3M (3)  莫(P)黄 12s 3M (4)  闪红 4s 3M (5) ★ 快黄 3M (6)  等明暗 4s 3M (7)  闪红 4s 3M (8)  闪绿 4s 3M (9)  等明暗 4s 3M (10) ★ 快黄 3M (11)  闪绿 4s 3M (12)  莫(P)黄 12s 3M (13) ★ 快黄 3M (14) ★ 快黄 3M</p>	<p>(1) 21°41'01".3N, 108°50'40".3E (2) 21°41'01".2N, 108°50'43".0E (3) 21°40'32".6N, 108°50'45".2E (4) 21°40'35".7N, 108°50'54".3E (5) 21°40'38".6N, 108°50'47".6E (6) 21°40'44".9N, 108°50'50".7E (7) 21°40'41".5N, 108°50'40".9E (8) 21°40'59".8N, 108°50'33".8E (9) 21°41'06".1N, 108°50'36".9E (10) 21°41'09".0N, 108°50'30".2E (11) 21°41'12".4N, 108°50'40".0E (12) 21°40'50".1N, 108°50'37".2E (13) 21°40'51".1N, 108°50'36".8E (14) 21°40'51".0N, 108°50'39".8E (15) 21°40'51".4N, 108°50'37".6E (16) 21°40'51".9N, 108°50'42".4E (17) 21°40'52".0N, 108°50'39".4E (18) 21°40'52".1N, 108°50'43".2E (19) 21°40'52".6N, 108°50'41".2E (20) 21°40'52".8N, 108°50'45".0E (21) 21°40'52".9N, 108°50'42".0E (22) 21°40'53".4N, 108°50'46".9E (23) 21°40'53".8N, 108°50'44".7E (24) 21°40'53".6N, 108°50'47".7E (25) 21°40'54".6N, 108°50'47".3E</p>
--	--

Chart 92001(3)〔2026–314〕92101(1,2;3,9)(4~8,10~25with chart unchanged)〔2026–402〕

List of Lights CNP83/2025~2026[8110660.001][8110660.10][8110660.11][8110660.12]
[8110660.13][8110660.14][8110660.15][8110660.16][8110660.17]
[8110660.18][8110660.19][8110661.01][8110661.02][8110661.03]

[8110661.04] [8110661.05] [8110661.06] [8110661.07] [8110661.08]
[8110661.09] [8110661.10] [8110661.11] [8110661.12] [8110661.13]
[8110661.14]

Source Nanhai Aids 016/2026

Temporary Notices

459. Yellow Sea – Dandong Port – Spring Buoyage (T)

Chinese Version Only.

Chart 11101

Source Beihai Aids 012/2026

460. Yellow Sea – Zhuanghe Port – Spring Buoyage (T)

Chinese Version Only.

Chart 12113

Source Beihai Aids 012/2026

461. Bohai Sea – Changxingdao – Spring Buoyage (T)

Chinese Version Only.

Chart 12366

Source Beihai Aids 012/2026

462. Bohai Sea – Tangshan Port – Caofeidian Harbour – Pier Construction (T)

Date March 3 to December 31, 2026

Area joining: (1) 38°54'56".1N, 118°30'51".9E
(2) 38°54'56".1N, 118°31'03".6E
(3) 38°54'48".6N, 118°31'03".6E
(4) 38°54'48".6N, 118°30'51".9E
(5) position (1) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.

Chart 22125

Source Caofeidian Navigation Notice 0092/2026

463. Bohai Sea – Tianjin Port – Surveying (T)

Date March 4 to December 31, 2026, daytime

Area the waters near the New Port Channel, harbor basin, and breakwater of Tianjin Port.

Note: Keep watching on VHF ch.09&14.

Chart 23101

Source Beijiang Navigation Notice 0017/2026

464.Bohai Sea – Dongying Port – Construction(T)

Date March 6 to December 30, 2026

Area area 1, radius 500m, central point	(1)38°14'46".6N,118°48'27".0E
area 2, radius 500m, central point	(2)38°14'00".0N,118°50'32".1E
area 3, radius 500m, central point	(3)38°14'01".2N,118°48'53".4E
area 4, radius 500m, central point	(4)38°14'03".6N,118°51'56".3E
area 5, radius 500m, central point	(5)38°14'03".6N,118°49'29".2E

Note: Keep watching on HF .

Chart 32202

Source Dongying Navigation Notice 0189/2026

465.Bohai Sea – Dongying Port – Seismic Exploration(T)

Date March 20 to September 20, 2026

Area area 1, joining:	(1)38°04'39".7N,118°57'41".4E
	(2)38°05'38".5N,119°00'14".7E
	(3)37°57'51".8N,119°00'03".5E
	(4)38°00'20".3N,118°58'21".6E
	(5)38°01'41".6N,118°58'54".3E
	(6)38°03'36".4N,118°57'47".6E
	(7)38°04'27".0N,118°57'48".4E
	(8)position (1) above
area 2, joining:	(9)38°11'37".1N,118°45'06".5E
	(10)38°11'28".8N,119°00'17".8E
	(11)38°07'08".4N,119°00'13".3E
	(12)38°05'31".8N,118°57'10".4E
	(13)38°05'55".0N,118°56'56".4E

- (14) 38°08'01".5N, 118°53'12".9E
- (15) 38°08'39".7N, 118°50'50".0E
- (16) 38°08'48".5N, 118°48'07".7E
- (17) 38°04'24".2N, 118°48'32".3E
- (18) 38°04'32".9N, 118°44'54".7E
- (19) position (9) above

Note: Keep watching on HF .
Chart 32001 32201 32202 33001
Source Dongying Navigation Notice 0197/2026

466. Yellow Sea – Yantai Port – Yantai Port Western Harbour – Construction (T)

Date March 7 to July 30, 2026

- Area** joining:
- (1) 37°43'25".2N, 121°02'21".8E
 - (2) 37°43'37".0N, 121°02'21".9E
 - (3) 37°43'50".3N, 121°02'27".4E
 - (4) 37°44'06".1N, 121°02'40".7E
 - (5) 37°44'12".6N, 121°02'50".7E
 - (6) 37°44'41".8N, 121°03'58".5E
 - (7) 37°44'30".4N, 121°04'06".3E
 - (8) 37°44'01".8N, 121°02'59".8E
 - (9) 37°43'57".5N, 121°02'52".9E
 - (10) 37°43'44".7N, 121°02'42".1E
 - (11) 37°43'35".0N, 121°02'38".1E
 - (12) 37°43'25".2N, 121°02'38".2E
 - (13) position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation zone.
Chart 34161
Source Yantai Navigation Notice 0194/2026

467. Yellow Sea – Haiyang Port – Construction (T)

Date March 6 to December 31, 2026

Area joining: (1)36°40'06".8N,121°13'52".3E
 (2)36°40'19".0N,121°14'46".5E
 (3)36°39'41".4N,121°14'45".8E
 (4)36°39'28".5N,121°13'56".5E
 (5)36°39'35".9N,121°13'34".3E
 (6)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 34175

Source Yantai Navigation Notice 0193/2026

468.South China Sea – Zhanjiang Port – Approaches to Donghai Island – Dredging (T)

Date February 13 to September 30, 2026

Area working water area, joining: (1)21°03'50".6N,110°35'11".9E
 (2)21°03'09".8N,110°36'55".8E
 (3)21°03'06".0N,110°37'10".9E
 (4)21°02'57".4N,110°38'27".3E
 (5)21°02'47".7N,110°38'26".1E
 (6)21°02'57".4N,110°37'00".4E
 (7)21°03'41".7N,110°35'07".9E
 (8)position (1) above

safety operation area, joining: (9)21°04'41".1N,110°26'16".8E
 (10)21°04'39".5N,110°26'22".8E
 (11)21°04'21".7N,110°26'05".6E
 (12)21°04'22".7N,110°26'04".4E
 (13)21°04'38".2N,110°26'13".8E
 (14)position (9) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.

Chart 88101 88102 88105

Source Zhanjiang Navigation Notice 0379/2025

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.