



NOTICES TO MARINERS

Issue No.25(Total No.1237)

Notice No.511-549

23 June 2025

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Tangshan Port	(537)
	Approaches to Dongying Port	(538),(539),(540),(541)
	Dongying Port	(511)
Yellow Sea	Dachangshan Island	(536)
	Lianyungang Port and Approaches	(512),(513)
	Yangkou Port Northwards	(514)
	Lüsi Port Northeastwards	(515)
East China Sea	Changjiangkou and Approaches	(516),(517),(518),(542),(543)
	Zhoushan Archipelago	(519),(544)
	Jiushan Islands Southeastwards	(520)
	Sanmen Bay	(521),(522)
	Taizhou Bay	(523)
	Sansha Bay	(524)
	Minjiang River	(525)
	Songxia Harbour and Approaches	(526)
	Haitan Island Northwards	(527)
Taiwan Strait	Haitan Strait	(528)
	Xinghua Bay	(529)
	Xiamen Port and Approaches	(530),(531),(532),(545)
	Dongshan Bay	(533)
	Fairway of Chaozhou Power Plant	(546)
South China Sea	Approaches to Shibeishanjiao	(547)
	Zhujiangkou	(534),(548),(549)
Beibu Gulf	Fangcheng Port	(535)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
12201		536
12215		536
22001		537
22111		537
32001	511	537
32201	511	
32202	511	538,539,540,541
41001	512	
41101	512,513	
41112	513	
41121	512	
41122	512,513	
42002	514	
43001	515	542
43271	515	
44001	516,517,518	
44121		543
44122		543
44127		543
44128		543
44131	516	543
44173	516,517	543
51001	518	
52001	518	
52134		544
52137	519	
52171	517	
52172	518	
52174	519	
53001	519,520	
53452	521,522	
54001	520,521,523	
54121	521,522	
54232	523	
54411	523	
54431	523	

Chart No.	Notice No.	Notice No.(T)
61321	524	
62001	525	
62221	525	
62261	525	
62431	526,527	
62521	527,528	
62522	528	
62561	526,527,528	
62631	529	
62632	529	
62661	529	
63001	527,528,529	
64001	531	
65131	530,531	545
65171	530,531,532	
66411	533	
2307	514,515	
2308	515,517,519	
2309	520	
2311	527,528	
81102		546
81401		547
84002	534	
84206	534	
84213	534	
84220	534	
84225	534	
84226		548
84247		549
92001	535	
92101	535	
93101	535	
93102	535	

Notices to Mariners

511. Bohai Sea – Dongying Port – Fairway

Delete	south dongying port dongying harbour	
	huanbao basin inner fairway n branch	
	fairway boundary line, joining:	(1) 38°05'49".4N, 119°01'29".2E (2) 38°05'57".4N, 119°01'54".7E
Insert	dongying port dongying harbour	
	huanbao basin inner fairway n branch	
	fairway middle line, joining:	(3) 38°04'16".3N, 118°58'57".3E (4) 38°05'02".3N, 119°00'52".9E (5) 38°05'53".4N, 119°01'42".3E (6) 38°06'01".9N, 119°01'50".5E
	north dongying port dongying harbour	
	huanbao basin inner fairway s branch	
	fairway boundary line, joining:	(7) 38°04'19".2N, 118°58'55".4E (8) 38°05'00".3N, 119°00'38".7E (9) 38°05'13".0N, 119°00'58".0E (10) 38°05'42".6N, 119°01'26".6E (11) 38°05'49".4N, 119°01'29".1E
	south dongying port dongying harbour	
	huanbao basin inner fairway s branch	
	fairway boundary line, joining:	(12) 38°04'13".4N, 118°58'59".1E (13) 38°04'59".8N, 119°00'55".6E (14) 38°05'47".5N, 119°01'41".8E (15) 38°05'57".4N, 119°01'55".0E

Note: Chinese Version Only.

Chart 32001(3~6)[2025-489] 32201(1,2;7~11;12~15)[2025-314]
32202(1,2;7~11;12~15)[2025-489]

Source Dongying Navigation Notice 0357/2025

512.Yellow Sea – Lianyungang Port and Approaches – Buoyage

Move	(27)  闪绿4s	from:	(1) 34°47'40".8N, 119°38'23".4E
	to:		(2) 34°47'41".3N, 119°38'23".1E
	(29)  闪(2)绿6s	from:	(3) 34°47'08".1N, 119°37'05".8E
	to:		(4) 34°47'08".6N, 119°37'05".4E
	(31)  闪(3)绿10s	from:	(5) 34°46'35".7N, 119°35'48".6E
	to:		(6) 34°46'36".2N, 119°35'48".3E
	(33)  闪绿4s	from:	(7) 34°46'02".9N, 119°34'30".7E
	to:		(8) 34°46'03".4N, 119°34'30".3E

Chart 41001(3,4)(with chart unchanged)[2025-447]
 41101(1~6)(with chart unchanged)[2025-447]
 41121(with chart unchanged)[2025-] 41122(with chart unchanged)[2025-402]

List of Lights CNP82/2024~2025[4110560.27] [4110560.29] [4110560.31] [4110560.33]

Source East China Sea Aids 012/2025

513.Yellow Sea – Lianyungang Port and Approaches – Aids

Move	(39)  快绿	from:	(1) 34°44'24".9N, 119°30'24".4E
	to:		(2) 34°44'29".5N, 119°30'23".5E
Insert	(39A)  V-AIS		(2) position (1) above

Chart 41101[2025-512] 41112[2025-] 41122[2025-512]

List of Lights CNP82/2024~2025[4110560.39] [4110560.391]

Source East China Sea Aids 014/2025

514.Yellow Sea – Yangkou Port Northwards – Lightbeacon

Insert	如东H3风电(1)  莫(C)黄 12s13m5M 同步	(1) 32°45'40".3N, 121°26'46".2E
	(2)  莫(C)黄 12s13m5M 同步	(2) 32°45'41".1N, 121°28'34".0E
	(3)  莫(C)黄 12s13m5M 同步	(3) 32°45'42".3N, 121°30'21".5E
	(4)  莫(C)黄 12s13m5M 同步	(4) 32°45'43".3N, 121°32'09".3E
	(5)  莫(C)黄 12s13m5M 同步	(5) 32°45'44".1N, 121°33'56".9E
	(6)  莫(C)黄 12s13m5M 同步	(6) 32°45'45".0N, 121°35'43".4E
	(7)  莫(C)黄 12s13m5M 同步	(7) 32°44'01".0N, 121°35'46".3E

- | | |
|--|----------------------------------|
| (8)  莫(C)黄 12s13m5M 同步 | (8) 32°44'00".1N, 121°34'05".0E |
| (9)  莫(C)黄 12s13m5M 同步 | (9) 32°42'47".2N, 121°32'30".8E |
| (10)  莫(C)黄 12s13m5M 同步 | (10) 32°42'08".0N, 121°30'32".8E |
| (11)  莫(C)黄 12s13m5M 同步 | (11) 32°41'50".8N, 121°29'41".1E |
| (12)  莫(C)黄 12s13m5M 同步 | (12) 32°41'50".1N, 121°28'21".1E |
| (13)  莫(C)黄 12s13m5M 同步 | (13) 32°41'49".3N, 121°27'01".1E |
| (14)  莫(C)黄 12s13m5M 同步 | (14) 32°43'56".4N, 121°26'52".8E |
| (15)  莫(C)黄 12s13m5M 同步 | (15) 32°43'47".3N, 121°29'32".1E |

Note: Chinese Version Only.

Chart 42002〔2025–500〕 2307(1,6,7,9,11,13)〔2025–500〕

List of Lights CNP82/2024~2025[4310655.01] [4310655.02] [4310655.03] [4310655.04]
[4310655.05] [4310655.06] [4310655.07] [4310655.08] [4310655.09]
[4310655.10] [4310655.11] [4310655.12] [4310655.13] [4310655.14]
[4310655.15]

Source East China Sea Aids 013/2025

515. Yellow Sea – Lüsi Port Northeastwards – Aids

- | | |
|---|----------------------------------|
| Insert 启东H1风电(1)  莫(C)黄 12s11m5M 同步 | (1) 32°11'31".0N, 122°03'01".7E |
| (2)  莫(C)黄 12s11m5M 同步 | (2) 32°10'59".5N, 122°04'24".4E |
| (3)  莫(C)黄 12s11m5M 同步 | (3) 32°10'28".0N, 122°05'47".0E |
| (4)  莫(C)黄 12s11m5M 同步 | (4) 32°09'29".5N, 122°05'17".1E |
| (5)  莫(C)黄 12s11m5M 同步 | (5) 32°08'14".1N, 122°04'38".4E |
| (6)  莫(C)黄 12s11m5M 同步 | (6) 32°07'24".7N, 122°04'13".1E |
| (7)  莫(C)黄 12s11m5M 同步 | (7) 32°07'56".0N, 122°02'54".8E |
| (8)  莫(C)黄 12s11m5M 同步 | (8) 32°08'33".3N, 122°01'21".1E |
| (9)  莫(C)黄 12s11m5M 同步 | (9) 32°09'22".0N, 122°01'48".6E |
| (10)  莫(C)黄 12s11m5M 同步 | (10) 32°10'33".5N, 122°02'29".1E |
| (11)  莫(C)黄 12s25m5M 同步 | (11) 32°08'58".2N, 122°03'47".7E |
| (12)  莫(C)黄 12s 同步 | (12) 32°08'25".8N, 122°00'55".3E |
| (13)  莫(C)黄 12s 同步 | (13) 32°07'49".4N, 122°02'26".4E |
| (14)  莫(C)黄 12s 同步 | (14) 32°07'13".0N, 122°03'57".5E |

Note: Chinese Version Only.

Chart 43001(1~11)[2025-469] 43271(3~14)[2025-187]

2307(1,3,6,8,11)[2025-514] 2308(6)[2025-501]

List of Lights CNP82/2024~2025[4310829.01][4310829.02][4310829.03][4310829.04]

[4310829.05][4310829.06][4310829.07][4310829.08][4310829.09]

[4310829.10][4310829.11][4310829.12][4310829.13][4310829.14]

Source East China Sea Aids 012/2025

516.East China Sea – Changjiangkou and Approaches – Hengsha Shoal – Buoyage

Insert	横沙北(1)  莫(0)黄 12s 同步	(1)31°17'46".8N,122°16'55".2E
	(2)  莫(0)黄 12s 同步	(2)31°18'41".9N,122°14'25".5E
	(3)  莫(0)黄 12s 同步	(3)31°19'10".9N,122°11'40".6E
	(4)  莫(0)黄 12s 同步	(4)31°19'27".7N,122°08'56".0E

Note: Chinese Version Only.

Chart 44001(1,4)[2025-404] 44131[2025-] 44173[2025-189]

List of Lights CNP82/2024~2025[4510367.01][4510367.02][4510367.03][4510367.04]

Source East China Sea Aids 013/2025

517.East China Sea –Changjiangkou and Approaches – Wreck

Insert 概位  据报(2025) 31°00'11".4N,122°37'30".0E

Note: The wreck is a cargo vessel.

Chart 44001[2025-516] 44173[2025-516] 52171[2025-437] 2308[2025-515]

Source Shanghai Navigation Warning 0289/2025

518.East China Sea – Changjiangkou and Approaches – Dajishan Northeastwards –

Lightbeacon

Insert	(测风1)  莫(C)黄 12s9.1m7M 同步	(1)30°54'52".3N,122°17'52".5E
	(2)  莫(C)黄 12s9.1m7M 同步	(2)30°54'52".1N,122°17'52".9E

Note: Chinese Version Only.

Chart 44001(1)[2025-517] 51001(1)[2025-501] 52001(1)[2025-501]

52172(1)(2with chart unchanged)[2025-501]


List of Lights CNP82/2024~2025[4510742.041][4510742.042]

Source East China Sea Aids 012/2025

519.East China Sea – Zhoushan Archipelago – Yangxiaomao Islands Northeastwards – V-AIS

Insert  V-AIS 29°54'23".4N,122°10'43".8E
 Chart 52137〔2025-456〕 52174〔2025-456〕 53001〔2025-456〕 2308〔2025-517〕
 List of Lights CNP82/2024~2025[5313761]
 Source East China Sea Aids 013/2025

520.East China Sea – Jiushan Islands Southeastwards – Aids

Delete  V-AIS (1)29°19'25".7N,122°30'23".7E
 互明暗蓝黄 3s (2)29°19'34".4N,122°30'33".5E
 (沉3)
 (沉4) 互明暗蓝黄 3s (3)29°19'20".5N,122°30'17".6E
 Chart 53001(1,2)(3with chart unchanged)〔2025-519〕
 54001(1,2)(3with chart unchanged)〔2025-411〕 2309(2)〔2025-389〕
 List of Lights CNP82/2024~2025[5510965] [5510965.01] [5510965.02]
 Source East China Sea Aids 013/2025

521.East China Sea – Sanmen Bay – Huangyanzuitou Southeastwards – Lightbeacon

Insert (1)  莫(C)黄 12s9.3m4M 同步 (1)29°05'51".7N,121°39'22".4E
 (2)  莫(C)黄 12s9.3m4M 同步 (2)29°05'53".9N,121°39'27".3E
 (3)  莫(C)黄 12s9.3m4M 同步 (3)29°05'55".7N,121°39'27".4E
 (4)  莫(C)黄 12s9.3m4M 同步 (4)29°05'57".5N,121°39'24".3E
 Note: Chinese Version Only.
 Chart 53452(1)〔2025-441〕 54001(1)〔2025-520〕
 54121(1,2,4)(3with chart unchanged)〔2025-344〕
 List of Lights CNP82/2024~2025[5710232.01] [5710232.02] [5710232.03] [5710232.04]
 Source East China Sea Aids 013/2025

522.East China Sea – Sanmen Bay – Jiantiao Harbour and Approaches – Overhead Power

Line and Pylon

Insert ● (1)29°02'54".3N,121°33'16".7E
 ● (2)29°03'19".0N,121°33'08".1E
 overhead power line, joining: (3)position (1) above
 (4)position (2) above

Note: Chinese Version Only.

Chart 53452〔2025-521〕 54121〔2025-521〕

Source Taizhou Navigation Notice 0051/2025

523.East China Sea – Taizhou Bay – Approaches to Xilang Island – Buoyage

Insert	(警L1)  莫(0)黄12s 同步	(1)28°33'24".3N,121°36'47".4E
	(警L2)  莫(0)黄12s 同步	(2)28°33'14".6N,121°38'00".1E
	(警L3)  莫(0)黄12s 同步	(3)28°32'34".8N,121°39'01".8E
	(警L4)  莫(0)黄12s 同步	(4)28°32'29".3N,121°38'26".5E
	(警L5)  莫(0)黄12s 同步	(5)28°32'59".3N,121°37'51".2E
	(警L6)  莫(0)黄12s 同步	(6)28°33'06".3N,121°36'52".0E

Note: Chinese Version Only.

Chart 54001(1,4)〔2025-521〕 54232〔2025-411〕 54411(2~6)〔2023-746〕
54431(2~6)〔2023-1156〕

List of Lights CNP82/2024~2025[5711145.01][5711145.02][5711145.03][5711145.04]
[5711145.05][5711145.06]

Source East China Sea Aids 013/2025

524.East China Sea – Sansha Bay – Yantiangang – Aids

Insert	盐田港特大桥(1) ★ 快黄7.5m3M 同步	(1)26°49'10".2N,119°47'00".7E
	(2) ★ 快黄7.5m3M 同步	(2)26°49'10".7N,119°47'01".6E
	(3) ■ 闪红4s 同步	(3)26°49'09".5N,119°47'01".3E
	(4) ■ 闪红4s 同步	(4)26°49'10".0N,119°47'02".1E
	(5) ⑩ 等明暗4s	(5)26°49'08".5N,119°47'01".9E
	(6) ⑩ 等明暗4s	(6)26°49'09".0N,119°47'02".7E
	(7) ▲ 闪绿4s 同步	(7)26°49'07".6N,119°47'02".6E
	(8) ▲ 闪绿4s 同步	(8)26°49'08".0N,119°47'03".4E
	(9) ★ 快黄7.5m3M 同步	(9)26°49'06".9N,119°47'03".0E
	(10) ★ 快黄7.5m3M 同步	(10)26°49'07".4N,119°47'04".0E

Note: Chinese Version Only.

Chart 61321(5)(1~4,6~10with chart unchanged)〔2025-304〕

List of Lights CNP82/2024~2025[6110971.01] [6110971.02] [6110971.03] [6110971.04]
[6110971.05] [6110971.06] [6110971.07] [6110971.08] [6110971.09]
[6110971.10]

Source East China Sea Aids 013/2025

525. East China Sea – Minjiang River – Hujiang Island Northeastwards – Lightbeacon

Delete 白塔★ (3)10s26m7M (1)26°07'16".8N,119°38'33".3E

Insert 白塔临★ (3)10s12m7M (2)26°07'17".6N,119°38'34".3E

Chart 62001〔2025-303〕 62221〔2025-459〕 62261〔2025-472〕

List of Lights CNP82/2024~2025[6210440] [6210440.01]

Source East China Sea Aids 014/2025

526. East China Sea – Songxia Harbour and Approaches – Aids

Insert (2) (2)红6s 同步 (1)25°43'52".8N,119°37'50".9E

(3) (2)绿6s 同步 (2)25°43'59".1N,119°37'37".0E

(4) 莫(0)黄12s (3)25°43'34".9N,119°37'25".4E

牛头湾(1)★ (3)10s8.4m4M 同步 (4)25°44'00".1N,119°37'18".5E

(2)★ (3)10s8.4m4M 同步 (5)25°43'44".6N,119°37'09".9E

Note: Chinese Version Only.

Chart 62431〔2024-1231〕 62561(2~5)〔2025-460〕

List of Lights CNP82/2024~2025[6211308.01] [6211308.02] [6211309.02] [6211309.03]
[6211309.04]

Source East China Sea Aids 014/2025

527. East China Sea – Haitan Island Northwards – Aids

Insert 风电(1) 莫(C)黄12s7.9m5M (1)25°42'05".9N,119°42'59".8E

(2) 莫(C)黄12s14m4M (2)25°41'34".9N,119°42'32".0E

(3) 莫(C)黄12s7.9m4M (3)25°41'03".5N,119°42'03".6E

(4) 莫(C)黄12s7.9m5M (4)25°39'44".0N,119°40'52".2E

(5) 莫(C)黄12s14m5M (5)25°39'32".1N,119°41'22".0E

(6) 莫(C)黄12s7.9m5M (6)25°40'11".3N,119°42'24".2E

(7) 莫(C)黄12s14m5M (7)25°39'41".5N,119°43'35".6E

(8)  莫(C)黄 12s14m5M	(8) 25°39'41".5N, 119°43'36".0E
(9)  莫(C)黄 12s14m4M	(9) 25°40'26".3N, 119°43'34".6E
(10)  莫(C)黄 12s14m4M	(10) 25°41'11".1N, 119°43'33".1E
(11)  莫(C)黄 12s14m5M	(11) 25°41'55".9N, 119°43'31".7E
(12)  莫(C)黄 12s14m5M	(12) 25°42'04".4N, 119°46'13".5E
(13)  莫(C)黄 12s7.9m5M	(13) 25°41'58".6N, 119°45'59".7E
(14)  莫(C)黄 12s7.2m5M	(14) 25°40'42".2N, 119°45'26".2E
(15)  莫(C)黄 12s7.9m5M	(15) 25°40'14".5N, 119°46'16".5E
(16)  莫(C)黄 12s9.9m5M	(16) 25°40'36".4N, 119°47'03".6E
(17)  莫(C)黄 12s14m5M	(17) 25°41'22".5N, 119°47'27".4E
风电  莫(C)黄 12s ALS	(18) 25°40'40".1N, 119°44'55".4E
	(19) 25°38'08".7N, 119°43'39".4E

Chart 62431 (1~7, 9~18) (8 with chart unchanged) [2025-526]
62521 (1~7, 9~11, 18, 19) (8 with chart unchanged) [2024-1128]
62561 (1~7, 9~19) [2025-526] 63001 (1, 4, 7, 12, 15, 17~19) [2025-472]
2311 (1, 4, 7, 12, 15, 17, 18) [2025-472]

List of Lights CNP82/2024~2025 [6211353] [6211353.01] [6211353.02] [6211353.03]
[6211353.04] [6211353.05] [6211353.06] [6211353.07] [6211353.08]
[6211353.09] [6211353.10] [6211353.11] [6211353.12] [6211353.13]
[6211353.14] [6211353.15] [6211353.16] [6211353.17] [6211669]

Source East China Sea Aids 013/2025

528. Taiwan Strait – Haitan Strait – Dabian Island and Approaches – Aids

Insert 华电(1)  莫(C)黄 12s7.4m5M 同步	(1) 25°36'43".8N, 119°36'33".0E
(2)  莫(C)黄 12s7.4m4M 同步	(2) 25°36'49".9N, 119°36'17".6E
(3)  莫(C)黄 12s7.4m4M 同步	(3) 25°36'49".6N, 119°36'17".2E
(4)  莫(C)黄 12s7.4m5M 同步	(4) 25°36'56".0N, 119°36'02".1E
(5)  莫(C)黄 12s10m4M 同步	(5) 25°36'55".4N, 119°36'02".1E
(6)  莫(C)黄 12s7.4m4M 同步	(6) 25°36'44".0N, 119°34'53".6E
(7)  莫(C)黄 12s7.4m5M 同步	(7) 25°36'26".5N, 119°33'44".9E
(8)  莫(C)黄 12s7.4m5M 同步	(8) 25°35'45".8N, 119°34'06".3E
(9)  莫(C)黄 12s7.4m4M 同步	(9) 25°36'10".8N, 119°35'50".6E

(10)  莫(C)黄 12s7.4m4M 同步	(10) 25°36'15".1N, 119°36'07".4E
(11)  莫(C)黄 12s7.4m4M 同步	(11) 25°36'03".1N, 119°36'51".6E
(12)  莫(C)黄 12s10m4M 同步	(12) 25°35'08".2N, 119°36'29".1E
(13)  莫(C)黄 12s10m4M 同步	(13) 25°35'16".8N, 119°37'02".9E
(14)  莫(C)黄 12s7.4m4M 同步	(14) 25°35'16".9N, 119°37'03".4E
(15)  莫(C)黄 12s10m4M 同步	(15) 25°35'00".4N, 119°37'05".4E
(16)  莫(C)黄 12s7.4m4M 同步	(16) 25°35'00".5N, 119°37'05".9E
(17)  莫(C)黄 12s10m4M 同步	(17) 25°34'30".1N, 119°37'12".2E
(18)  莫(C)黄 12s7.4m4M 同步	(18) 25°34'30".2N, 119°37'12".8E
(19)  莫(C)黄 12s10m4M 同步	(19) 25°34'11".9N, 119°37'13".9E
(20)  莫(C)黄 12s7.4m4M 同步	(20) 25°34'12".0N, 119°37'14".5E
(21)  莫(C)黄 12s10m4M 同步	(21) 25°33'56".5N, 119°37'16".4E
(22)  莫(C)黄 12s7.4m5M 同步	(22) 25°33'56".5N, 119°37'16".9E
(23)  莫(C)黄 12s10m4M 同步	(23) 25°32'30".0N, 119°37'31".6E
(24)  莫(C)黄 12s7.4m4M 同步	(24) 25°32'30".1N, 119°37'32".1E
(25)  莫(C)黄 12s10m4M 同步	(25) 25°32'14".6N, 119°37'34".3E
(26)  莫(C)黄 12s7.4m4M 同步	(26) 25°32'14".7N, 119°37'34".8E
(27)  莫(C)黄 12s10m4M 同步	(27) 25°31'43".8N, 119°37'39".7E
(28)  莫(C)黄 12s7.4m4M 同步	(28) 25°31'43".8N, 119°37'40".2E
(29)  莫(C)黄 12s10m4M 同步	(29) 25°31'28".4N, 119°37'42".4E
(30)  莫(C)黄 12s7.4m4M 同步	(30) 25°31'28".5N, 119°37'42".9E
(31)  莫(C)黄 12s7.4m5M 同步	(31) 25°31'12".9N, 119°37'45".6E
(32)  莫(C)黄 12s10m5M 同步	(32) 25°31'09".3N, 119°36'49".9E
(33)  莫(C)黄 12s10m4M 同步	(33) 25°31'25".6N, 119°36'46".9E
(34)  莫(C)黄 12s7.4m4M 同步	(34) 25°31'41".1N, 119°36'44".4E
(35) 	(35) 25°35'23".8N, 119°35'47".0E
(36) 	(36) 25°35'23".7N, 119°35'16".3E

Note: Chinese Version Only.

Chart 62521 (1,3,5,9~13,15,17,19,21,23,25,27,29,31~36) (2,4,14,16,18,20,22,24,26,28,30 with chart unchanged) [2025-527]

62522 (31,32) [2025-263]

62561 (1,3,5~13,15,17,19,21,23,25,27,29,31~36) [2025-527]

63001(1,5~8,10,11,13,17,21,23,27,31,32,35)[2025~527]

2311(5,7,11,13,21,23,31)[2025~527]

List of Lights CNP82/2024~2025[6211735.01][6211735.02][6211735.03][6211735.04]
[6211735.05][6211735.06][6211735.07][6211735.08][6211735.09]
[6211735.10][6211735.11][6211735.12][6211735.13][6211735.14]
[6211735.15][6211735.16][6211735.17][6211735.18][6211735.19]
[6211735.20][6211735.21][6211735.22][6211735.23][6211735.24]
[6211735.25][6211735.26][6211735.27][6211735.28][6211735.29]
[6211735.30][6211735.31][6211735.32][6211735.33][6211735.34]
[6211735.35][6211735.36]

Source East China Sea Aids 014/2025

529.Taiwan Strait – Xinghua Bay – Aids

Insert

- 兴化风电(1)  莫(C)黄 12s15m5M
(2)  莫(C)黄 12s18m2M
(3)  快(9)15s
(4)  莫(C)黄 12s18m5M
(5)  雷康(N)
(6)  莫(C)黄 12s11m5M
(7)  莫(C)黄 12s16m5M
(8)  莫(C)黄 12s11m5M
(9)  莫(C)黄 12s11m5M
(10)  莫(C)黄 12s10m5M 同步
(11)  莫(C)黄 12s10m5M 同步
(12)  莫(C)黄 12s10m2M 同步
(13)  莫(C)黄 12s10m2M 同步
(14)  莫(C)黄 12s10m5M 同步
(15)  莫(C)黄 12s10m2M 同步
(16)  莫(C)黄 12s10m2M 同步
(17)  莫(C)黄 12s10m5M 同步
(18)  莫(C)黄 12s10m2M 同步
(19)  莫(C)黄 12s10m2M 同步

- (1)25°22'11".0N,119°27'20".8E
(2)25°22'33".6N,119°26'48".9E
(3)25°23'07".2N,119°26'13".0E
(4)25°23'08".8N,119°26'19".6E
(5)25°23'34".8N,119°26'47".3E
(6)25°23'46".3N,119°27'39".4E
(7)25°23'08".0N,119°28'21".5E
(8)25°22'51".5N,119°27'43".7E
(9)25°25'42".8N,119°24'02".9E
(10)25°24'57".5N,119°24'22".6E
(11)25°24'14".7N,119°24'12".6E
(12)25°23'30".3N,119°24'04".8E
(13)25°23'00".6N,119°23'59".5E
(14)25°23'28".3N,119°22'51".2E
(15)25°23'50".9N,119°22'00".7E
(16)25°24'13".9N,119°21'11".0E
(17)25°26'03".0N,119°21'35".5E
(18)25°26'10".6N,119°22'27".5E

Note: Chinese Version Only.

Chart 62631(1~8,11~15)[2025-460] 62632(3,4,9~18)[2025-460]
 62661(1,2,4~18)[2025-460] 63001(1,4,6,7,9,11,13,16,17)[2025-528]
 List of Lights CNP82/2024~2025[6410055.01][6410055.02][6410055.03][6410055.04]
 [6410055.06][6410055.07][6410055.08][6410055.09][6410055.10]
 [6410055.11][6410055.12][6410055.13][6410055.14][6410055.15]
 [6410055.16][6410055.17][6410055.18][6410055.19]
 Source East China Sea Aids 014/2025

530.Taiwan Strait – Xiamen Port and Approaches – Xiajin Fairway – Buoyage

Delete (JT13)  (1)24°30'32".8N,118°14'36".4E
 (JT14)  (2)24°30'28".4N,118°14'25".4E
 (JT16)  (3)24°30'50".5N,118°13'50".0E
 Move (JT15)  from:
 to: (4)24°30'54".0N,118°14'00".0E
 (5)24°31'13".6N,118°13'29".2E
 Insert (JT13A)  (6)24°30'30".6N,118°14'20".2E
 (JT14A)  (7)24°30'23".3N,118°14'13".1E
 Chart 65131[2025-] 65171(2;7)[2025-305]
 List of Lights CNP82/2024~2025[6610110.13][6610110.131][6610110.14][6610110.141]
 [6610110.15][6610110.16]
 Source East China Sea Aids 013/2025

531.Taiwan Strait – Xiamen Port and Approaches – Xiajin Fairway – Fairway

Delete west xiajin fairway boundary line, joining: (1)24°29'45".6N,118°15'04".5E
 (2)24°30'28".5N,118°14'28".9E
 (3)24°31'07".8N,118°13'22".9E
 east xiajin fairway boundary line, joining: (4)24°29'50".7N,118°15'09".2E
 (5)24°30'33".3N,118°14'33".8E
 (6)24°31'12".6N,118°13'27".8E
 Insert xiajin fairway temporary middle line, joining: (7)24°29'48".2N,118°15'06".8E
 (8)24°30'26".9N,118°14'16".6E
 (9)24°31'10".2N,118°13'25".4E
 west xiajin fairway temporary boundary line,

joining: (10)24°29'45".6N,118°15'04".5E
(11)24°30'24".5N,118°14'14".3E
(12)24°31'07".8N,118°13'22".9E

east xiajin fairway temporary boundary line,
joining: (13)24°29'50".7N,118°15'09".2E
(14)24°30'29".3N,118°14'19".0E
(15)24°31'12".6N,118°13'27".8E

Note: xiajin fairway temporary (7)~(8) orientation is 310°17'12"~130°17'12",
(8)~(9) orientation is 005°58'48"~185°58'48".

Chart 64001(1~3;4~6;10~12;13~15)(7~9with chart unchanged)[2025-461]
65131(1~3;4~6;10~12;13~15)(7~9with chart unchanged)[2025-530]
65171(1~3;4~6;10~12;13~15)(7~9with chart unchanged)[2025-530]

Source Xiamen Navigation Notice 0167/2025

532.Taiwan Strait – Xiamen Port and Approaches – Qiongtou Northwards – Aids

Insert (2)☒莫(P)黄12s3M (1)24°38'16".8N,118°10'54".1E
(4)★快黄7m3M (2)24°38'16".4N,118°10'55".2E
(6)■快红3M (3)24°38'16".2N,118°10'55".8E
(8)①等明暗4s3M (4)24°38'15".8N,118°10'56".8E
(10)▲快绿3M (5)24°38'15".5N,118°10'57".8E
(12)★快黄7m3M (6)24°38'15".2N,118°10'58".4E
(14)☒莫(P)黄12s3M (7)24°38'14".6N,118°11'00".1E
(16)★快黄7m3M (8)24°38'14".0N,118°11'01".7E
(18)☒莫(P)黄12s3M (9)24°38'13".4N,118°11'03".4E

Chart 65171(4)(1~3,5~9with chart unchanged)[2025-531]

List of Lights CNP82/2024~2025[6610149.02] [6610149.04] [6610149.06] [6610149.08]
[6610149.10] [6610149.12] [6610149.14] [6610149.16] [6610149.18]

Source East China Sea Aids 014/2025

533.Taiwan Strait – Dongshan Bay – Dongshan Port – Shallow Depth

Insert 10, 及等深线 23°44'37".6N,117°31'26".5E

Chart 66411[2025-213]

Source East China Sea Aids 014/2025

534.South China Sea – Zhujiangkou – Western Fairway – Fairway

Delete east traffic separation scheme boundary line
and note "Shenzhen Western Public Route",
joining:

(1)22°29'26".1N,113°51'42".8E
(2)22°28'23".3N,113°52'09".0E
(3)22°27'23".4N,113°52'39".3E
(4)22°26'58".7N,113°52'57".0E

west traffic separation scheme boundary line
and note "Western Public Route", joining:

(5)22°29'17".3N,113°51'21".8E
(6)22°27'40".8N,113°52'02".2E
(7)22°27'09".9N,113°52'10".3E
(8)22°26'40".6N,113°52'10".4E

precautionary area boundary line and note
"Mawan Precautionary Area", joining:

(9)22°29'42".2N,113°51'08".2E
(10)22°29'51".7N,113°51'33".4E
(11)22°29'26".9N,113°51'44".7E
(12)22°29'16".4N,113°51'19".9E
(13)position (9) above

Chart 84002[2025-477] 84206[2025-477] 84213[2025-] 84220[2025-464]
84225[2025-]

Source Shenzhen MSA 001/2023

535.South China Sea – Fangcheng Port – Precautionary Area

Insert precautionary area boundary line and note
"Sanya Precautionary Area", joining:

(1)21°32'19".0N,108°21'13".4E
(2)21°32'58".0N,108°20'53".6E
(3)21°32'58".6N,108°21'19".1E
(4)21°32'41".1N,108°21'27".8E
(5)21°32'19".0N,108°21'27".8E
(6)position (1) above

Note: Chinese Version Only.

Chart 92001〔2025-173〕 92101〔2025-480〕 93101〔2025-175〕 93102〔2025-175〕

Source Fangchenggang Navigation Notice 0375/2025

Temporary Notices

536.Yellow Sea – Dachangshan Island – Construction(T)

Date May 1 to September 25, 2025

Area joining: (1)39°20'43".2N,122°38'58".8E
(2)39°20'16".2N,122°38'58".8E
(3)39°20'15".6N,122°39'28".2E
(4)39°20'43".8N,122°39'28".2E
(5)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 12201 12215

Source Dalian Navigation Notice 0204/2025

537.Bohai Sea – Tangshan Port – Construction(T)

Date May 1 to November 18, 2025, day and night

Area joining: (1)38°45'07".4N,119°11'43".1E
(2)38°52'54".4N,119°21'45".0E
(3)38°54'59".4N,119°28'28".3E
(4)38°54'59".2N,119°35'15".7E
(5)38°46'19".5N,119°46'09".0E
(6)38°34'59".3N,119°31'40".1E
(7)38°38'12".8N,119°27'34".2E
(8)38°35'38".6N,119°24'12".7E
(9)position (1) above

Note: Keep watching on VHF ch.16.

Chart 22001 22111 32001

Source Dongjiang Navigation Notice 0057/2025

538.Bohai Sea – Approaches to Dongying Port – Construction(T)

Date March 5 to October 31, 2025

Area area1, radius 500m, central point (1)38°17'43".5N,118°56'34".1E

Blank Page

area2, radius 500m, central point (2)38°15'46".2N,118°57'13".4E

Note: Keep watching on HF.

Chart 32202

Source Dongying Navigation Notice 0172&0360/2025

539.Bohai Sea – Approaches to Dongying Port – Construction(T)

Date April 28 to December 30, 2025

Area joining: (1)38°15'38".1N,118°49'58".4E
(2)38°15'07".0N,118°48'41".5E
(3)38°13'34".5N,118°49'21".5E
(4)38°14'03".1N,118°50'46".5E
(5)position (1) above

Note: Keep watching on HF.

Chart 32202

Source Dongying Navigation notice 0363/2025

540.Bohai Sea – Approaches to Dongying Port – Construction(T)

Date April 28 to December 31, 2025

Area joining: (1)38°13'24".0N,118°49'23".7E
(2)38°13'20".8N,118°49'19".4E
(3)38°13'17".4N,118°49'25".5E
(4)38°13'20".6N,118°49'27".8E
(5)position (1) above

Note: Keep watching on HF.

Chart 32202

Source Dongying Navigation Notice 0366/2025

541.Bohai Sea – Approaches to Dongying Port – Construction(T)

Date April 28 to October 15, 2025

Area joining: (1)38°07'51".8N,119°25'04".9E
(2)38°07'54".4N,119°35'00".0E

Blank Page

(3)37°56'49".1N,119°35'00".0E

(4)37°56'46".6N,119°25'10".1E

(5)position (1) above

Note: Keep watching on HF.

Chart 32202

Source Dongying Navigation Notice 0369/2025

542.East China Sea – Changjiangkou and Approaches – Approaches to Beizhi Channel – Construction(T)

Date May 1, 2025 to November 31, 2026, day and night

Area joining: (1)31°51'08".0N,121°14'50".5E

(2)31°51'28".8N,121°15'20".5E

(3)31°51'22".2N,121°15'26".3E

(4)31°51'03".0N,121°14'55".2E

(5)position (1) above

Note: Keep watching on VHF ch.06.

Chart 43001

Source Shanghai Navigation Notice 0355/2025

543.East China Sea – Changjiangkou and Approaches – Approaches to Chongming Island – Surveying(T)

Date May 1 to December 31, 2025, day

Area joining: (1)31°22'00".9N,122°07'29".1E

(2)31°22'00".5N,122°14'23".8E

(3)31°22'51".5N,122°22'30".1E

(4)31°19'48".3N,122°22'29".7E

(5)31°14'47".9N,122°22'28".9E

(6)31°09'47".5N,122°22'28".2E

(7)31°04'47".1N,122°22'27".4E

(8)31°04'46".5N,122°22'27".4E

(9)31°04'53".0N,122°15'01".1E

Blank Page

- (10)31°04'48".1N,122°15'01".9E
- (11)31°04'48".1N,122°15'01".7E
- (12)31°06'27".0N,122°12'37".7E
- (13)31°09'48".9N,122°07'27".2E
- (14)position (1) above

Chart 44121 44122 44127 44128 44131 44173

Source Shanghai Navigation Notice 0342/2025

544.East China Sea – Zhoushan Archipelago – Zhoushan Island Northeastwards – Pier Construction(T)

Date April 30, 2025 to March 25, 2026

- Area joining:
- (1)30°06'43".0N,122°14'23".7E
 - (2)30°06'39".4N,122°14'30".1E
 - (3)30°06'29".2N,122°14'22".4E
 - (4)30°06'32".7N,122°14'16".1E
 - (5)position (1) above

Chart 52134

Source Zhoushan Navigation Notice 0026/2025

545.Taiwan Strait – Xiamen Island Eastwards – Construction(T)

Date April 30, 2025 to December 31, 2026

- Area joining:
- (1)24°30'24".8N,118°14'27".7E
 - (2)24°31'06".2N,118°13'38".0E
 - (3)24°31'25".0N,118°14'05".7E
 - (4)24°31'39".4N,118°14'42".6E
 - (5)24°32'04".1N,118°15'26".3E
 - (6)24°32'11".4N,118°15'40".1E
 - (7)24°31'28".7N,118°16'05".9E
 - (8)24°31'20".3N,118°15'50".3E
 - (9)24°31'06".6N,118°15'59".7E
 - (10)24°30'47".4N,118°15'23".9E

Blank Page

(11)24°30'34".9N,118°14'48".1E

(12)position (1) above

Chart 65131

Source Xiamen Navigation Notice 0204/2025

546.Taiwan Strait – Fairway of Chaozhou Power Plant – Pier Construction (T)

Date May 10, 2025 to June 30, 2026

Area joining:

(1)23°33'44".5N,117°06'28".4E
(2)23°33'38".0N,117°06'35".4E
(3)23°33'37".2N,117°06'34".6E
(4)23°33'34".5N,117°06'33".8E
(5)23°33'23".0N,117°06'24".3E
(6)23°33'31".2N,117°06'25".6E
(7)23°33'38".9N,117°06'29".0E
(8)23°33'42".0N,117°06'25".7E
(9)position (1) above

Note: Irrespective vessels are prohibited from entering into safety operation area.

Keep watching on VHF ch.16.

Chart 81102

Source Chaozhou Navigation Notice 0952/2025

547.South China Sea – Approaches to Shibeishanjiao – Pier Construction (T)

Date May 12, 2024 to December 14, 2025

Area joining:

(1)22°56'18"N,116°15'03"E
(2)22°56'23"N,116°15'20"E
(3)22°56'05"N,116°15'36"E
(4)22°55'45"N,116°15'41"E
(5)22°55'35"N,116°15'39"E
(6)22°55'37"N,116°15'30"E
(7)22°55'56"N,116°15'26"E
(8)22°55'57"N,116°15'05"E

Blank Page

- (9)22°56'10"N,116°14'53"E
- (10)22°56'15"N,116°14'46"E
- (11)22°56'44"N,116°15'24"E
- (12)22°56'40"N,116°15'27"E
- (13)22°56'38"N,116°15'24"E
- (14)22°56'37"N,116°15'19"E
- (15)22°56'30"N,116°15'11"E
- (16)22°56'24"N,116°15'12"E
- (17)position (1) above

Note: Irrespective vessels are prohibited from entering into safety operation area.
Keep watching on VHF ch.16.

Chart 81401

Source Jieyang Navigation Notice 0065&0066/2024&0906&0907/2025

548.South China Sea – Zhujiangkou – Qianhai Bay – Construction (T)

Date April 30 to December 30, 2025

- Area** joining:
- (1)22°32'03".3N,113°53'09".6E
 - (2)22°31'55".0N,113°53'20".4E
 - (3)22°31'53".0N,113°53'20".8E
 - (4)22°31'41".0N,113°53'00".7E
 - (5)22°31'41".1N,113°53'00".0E
 - (6)position (1) above

Note: Tel.: 17773869132.

Chart 84226

Source Dachan Navigation Notice 0028/2025

549.South China Sea – Zhujiangkou – Hengmen Channel – Bridge Construction (T)

Date May 5 to December 31, 2025

- Area** joining:
- (1)22°34'29".6N,113°32'07".8E
 - (2)22°34'29".3N,113°32'43".1E

Blank Page

(3)22°34'59".9N,113°32'43".1E

(4)22°34'59".9N,113°32'08".9E

(5)position (1) above

Chart 84247

Source Zhongshan Navigation Notice 0904/2025

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.