



# NOTICES TO MARINERS

Issue No.43 (Total No.1202)

Notice No.1083-1103

21 October 2024

---

## CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

---

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Marine Chart Press Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office: E-mail: hcdd@tjmsa.gov.cn  
Phone: +86(0)22 58873986 Fax: +86(0)22 58873988

Shanghai Marine Chart Press Center: E-mail: gztg@shchart.cn  
Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997

Guangdong MSA Survey and Mapping Office: E-mail: hemail@gdmsa.gov.cn  
Phone: +86(0)20 89320335 Fax: +86(0)20 89320336

China MSA Nautical Charts&Books Publisher: Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China



## Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
  - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
  - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
  - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. This notice will be effective from August 1,2023.The Graphical symbols used in this notice refer to GB12319- 2022"Symobls,abbreviations and terms used on Chinese charts".
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).



# SAILING BULLETIN

## 1,Publication Information

### 1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	12217	JINSHITAN PORT	1:10 000	2024年9月第2版	CHECK NTM FROM ISSUE No.39 2024
2	12383	TAIPINGWAN BASIN	1:15 000	2024年9月第2版	CHECK NTM FROM ISSUE No.39 2024
3	23113	MAIN FAIRWAY OF TIANJIN PORT ( II )	1:30 000	2024年9月第12版	CHECK NTM FROM ISSUE No.38 2024
4	36001	RUSHANKOU TO QINGDAO PORT	1:150 000	2024年9月第2版	CHECK NTM FROM ISSUE No.38 2024 Scope of Chart 35°50'00"N ~36°46'00"N 120°00'00"E ~121°39'00"E
5	36145	DONGJIAKOU HARBOUR	1:15 000	2024年9月第7版	CHECK NTM FROM ISSUE No.41 2024
6	37111	SHIJIU HARBOUR AND APPROACHES	1:35 000	2024年9月第6版	CHECK NTM FROM ISSUE No.41 2024
7	44121	DEEP WATER FAIRWAY OF CHANGJIANGKOU( I )	1:25 000	2024年9月第51版	CHECK NTM FROM ISSUE No.39 2024
8	44122	DEEP WATER FAIRWAY OF CHANGJIANGKOU( II )	1:25 000	2024年9月第51版	CHECK NTM FROM ISSUE No.39 2024

No.	Chart No.	Name	Scale	Date	Note
9	44123	DEEP WATER FAIRWAY OF CHANGJIANGKOU(Ⅲ)	1:25 000	2024年9月第51版	CHECK NTM FROM ISSUE No.39 2024
10	44127	NANCAO FAIRWAY(Ⅰ)	1:25 000	2024年9月第51版	CHECK NTM FROM ISSUE No.39 2024
11	44128	NANCAO FAIRWAY(Ⅱ)	1:25 000	2024年9月第51版	CHECK NTM FROM ISSUE No.39 2024
12	44129	NANCAO FAIRWAY(Ⅲ)	1:25 000	2024年9月第51版	CHECK NTM FROM ISSUE No.39 2024
13	44251	WUSONGKOU FAIRWAY	1:5 000	2024年9月第26版	CHECK NTM FROM ISSUE No.41 2024
14	44260	BAILIANJINGGANG TO RIHUIGANG	1:5 000	2024年9月第8版	CHECK NTM FROM ISSUE No.40 2024
15	81201	APPROACHES TO SHANTOU PORT	1:60 000	2024年9月第4版	CHECK NTM FROM ISSUE No.38 2024
16	84204	MACAU HARBOUR TO ZHUHAI PORT	1:75 000	2024年9月第3版	CHECK NTM FROM ISSUE No.40 2024
17	84221	HONG KONG-ZHUHAI- MACAO BRIDGE AND APPROACHES	1:50 000	2024年9月第5版	CHECK NTM FROM ISSUE No.38 2024
18	86101	APPROACHES TO HAILING ISLAND	1:75 000	2024年9月第4版	CHECK NTM FROM ISSUE No.41 2024
19	88601	ANPU PORT AND APPROACHES	1:35 000	2024年9月第2版	CHECK NTM FROM ISSUE No.41 2024

No.	Chart No.	Name	Scale	Date	Note
20	91201	TIESHAN PORT AND APPROACHES	1:35 000	2024年9月第14版	CHECK NTM FROM ISSUE No.39 2024
21	03201	SANYA PORT AND APPROACHES	1:25 000	2024年9月第7版	CHECK NTM FROM ISSUE No.39 2024

## 2. Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	12217	JINSHITAN PORT	1:10 000	2020年11月第1版	
2	12383	TAIPINGWAN BASIN	1:15 000	2021年12月第1版	
3	23113	MAIN FAIRWAY OF TIANJIN PORT ( II )	1:30 000	2024年2月第11版	
4	36001	RUSHANKOU TO QINGDAO PORT	1:150 000	2016年5月第1版	
5	36145	DONGJIAKOU HARBOUR	1:15 000	2021年11月第6版	
6	37111	SHIJIU HARBOUR AND APPROACHES	1:35 000	2020年11月第5版	
7	44121	DEEP WATER FAIRWAY OF CHANGJIANGKOU( I )	1:25 000	2024年6月第50版	
8	44122	DEEP WATER FAIRWAY OF CHANGJIANGKOU( II )	1:25 000	2024年6月第50版	
9	44123	DEEP WATER FAIRWAY OF CHANGJIANGKOU( III )	1:25 000	2024年7月第50版	
10	44127	NANCAO FAIRWAY( I )	1:25 000	2024年6月第50版	
11	44128	NANCAO FAIRWAY( II )	1:25 000	2024年6月第50版	
12	44129	NANCAO FAIRWAY( III )	1:25 000	2024年6月第50版	
13	44251	WUSONGKOU FAIRWAY	1:5 000	2024年4月第25版	
14	44260	BAILIANJINGGANG TO RIHUIGANG	1:5 000	2022年8月第7版	
15	81201	APPROACHES TO SHANTOU PORT	1:60 000	2021年2月第3版	

No.	Chart No.	Name	Scale	Date	Note
16	84204	MACAU HARBOUR TO ZHUHAI PORT	1:75 000	2021年5月第2版	
17	84221	HONG KONG-ZHUHAI- MACAO BRIDGE AND APPROACHES	1:50 000	2021年1月第4版	
18	86101	APPROACHES TO HAILING ISLAND	1:75 000	2020年6月第3版	
19	88601	ANPU PORT AND APPROACHES	1:35 000	2014年12月第1版	
20	91201	TIESHAN PORT AND APPROACHES	1:35 000	2023年12月第13版	
21	03201	SANYA PORT AND APPROACHES	1:25 000	2022年9月第6版	

## 2, Marine Information

Chinese Version Only.



# INDEX

## 1, GEOGRAPHICAL INDEX

---

Bohai Sea	Haihe	(1097)
	Approaches to Huanghekou	(1098)
Yellow Sea	Approaches to Dongjiakou Harbour	(1083)
	Yancheng Port	(1084), (1085)
	Pingtuyang and Approaches	(1086)
	Waimaozhusha	(1087)
East China Sea	Changjiangkou and Approaches	(1088), (1089), (1099)
	Zhoushan Archipelago	(1090), (1100)
	Sanmen Bay	(1101)
	Nanji Islands Northwards	(1091)
Taiwan Strait	Xinghua Channel	(1102)
	Shenhu Bay Eastwards	(1092)
	Weitou Bay	(1093), (1103)
South China Sea	Daya Bay	(1094)
	Yingzhouhu	(1095)
Beibu Gulf	Tieshan Port Southwards	(1096)

## 2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No. ( T )
23123		1097
32001		1098
32202		1098
33001		1098
34112		1098
36144	1083	
36145	1083	
1306	1084,1085,1086	
41001	1084,1085	
42001	1086	
42002	1086,1087	
44001	1088,1089	
44126		1099
44133		1099
44134	1089	1099
44174	1089	
52001	1090	
52130	1090	
52141		1100
52171	1090	
53342		1100
53452		1101
61001	1091	
62632		1102
64001	1092	
64411		1103
64412		1103
64413	1093	1103
64431	1093	1103
65171	1093	
2307	1086,1087	
2308	1088,1090	
2310	1091	
2311	1092	
83001	1094	
83101	1094	



# Notices to Mariners







## 1083. Yellow Sea – Approaches to Dongjiakou Harbour – Lightbeacon

Insert ★ 等明暗绿 4s12m5M 35°34'15".4N, 119°45'31".9E  
 Chart 36144〔2024–947〕 36145 (with chart unchanged)〔2024–〕  
 List of Lights CNP81/2024~2025〔3711598.01〕  
 Source Tianjin Hydrographic Center

## 1084. Yellow Sea – Yancheng Port – Xiangshui Harbour Eastwards – Wreck


Insert 概位: 数据报(2024) 34°28'12".0N, 120°02'28".2E  
 Chart 41001〔2024–900〕 1306〔2024–966〕  
 Source Lianyungang Navigation Warning 0068/2024

## 1085. Yellow Sea – Yancheng Port – Binhai Harbour and Approaches – Buoyage

Insert 滨海北H2风电(T1)  莫(0)黄12s 同步 (1) 34°32'34".5N, 120°28'45".0E  
 (T2)  莫(0)黄12s 同步 (2) 34°32'24".6N, 120°29'46".6E  
 滨海南H3风电(T1)  莫(0)黄12s 同步 (3) 34°19'49".5N, 120°44'21".1E  
 (T2)  莫(0)黄12s 同步 (4) 34°19'18".2N, 120°45'11".0E  
 (T3)  莫(0)黄12s 同步 (5) 34°19'03".9N, 120°48'16".2E  
 (T4)  莫(0)黄12s 同步 (6) 34°18'32".6N, 120°49'06".1E

Note: Chinese version only.  
 Chart 41001 (1~4)〔2024–1084〕 1306 (1,3,6) (5 with chart unchanged)〔2024–1084〕  
 List of Lights CNP82/2024~2025〔4111233.01〕〔4111233.02〕〔4310044.01〕〔4310044.02〕  
 〔4310044.03〕〔4310044.04〕  
 Source East China Sea Aids 018/2024

## 1086. Yellow Sea – Pingtuyang and Approaches – Aids

Insert 射阳南H3风电(T1)  莫(0)黄12s 同步 (1) 33°42'56".8N, 121°20'06".3E  
 (T2)  莫(0)黄12s 同步 (2) 33°42'13".5N, 121°20'40".5E  
 大丰H8-1风电(T1)  莫(0)黄12s 同步 (3) 33°26'24".6N, 121°34'19".4E  
 (T2)  莫(0)黄12s 同步 (4) 33°25'42".7N, 121°34'55".6E



V-AIS

(5)33°44'39".6N,121°33'18".0E

Note: Chinese version only.

Chart 42001〔2024-966〕 42002(4)〔2024-1021〕 1306(1,5)〔2024-1085〕  
2307(1,3,5)〔2024-1022〕

List of Lights CNP82/2024~2025[4310283.01][4310283.011][4310283.02][4310496.01]  
[4310496.02]

Source East China Sea Aids 018/2024

### 1087.Yellow Sea – Waimaozhusha – Buoyage

Insert 大丰H8-2风电(T1)  莫(0)黄12s同步 (1)33°11'03".0N,121°46'55".6E  
(T2)  莫(0)黄12s同步 (2)33°10'20".8N,121°47'31".5E

Note: Chinese version only.

Chart 42002〔2024-1086〕 2307(1)〔2024-1086〕

List of Lights CNP82/2024~2025[4310469.01][4310469.02]

Source East China Sea Aids 018/2024

### 1088.East China Sea – Changjiangkou and Approaches – Beizhi Channel – Aids

Delete  V-AIS (1)31°38'04".8N,122°42'55".2E  
(W251)  互明暗蓝黄3s (2)31°37'59".1N,122°43'02".7E

Chart 44001〔2024-1070〕 2308(2)〔2024-1047〕

List of Lights CNP82/2024~2025[4510744][4510744.01]

Source East China Sea Aids 018/2024

### 1089.East China Sea – Changjiangkou and Approaches – Xinqiao Channel – Wreck

Insert 概位:  据报(2024) 31°34'45".9N,121°28'44".2E

Note: The wreck is a cargo vessel, 47m long.

Chart 44001〔2024-1088〕 44134〔2024-795〕 44174〔2024-1070〕

Source Shanghai Navigation Warning 0720/2024

### 1090.East China Sea – Zhoushan Archipelago – Sijiaoshan Northwards – Aids

Move  V-AIS from: (1)30°44'39".0N,122°31'35".4E  
to: (2)30°44'45".1N,122°31'43".0E











Insert  互明暗蓝黄 3s (沉1) (3)30°44'40".5N,122°31'29".6E  
 互明暗蓝黄 3s (沉2) (4)30°44'53".0N,122°31'54".7E

Chart 52001(1,2;4)[2024-1046] 52130[2024-993] 52171[2024-993]  
 2308(4)[2024-1088]

List of Lights CNP82/2024~2025[5310275][5310275.01][5310275.02]

Source East China Sea Aids 018/2024

### 1091.East China Sea – Nanji Islands Northwards – Buoyage

Insert 瑞安1号风电(L1)  莫(0)黄12s 同步 (1)27°33'58".5N,121°03'46".3E  
 (L2)  莫(0)黄12s 同步 (2)27°33'58".5N,121°06'17".4E  
 (L3)  莫(0)黄12s 同步 (3)27°33'58".5N,121°08'48".4E  
 (L4)  莫(0)黄12s 同步 (4)27°33'27".2N,121°09'45".1E  
 (L5)  莫(0)黄12s 同步 (5)27°32'14".0N,121°09'55".3E  
 (L6)  莫(0)黄12s 同步 (6)27°32'14".0N,121°07'45".5E  
 (L7)  莫(0)黄12s 同步 (7)27°32'13".9N,121°05'35".7E  
 (L8)  莫(0)黄12s 同步 (8)27°32'13".7N,121°03'25".8E

Note: Chinese version only.

Chart 61001[2024-906] 2310(1,3,5,8)[2024-959]

List of Lights CNP82/2024~2025[5811372.01][5811372.02][5811372.03][5811372.04]  
 [5811372.05][5811372.06][5811372.07][5811372.08]

Source East China Sea Aids 018/2024

### 1092.Taiwan Strait – Shenhu Bay Eastwards – Buoyage


Insert (地震观测2)  24°39'09".0N,119°11'39".0E

Chart 64001[2024-873] 2311[2024-959]

List of Lights CNP82/2024~2025[6412005.02]

Source Shanghai Nautical Chart Center

### 1093.Taiwan Strait – Weitou Bay – Buoyage

Insert (南安排1)  莫(C)黄15s 同步 (1)24°32'51".6N,118°29'14".0E  
 (2)  莫(C)黄15s 同步 (2)24°32'42".7N,118°29'13".9E  
 (3)  莫(C)黄15s 同步 (3)24°32'42".8N,118°28'59".7E


Note: Chinese version only.

Chart 64413[2024-533] 64431[2024-743] 65171(1)[2024-873]

List of Lights CNP82/2024~2025[6412102.01] [6412102.02] [6412102.03]

Source East China Sea Aids 018/2024

#### 1094.South China Sea – Daya Bay – Huidong Harbour – Buoyage

Move (1)  闪绿 4s from: (1) 22°33'43".3N, 114°43'53".8E  
to: (2) 22°33'43".3N, 114°43'56".3E  
(3)  闪(2)绿 6s from: (3) 22°34'41".8N, 114°43'54".1E  
to: (4) 22°34'48".4N, 114°43'56".6E  
(5)  闪(3)绿 10s from: (5) 22°35'41".6N, 114°43'54".5E  
to: (6) 22°35'41".6N, 114°43'56".9E  
(碧1)  闪(2+1)绿 6s from: (7) 22°34'26".5N, 114°43'53".9E  
to: (8) 22°34'31".0N, 114°43'56".5E


Amend from: 平海(1)  闪绿 4s (9) position (1) above  
to: (碧公用1)  闪绿 4s (10) position (2) above

Chart 83001 (9,10) [2024-1024] 83101 (7,8; 9,10) [2024-1073] 83102 (1~8) [2024-968]  
3313 (1,2) (with chart unchanged) [2024-1004]

List of Lights CNP83/2024~2025[7310260.01] [7310260.03] [7310260.05] [7310265.01]

Source Dongjiang Waterway Notice 024/2024

#### 1095.South China Sea – Yingzhouhu – Aids



Amend from: (A2)  闪黄 4s (1) 22°21'49".3N, 113°04'05".1E  
to: (A2)  闪黄 4s (2) 22°21'49".0N, 113°04'03".1E  
from: (A3)  闪(2)黄 6s (3) 22°21'56".3N, 113°04'00".8E  
to: (A3)  闪(2)黄 6s (4) 22°21'56".8N, 113°04'03".4E  
from: (A4)  闪黄 4s (5) 22°22'06".2N, 113°04'04".2E  
to: (A4)  闪(2)黄 6s (6) position (5) above

Chart 84304[2023-1242] 84305[2024-458]

List of Lights CNP83/2024~2025[7413766.02] [7413766.03] [7413766.04]

Source Jiangmen Waterway Notice 044/2024

1096.Beibu Gulf – Tieshan Port Southwards – Obstruction

Insert  (1)21°15'18".0N,109°32'37".2E

 (2)21°14'27".6N,109°32'52".2E

Chart 91001[2024-1028] 91204[2024-1028] 3316[2024-1028]

Source Guangdong Navigation Warning 0157/2024



## Temporary Notices

### 1097. Bohai Sea – Haihe – Construction (T)

Date September 10, 2024 to June 15, 2025

Area joining: (1) 38°59'34".8N, 117°40'03".0E  
(2) 38°59'34".8N, 117°40'13".8E  
(3) 38°59'27".0N, 117°40'13".2E  
(4) 38°59'27".0N, 117°40'01".8E  
(5) position (1) above

Note: The project requires the construction of a trestle bridge on the bank of the Haihe River, with a reserved navigable water area of 55m.

Chart 23123

Source Haihe Navigation Notice 097/2024

### 1098. Bohai Sea – Approaches to Huanghekou – Construction (T)

Date September 9, 2024 to June 30, 2025

Area area1, joining: (1) 37°57'03".6N, 119°27'01".4E  
(2) 37°57'00".2N, 119°31'04".3E  
(3) 37°56'08".3N, 119°32'05".5E  
(4) 37°51'28".7N, 119°35'00".0E  
(5) 37°54'04".8N, 119°35'00".0E  
(6) 37°58'05".8N, 119°32'26".5E  
(7) 37°58'05".8N, 119°27'00".8E  
(8) position (1) above

area2, joining: (9) 37°48'11".9N, 119°35'00".0E  
(10) 37°47'56".4N, 119°32'54".0E  
(11) 37°44'40".0N, 119°30'54".1E  
(12) 37°44'18".2N, 119°31'55".0E  
(13) 37°44'48".7N, 119°35'00".0E  
(14) position (9) above

Note: Keep watching on HF .

Blank Page

Chart 32001 32202 33001 34112  
Source Haihe Navigation Notice 701/2024

1099.East China Sea – Changjiangkou and Approaches – Xinqiao Passage – Dredging (T)

Date September 9, 2024 to March 27, 2025 , day and night  
Area joining: (1)31°29'27".7N,121°33'14".2E  
(2)31°29'38".4N,121°33'14".8E  
(3)31°29'35".9N,121°35'04".6E  
(4)31°29'24".3N,121°35'04".3E  
(5)position (1) above

Note: Keep watching on VHF ch.06&16.

Chart 44126 44133 44134

Source Shanghai Navigation Notice 709/2024

1100.East China Sea – Zhoushan Archipelago – Jinboyu Island Northwards – Construction (T)

Date September 14, 2024 to March 4, 2025  
Area joining: (1)29°46'18".9N,122°11'26".8E  
(2)29°46'14".3N,122°11'41".4E  
(3)29°46'03".2N,122°11'38".0E  
(4)29°46'07".2N,122°11'21".9E  
(5)position (1) above

Note: Keep watching on VHF ch.16 .

Chart 52141 53342

Source Zhoushan Navigation Notice 184/2024

1101.East China Sea – Sanmen Bay – Baidaimen – Construction (T)

Date September 19, 2024 to March 19, 2025 , day and night  
Area joining: (1)28°52'48"N,121°40'28"E  
(2)28°52'35"N,121°40'13"E  
(3)28°52'16"N,121°40'08"E  
(4)28°52'04"N,121°40'09"E  
(5)28°51'44"N,121°40'04"E

Blank Page

- (6)28°51'47"N,121°40'35"E
- (7)28°52'00"N,121°40'54"E
- (8)28°52'13"N,121°40'54"E
- (9)28°52'27"N,121°40'37"E
- (10)28°52'34"N,121°40'43"E
- (11)position (1) above

Note: Keep watching on VHF ch.16 .  
 Chart 53452  
 Source Taizhou Navigation Notice 083/2024

1102.Taiwan Strait – Xinghua Bay – Xinghua Harbour – Berth Construction (T)

Date June 11, 2021 to March 30, 2025  
 Area joining:
 

- (1)25°26'17".0N,119°13'11".5E
- (2)25°26'05".5N,119°13'22".2E
- (3)25°26'18".4N,119°13'45".8E
- (4)25°26'37".2N,119°13'42".7E
- (5)position (1) above

Chart 62632  
 Source Putian Navigation Notice 056/2024

1103.Taiwan Strait – Weitou Bay – Shijing Fairway – Construction (T)

Date September 11, 2024 to March 16, 2025  
 Area area1, joining:
 

- (1)24°34'22"N,118°27'55"E
- (2)24°35'11"N,118°26'34"E
- (3)24°36'43"N,118°26'15"E
- (4)24°37'33"N,118°26'08"E
- (5)24°37'42"N,118°26'08"E
- (6)24°37'50"N,118°26'01"E
- (7)24°37'56"N,118°26'04"E
- (8)24°37'51"N,118°26'08"E
- (9)24°35'42"N,118°26'38"E

Blank Page

- (10)24°35'04"N,118°27'03"E  
 (11)24°34'32"N,118°27'52"E  
 (12)24°34'28"N,118°27'56"E  
 (13)position (1) above  
 area2, joining: (14)24°32'30"N,118°30'55"E  
 (15)24°32'18"N,118°31'16"E  
 (16)24°32'28"N,118°31'24"E  
 (17)24°32'39"N,118°31'04"E  
 (18)position (14) above  
 area3, joining: (19)24°32'32"N,118°30'53"E  
 (20)24°32'42"N,118°30'59"E  
 (21)24°32'56"N,118°30'33"E  
 (22)24°32'46"N,118°30'27"E  
 (23)position (19) above  
 area4, joining: (24)24°33'22"N,118°29'40"E  
 (25)24°33'18"N,118°29'46"E  
 (26)24°33'23"N,118°29'51"E  
 (27)24°33'25"N,118°29'48"E  
 (28)24°33'26"N,118°29'44"E  
 (29)position (24) above

**Note:** Keep watching on VHF ch.16&69.

**Chart** 64411 64412 64413 64431

**Source** Quanzhou Navigation Notice 055/2024

Blank Page



# HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s) .....

Mailing address .....

Subject .....

Geographical area .....

Position or area limit ("PA" indicated if applicable) .....

.....

Affected chart(s)/publication(s) .....

Details:

Suggestion(s)/request(s) .....

.....

Signature :

Date:

# HYDROGRAPHIC INFORMATION REPORT SHEET

## INSTRUCTIONS

### 1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

### 2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

### 3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai Marine Chart Press Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.