



NOTICES TO MARINERS

Issue No.3(Total No.1267)

Notice No.50-89

19 January 2026

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44255	CHENJIAZUI FAIRWAY	1:5 000	2025年12月第29版	CHECK NTM FROM ISSUE No.52 2025
2	44258	LUJIAZUI FAIRWAY	1:5 000	2025年12月第34版	CHECK NTM FROM ISSUE No.52 2025
3	84102	YANTIAN HARBOR	1:10 000	2025年12月第18版	CHECK NTM FROM ISSUE No.52 2025

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44255	CHENJIAZUI FAIRWAY	1:5 000	2025年7月第28版	
2	44258	LUJIAZUI FAIRWAY	1:5 000	2025年6月第33版	
3	84102	YANTIAN HARBOR	1:10 000	2024年10月第17版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Dongying Port	(75),(76),(77)
	Inner Port of Longkou	(78)
Yellow Sea	Lianyungang Port and Approaches	(50)
	Yangkou Port Northeastwards	(51)
	Tongzhou Bay	(52)
	Lüsi Port	(53)
	Lüsi Port Northeastwards	(54)
East China Sea	Changjiangkou and Approaches	(55),(56),(57),(79),(80),(81),(82)
	Huangpu River	(58),(59)
	Zhoushan Archipelago	(60),(83)
	Sanmen Bay	(61),(62)
	Yushan Islands Southeastwards	(63)
	Jiaojiang	(64)
	Lingjiang	(65)
	Taizhou Islands	(84)
	Approaches to Aiwang Bay	(85)
	Pishandao Northeastwards	(66)
	Wenzhou Port	(67)
	Fuying Island Eastwards	(68)
	Sansha Bay	(69)
Taiwan Strait	Xinghua Bay	(70),(86)
	Pinghai Bay and Approaches	(71),(72)
	Meizhou Bay	(73)
	Taiwan Island Westwards	(74)

South China Sea	Zhujiangkou	(87)
	Qiongzhou Strait	(88)
Beibu Gulf	Yangpu Port and Approaches	(89)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
32201		77
32202		75,76
34123		78
41001	50	
41101	50	
41122	50	
42002	51	
43001	52,54	
43133	52	
43171	52	
43232	53	
43271	53,54	
43371		79,80
44001	57	
44124	55	
44126	56	
44129	55	
44132		81,82
44134	56	
44173	55	
44174	55,56	79,80
44212	58	
44214	59	
44255	58	
44256	58	
44269	59	
52001	57,60	
52113	60	
52133	60	
52137		83
52171	57,60	
52173	60	
53452	61,62	
54001	61,62,63	
54121	61	
54232	64	

Notices to Mariners

50. Yellow Sea – Lianyungang Port and Approaches – Tianwan Cross Sea Bridge –

Vertical Clearance

Insert	note " <u>15</u> ", approaches to	(1) 34°40'15".3N, 119°28'12".7E
Insert	note " <u>20</u> ", approaches to	(2) 34°41'33".2N, 119°28'23".6E
Chart	41001[2025-1194] 41101[2025-1194] 41122[2025-1005]	
Source	Hydrography Department Shanghai MSA	

51. Yellow Sea – Yangkou Port Northeastwards – Lightbeacon

Insert	如东H10风电(1)  莫(C)黄 12s13m5M 同步	(1) 32°41'32".1N, 121°54'43".6E
	(2)  莫(C)黄 12s13m5M 同步	(2) 32°42'16".9N, 121°57'06".9E
	(3)  莫(C)黄 12s13m5M 同步	(3) 32°42'56".6N, 121°59'14".5E
	(4)  莫(C)黄 12s13m5M 同步	(4) 32°40'55".3N, 122°00'06".4E
	(5)  莫(C)黄 12s13m5M 同步	(5) 32°38'54".0N, 122°00'58".0E
	(6)  莫(C)黄 12s13m5M 同步	(6) 32°37'53".3N, 122°01'23".9E
	(7)  莫(C)黄 12s13m5M 同步	(7) 32°37'54".0N, 121°58'58".3E
	(8)  莫(C)黄 12s13m5M 同步	(8) 32°37'54".9N, 121°56'49".2E
	(9)  莫(C)黄 12s21m5M 同步	(9) 32°39'43".0N, 121°55'45".7E

Note: Chinese version only.

Chart 42002[2026-29] 2307(3,8,9)[2026-29]

List of lights CNP82/2025~2026[4310644.1001] [4310644.1002] [4310644.1003]
[4310644.1004] [4310644.1005] [4310644.1006] [4310644.1007]
[4310644.1008] [4310644.1009]

Source East China Sea Aids 043/2025

52. Yellow Sea – Tongzhou Bay – Lightbeacon

Insert	三港池码头(1)  闪 4s11m4M 同步	(1) 32°15'01".0N, 121°36'50".2E
	(2)  闪 4s11m4M 同步	(2) 32°14'48".3N, 121°37'21".9E

Note: Chinese version only.

Chart 43001(1)[2025-1089] 43133[2025-59] 43171[2025-1089]

List of lights CNP82/2025~2026[4310472.01] [4310472.02]

Source East China Sea Aids 041/2025

53.Yellow Sea – Lüsi Port – Buoyage

Delete (26)  闪(3)红10s (1)32°06'55".8N,121°42'22".6E

(26)  闪(3)红10s (2)position (1) above

Insert (26)  闪(3)红10s (3)position (1) above

Chart 43232(1;3)[2025-946] 43271(2;3)[2025-1089]

List of lights CNP82/2025~2026[4310910.26]

Source East China Sea Aids 043/2025

54.Yellow Sea – Lüsi Port Northeastwards – Lightbeacon

Insert 启东H2风电(1)  莫(C)黄12s11m5M 同步 (1)32°09'46".9N,122°07'34".7E

(2)  莫(C)黄12s11m5M 同步 (2)32°09'07".2N,122°09'18".9E

(3)  莫(C)黄12s11m5M 同步 (3)32°08'34".2N,122°10'45".5E

(4)  莫(C)黄12s11m5M 同步 (4)32°08'00".9N,122°12'12".3E

(5)  莫(C)黄12s11m5M 同步 (5)32°07'27".7N,122°13'39".0E

(6)  莫(C)黄12s11m5M 同步 (6)32°06'06".3N,122°14'08".9E

(7)  莫(C)黄12s11m5M 同步 (7)32°06'40".2N,122°12'40".3E

(8)  莫(C)黄12s11m5M 同步 (8)32°07'22".5N,122°10'49".7E

(9)  莫(C)黄12s11m5M 同步 (9)32°08'04".7N,122°08'59".1E

(10)  莫(C)黄12s11m5M 同步 (10)32°08'47".0N,122°07'08".4E

(11)  莫(C)黄12s25m5M 同步 (11)32°08'34".0N,122°08'55".9E

Note: Chinese version only.

Chart 43001[2026-52] 43271(1,10)[2026-53] 2307(1,3,5,6,8,10,11)[2026-51]

2308(5,6,8)[2026-4]

List of lights CNP82/2025~2026[4310828.0201] [4310828.0202] [4310828.0203]

[4310828.0204] [4310828.0205] [4310828.0206] [4310828.0207]

[4310828.0208] [4310828.0209] [4310828.0210] [4310828.0211]

Source East China Sea Aids 043/2025

55. East China Sea – Changjiangkou and Approaches – Up Reach of Nancao Fairway –

Buoyage



Delete  薛家泓河口(1)莫(P)黄12s 同步 (1) 31°07'50".9N, 121°52'41".8E
 (2)  莫(P)黄12s 同步 (2) 31°07'47".9N, 121°52'43".8E

Chart 44124[2025-1091] 44129[2025-] 44173(1)[2025-1092] 44174(1)[2025-1092]

List of lights CNP82/2025~2026[4511098.01][4511098.02]

Source East China Sea Aids 041/2025

56. East China Sea – Changjiangkou and Approaches – Baoshan South Fairway Southwards

– Aids

Delete  V-AIS (1) 31°30'15".6N, 121°21'21".4E

Insert (原水1)  莫(C)黄12s 9.7m 2M (2) position (1) above

Chart 44126[2025-] 44134[2025-] 44174[2026-55]

List of lights CNP82/2025~2026[4511660.01][4511660.011]

Source East China Sea Aids 043/2025

57. East China Sea – Changjiangkou and Approaches – Buoyage

Delete (气象1)  莫(0)黄12s (1) 30°59'12".6N, 122°48'27".0E

Insert (气象1)  莫(0)黄12s (2) 30°58'46".7N, 122°47'40".8E

Chart 44001[2025-1229] 52001(2)[2026-30] 52171(with chart unchanged)[2026-4]

List of lights CNP82/2025~2026[4510740]

Source East China Sea Aids 043/2025

58. East China Sea – Huangpu River – Fuxingdao Westwards – Vertical Clearance

Insert note "  ", approaches to (1) 31°17'33".8N, 121°33'16".8E
 note "  ", approaches to (2) 31°16'23".4N, 121°33'22".8E

Chart 44212(2)(1 with chart unchanged)[2025-1158] 44255(1)[2025-]
 44256[2025-1158]

Source Hydrography Department Shanghai MSA

59. East China Sea – Huangpu River – Minpu No3 Bridge – Vertical Clearance

Insert note "  ", approaches to 30°59'04".9N, 121°22'18".5E

Chart 44214[2024-] 44269[2023-183]

Source Hydrography Department Shanghai MSA

60. East China Sea – Zhoushan Archipelago – Shulanghu Island and Approaches –

Buoyage

Delete	 莫(0)黄12s	(1)30°25'53".3N,122°26'10".1E
	 莫(0)黄12s	(2)30°24'18".0N,122°28'01".0E
Move	(北测流)  莫(0)黄12s	(3)30°27'28".2N,122°26'06".7E
	(测流)  莫(0)黄12s	(4)30°26'54".8N,122°26'11".6E
	(3)  闪(2)绿6s from:	(5)30°25'26".2N,122°26'13".0E
	to:	(6)30°25'06".8N,122°26'21".6E
	Insert	 甚快
	鼠浪湖港(1)  莫(0)黄12s 同步	(8)30°26'07".1N,122°26'00".6E
	(2)  莫(0)黄12s 同步	(9)30°25'19".4N,122°26'00".9E

Note: Chinese version only.

Chart 52001(1;7)[2026-57] 52113(1,2,4;5,6;8,9)[2025-437]

52133(1~4;5,6;8,9)[2026-4] 52171(1~4;5,6;7,8)[2026-57]

52173(1~4;5,6;7,8)[2025-1096]

List of lights CNP82/2025~2026[5311402.03][5311403.01][5311403.02][5311480]
[5311480.01][5311480.02][5311501][5311519]

Source East China Sea Aids 043/2025

61. East China Sea – Sanmen Bay – Jiantiao Harbour and Approaches – Lightbeacon

Insert	三门光伏(L1)  莫(0)黄12s9.4m4M 同步	(1)29°05'06".3N,121°38'18".1E
	(L2)  莫(0)黄12s9.4m4M 同步	(2)29°04'48".2N,121°38'41".6E
	(L3)  莫(0)黄12s9.4m4M 同步	(3)29°03'57".4N,121°38'41".5E
	(L4)  莫(0)黄12s9.4m4M 同步	(4)29°03'57".5N,121°38'13".1E

Note: Chinese version only.

Chart 53452[2025-550] 54001(2,3)[2025-955] 54121[2025-522]

List of lights CNP82/2025~2026[5710233.01][5710233.02][5710233.03][5710233.04]

Source East China Sea Aids 043/2025

62. East China Sea – Sanmen Bay – Wuzi Islands Southeastwards – Buoyage

Move (3)  莫(F)黄 12s 同步 from: (1) 28°58'52".1N, 121°47'13".3E
to: (2) 28°58'43".3N, 121°47'22".8E
(4)  莫(F)黄 12s 同步 from: (3) 28°58'44".1N, 121°47'04".1E
to: (4) 28°58'25".3N, 121°47'02".2E
Insert (5)  莫(F)黄 12s 同步 (5) 28°58'43".1N, 121°46'44".1E
Note: Chinese version only.
Chart 53452[2026-61] 54001(1,2)[2026-61] 2309(1,2)[2025-]
List of lights CNP82/2025~2026[5710101.03] [5710101.04] [5710101.05]
Source East China Sea Aids 041/2025

63. East China Sea – Yushan Islands Southeastwards – Wreck

Insert 概位:  据报(2025) 28°43'07".8N, 122°42'27".6E
Chart 54001[2026-62] 2309[2026-62]
Source Zhejiang Navigation Warning 1253/2025

64. East China Sea – Jiaojiang – Buoyage

Delete (6)  莫(P)黄 15s 28°40'48".5N, 121°28'36".6E
Chart 54232[2025-956]
List of lights CNP82/2025~2026[5710692.06]
Source East China Sea Aids 043/2025

65. East China Sea – Lingjiang – Buoyage

Delete 余温公路桥(L1)  闪绿 4s 同步 (1) 28°48'54".8N, 121°12'14".3E
Amend from: (L2)  快红 (2) 28°48'50".5N, 121°12'34".1E
to: (2)  快红 (3) position (2) above
from: (L4)  闪红 4s 同步 (4) 28°48'39".4N, 121°12'05".1E
to: (4)  闪红 4s (5) position (4) above
Chart 54313[2025-1200]
List of lights CNP82/2025~2026[5710951.01] [5710951.02] [5710951.04]
Source East China Sea Aids 043/2025

66. East China Sea – Pishandao Northeastwards – Lightbeacon

- Delete**
- | | | |
|--------|---|-------------------------------|
| 测风塔(1) |  莫(C)黄 12s13m7M 同步 | (1)28°08'42".2N,121°35'18".1E |
| |  黄 | |
| (2) |  莫(C)黄 12s13m7M 同步 | (2)28°08'41".9N,121°35'18".3E |
| |  黄 | |
| (3) |  莫(C)黄 12s13m7M 同步 | (3)28°08'41".9N,121°35'17".9E |
| |  AIS | |
- Chart** 55001(3)(1,2with chart unchanged)[2026–5] 2309(3)[2026–63]
- List of lights** CNP82/2025~2026[5711441.01] [5711441.02] [5711441.03]
- Source** East China Sea Aids 043/2025

67. East China Sea – Wenzhou Port – Wenzhou Bridge – Lightbeacon

- Insert**
- | | | |
|----------|---|-------------------------------|
| (温北桥 L1) |  快绿 11m4M 同步 | (1)28°00'54".8N,120°46'59".4E |
| |  绿 | |
| (12) |  快红 11m4M 同步 | (2)28°00'49".1N,120°46'54".2E |
| |  红 | |
- Note:** Chinese version only.
- Chart** 55123[2025–1173]
- List of lights** CNP82/2025~2026[5810531.01] [5810531.02]
- Source** East China Sea Aids 042/2025

68. East China Sea – Fuying Island Eastwards – Lightbeacon

- Insert**
- | | | |
|-------------|---|-------------------------------|
| 霞浦 B 风电(T1) |  莫(U)15s32m5M 同步 | (1)26°35'04".1N,120°15'48".6E |
| |  AIS | |
| (T2) |  莫(U)15s32m5M 同步 | (2)26°35'03".3N,120°15'47".7E |
| |  AIS | |
- Note:** Chinese version only.
- Chart** 61351(1)(2with chart unchanged)[2025–960] 62001(1)[2025–1202]
2310(1)[2026–5]
- List of lights** CNP82/2025~2026[6110692.01] [6110692.02]
- Source** East China Sea Aids 043/2025

69. East China Sea – Sansha Bay – Baimagang – Aids

- Insert**
- | | | |
|------|---|-------------------------------|
| (11) |  莫(0)黄 12s 同步 | (1)26°46'35".6N,119°42'59".7E |
| |  黄 | |
| (12) |  莫(0)黄 12s 同步 | (2)26°46'39".4N,119°42'49".7E |
| |  黄 | |
| (13) |  莫(0)黄 12s 同步 | (3)26°46'47".9N,119°42'45".3E |
| |  黄 | |
| (11) |  闪 4s8.3m3M 同步 | (4)26°46'46".4N,119°43'07".2E |
| (12) |  闪 4s8.3m3M 同步 | (5)26°46'54".2N,119°43'03".0E |
- Note:** Chinese version only.

Chart 61321〔2025-524〕 61352(1,2,4,5)〔2025-960〕

List of lights CNP82/2025~2026〔6111110.0111〕〔6111110.0112〕〔6111110.0113〕
〔6111110.0211〕〔6111110.0212〕

Source East China Sea Aids 043/2025

70.Taiwan Strait – Xinghua Bay – Buoyage

Delete	(L1)  莫(0)黄 12s3M 同步	(1)25°25'00".7N,119°24'38".7E
	(L2)  莫(0)黄 12s3M	(2)25°24'19".4N,119°24'31".4E
	(L3)  莫(0)黄 12s3M 同步	(3)25°23'28".0N,119°24'22".3E
	(L4)  莫(0)黄 12s3M	(4)25°22'36".7N,119°24'13".3E
	(L5)  莫(0)黄 12s3M 同步	(5)25°22'58".1N,119°23'24".3E
	(L6)  莫(0)黄 12s3M 同步	(6)25°23'19".5N,119°22'35".2E
	(L7)  莫(0)黄 12s3M	(7)25°23'43".6N,119°21'39".9E

Chart 62631(2~7)〔2025-1203〕 62632〔2025-1203〕 62661〔2025-1203〕

63001(1,4)〔2026-6〕

List of lights CNP82/2025~2026〔6212211.01〕〔6212211.02〕〔6212211.03〕〔6212211.04〕
〔6212211.05〕〔6212211.06〕〔6212211.07〕

Source East China Sea Aids 042/2025

71.Taiwan Strait – Pinghai Bay and Approaches – Submarine Power Line

Insert	submarine power line, joining:	(1)25°11'05".2N,119°15'36".6E
		(2)25°11'05".0N,119°15'36".6E
		(3)25°11'03".6N,119°15'36".8E
		(4)25°10'58".9N,119°15'37".3E
		(5)25°10'55".9N,119°15'37".1E
		(6)25°10'06".7N,119°15'29".2E
		(7)25°09'35".8N,119°15'53".1E
		(8)25°09'33".6N,119°15'53".9E
		(9)25°09'23".5N,119°15'54".5E
		(10)25°09'21".5N,119°15'54".2E
		(11)25°09'10".3N,119°15'55".6E
		(12)25°09'05".7N,119°15'56".0E

(13)25°08'30".9N,119°16'19".9E

(14)25°08'26".3N,119°16'21".8E

(15)25°08'18".0N,119°16'28".8E

(16)25°07'00".0N,119°17'04".0E

(62661南图廓交点)

(17)25°04'36".0N,119°18'09".0E

(63132南图廓交点)

(18)25°04'00".0N,119°18'25".3E

(64001北图廓交点)

(19)25°03'37".5N,119°18'35".4E

submarine power line, joining:

(20)25°11'05".3N,119°15'36".5E

(21)25°11'05".0N,119°15'36".5E

(22)25°11'03".7N,119°15'36".2E

(23)25°10'07".3N,119°15'27".5E

(24)25°10'04".1N,119°15'28".9E

(25)25°09'34".8N,119°15'51".8E

(26)25°09'33".3N,119°15'52".3E

(27)25°09'28".9N,119°15'52".3E

(28)25°09'24".5N,119°15'53".8E

(29)25°09'21".5N,119°15'53".0E

(30)25°09'07".0N,119°15'54".0E

(31)25°09'04".6N,119°15'54".6E

(32)25°08'17".2N,119°16'27".1E

(33)25°07'00".0N,119°17'02".0E

(62661南图廓交点)

(34)25°04'36".0N,119°18'07".1E(

63132南图廓交点)

(35)25°03'41".3N,119°18'31".8E

(36)25°03'37".3N,119°18'34".9E

Chart 62661(3,4~8,12,13,15,16;22~25,28~33)[2026-70]

63001(2,5,6,8,12,15,19)[2026-70]

63132(2,4~15,17;21,23~32,34)[2025-1133] 64001(18~19)[2025-1099]

2311(1,6,8,12,15,19)[2026-31]

Source Hydrography Department Shanghai MSA

72.Taiwan Strait – Pinghai Bay and Approaches – Lightbeacon

Delete 测风塔_黄闪(2)5s13m4M (1)25°08'14".8N,119°12'22".0E

测风塔_黄闪(2)5s13m4M (2)25°03'56".6N,119°16'54".4E

Chart 63001[2026-71] 63131(1)[2025-1161] 63132(1)[2026-71]

64001(2)[2026-71]

List of lights CNP82/2025~2026[6410261] [6410262]

Source East China Sea Aids 043/2025

73.Taiwan Strait – Meizhou Bay – Xiuyu Harbour – Fairway

Delete Meizhou bay 300,000t fairway east boundary

line, joining: (1)25°11'23".1N,119°00'30".3E

(2)25°11'08".3N,119°00'29".2E

Insert East fairway north boundary line, joining: (3)25°11'30".3N,119°00'26".3E

(4)25°12'40".4N,119°01'42".9E

East fairway south boundary line, joining: (5)25°11'08".3N,119°00'29".2E

(6)25°11'29".0N,119°00'39".5E

(7)25°11'46".1N,119°00'54".2E

(8)25°12'35".6N,119°01'48".3E

Note: Chinese version only.

Chart 63111[2025-1161] 63131[2026-72]

Source Putian Navigation Notice 0835/2025

74.Taiwan Strait – Taiwan Island Westwards – Buoyage

Delete 海探_黄闪(5)黄20s 24°38'49".8N,120°28'41".4E

Chart 2311[2026-71]

Source NTM 2025-(47)-1469

Temporary Notices

75. Bohai Sea – Dongying Port – Drilling(T)

Date December 6, 2025 to June 30, 2026
Area radius 500m, central point 38°14'38".4N,118°48'51".6E
Note: Keep watching on HF .
Chart 32202
Source Dongying Navigation Notice 1225/2025

76. Bohai Sea – Dongying Port – Drilling(T)

Date December 8, 2025 to April 30, 2026
Area radius 500m, central point 38°11'55".0N,118°49'28".1E
Note: Keep watching on HF .
Chart 32202
Source Dongying Navigation Notice 1211/2025

77. Bohai Sea – Dongying Port – Dredging(T)

Date December 6, 2025 to April 30, 2026
Area joining:
(1)38°06'17".2N,118°59'40".3E
(2)38°06'05".9N,119°00'04".1E
(3)38°06'04".1N,119°00'05".9E
(4)38°06'02".8N,119°00'03".1E
(5)38°06'02".6N,118°59'45".4E
(6)38°06'02".8N,118°59'45".0E
(7)38°06'12".1N,118°59'28".2E
(8)38°06'16".8N,118°59'25".1E
(9)38°06'15".3N,118°59'29".4E
(10)38°06'17".4N,118°59'38".3E
(11)position (1) above
Note: Keep watching on HF .
Chart 32201

Source Dongying Navigation Notice 1229/2025

78. Bohai Sea – Inner Port of Longkou – Dredging (T)

Date February 28, 2025 to June 3, 2026

Area joining: (1) 37°39'24".9N, 120°18'10".4E
(2) 37°39'31".2N, 120°18'27".4E
(3) 37°39'30".5N, 120°18'31".4E
(4) 37°39'21".8N, 120°18'38".6E
(5) 37°39'04".9N, 120°18'40".5E
(6) 37°39'21".5N, 120°18'10".7E
(7) position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 34123

Source Yantai Navigation Notice 0159&1209/2025

79. East China Sea – Approaches to Changjiangkou – Chongming Island Eastwards – Construction (T)

Date November 29, 2025 to November 16, 2026, day and night

Area within 25m waterward from the shoreline
connecting the six points, joining: (1) 31°30'24".0N, 121°57'11".4E
(2) 31°30'43".2N, 121°57'19".8E
(3) 31°32'33".0N, 121°57'21".6E
(4) 31°33'20".4N, 121°56'18".6E
(5) 31°33'31".2N, 121°56'12".0E
(6) 31°33'38".4N, 121°56'04".8E

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 43371 44174

Source Shanghai Navigation Notice 1008/2025

80. East China Sea – Approaches to Changjiangkou – Chongming Island Eastwards –
Construction(T)

Date November 29, 2025 to November 28, 2026, day and night
Area within 25m waterward from the shoreline
connecting the four points, joining: (1)31°27'58".8N,121°55'15".0E
(2)31°28'46".8N,121°56'19".2E
(3)31°29'23".4N,121°56'44".4E
(4)31°30'24".0N,121°57'10".8E
Note: Irrespective vessels are prohibited from entering the safety operation zone.
Chart 43371 44174
Source Shanghai Navigation Notice 1010/2025

81. East China Sea – Approaches to Changjiangkou – Chongming Island Eastwards –
Construction(T)

Date November 30, 2025 to November 28, 2026, day and night
Area within 25m waterward from the shoreline
connecting the four points, joining: (1)31°26'33".6N,121°51'59".4E
(2)31°26'30".0N,121°51'58".2E
(3)31°26'34".8N,121°52'58".8E
(4)31°27'04".8N,121°53'13".8E
Note: Irrespective vessels are prohibited from entering the safety operation zone.
Chart 44132
Source Shanghai Navigation Notice 1009/2025

82. East China Sea – Approaches to Changjiangkou – Chongming Island Eastwards –
Construction(T)

Date December 1, 2025 to November 30, 2026, day and night
Area within 25m waterward from the shoreline
connecting the five points, joining: (1)31°26'30".6N,121°49'43".8E
(2)31°26'23".4N,121°49'46".8E
(3)31°26'25".2N,121°50'48".6E
(4)31°26'30".0N,121°51'51".0E

(5)31°26'34".8N,121°51'54".0E

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 44132

Source Shanghai Navigation Notice 1007/2025

83. East China Sea – Zhoushan Archipelago – Waizhidao Eastwards – Surveying (T)

Date December 1, 2025 to December 1, 2026

Area joining:

- (1)29°53'47".9N,122°01'40".6E
- (2)29°53'25".5N,122°02'53".8E
- (3)29°53'24".0N,122°03'29".8E
- (4)29°53'29".4N,122°03'57".1E
- (5)29°53'24".7N,122°03'58".3E
- (6)29°53'19".6N,122°03'32".5E
- (7)29°53'16".3N,122°03'33".4E
- (8)29°53'15".3N,122°03'29".1E
- (9)29°53'18".5N,122°02'38".9E
- (10)29°53'37".4N,122°01'36".9E
- (11)position (1) above

Note: Keep watching on VHF ch.14.

Chart 52137

Source Ningbo Navigation Notice 0507/2025

84. East China Sea – Taizhou Islands – Shangdachen Island Southwestwards – Pier

Construction(T)

Date June 6, 2025 to May 31, 2026, day and night

Area joining:

- (1)28°28'43".0N,121°52'19".1E
- (2)28°28'41".5N,121°52'17".3E
- (3)28°28'35".7N,121°52'23".6E
- (4)28°28'37".3N,121°52'25".4E
- (5)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 54431

Source Taizhou Navigation Notice 0074&0151/2025

85. East China Sea – Approaches to Aiwān Bay – Hoisting (T)

Date December 2, 2024 to May 31, 2026, day and night

Area joining:

- (1) 28°08'39".1N, 121°59'46".0E
- (2) 28°07'22".1N, 121°58'40".4E
- (3) 28°07'22".2N, 121°56'30".3E
- (4) 28°06'37".3N, 121°55'54".3E
- (5) 28°06'37".2N, 121°53'48".4E
- (6) 28°08'39".4N, 121°55'26".8E
- (7) position (1) above

Note: Keep watching on VHF ch.16. Irrespective vessels are prohibited from entering the safety operation zone.

Chart 55001

Source Taizhou Navigation Notice 0113/2024, 0068&0152/2025

86. Taiwan Strait – Xinghua Bay – Jiangyin Harbour – Dredging (T)

Date November 29, 2025 to April 30, 2026

Area joining:

- (1) 25°24'41".3N, 119°20'33".3E
- (2) 25°24'13".1N, 119°20'23".2E
- (3) 25°23'35".1N, 119°20'39".7E
- (4) 25°23'10".6N, 119°20'45".7E
- (5) 25°23'04".5N, 119°21'05".8E
- (6) 25°23'28".7N, 119°20'52".4E
- (7) 25°23'56".6N, 119°21'02".1E
- (8) 25°24'00".8N, 119°20'47".1E
- (9) 25°24'19".5N, 119°20'36".9E
- (10) 25°24'38".5N, 119°20'43".6E
- (11) position (1) above

Note: Keep watching on VHF ch.16. Irrespective vessels are prohibited from entering the

safety operation zone.

Chart 62632

Source Fuzhou Navigation Notice 0839/2025

87.South China Sea – Zhujiangkou – Approaches to Jiuzhouyang – Bridge Construction (T)

Date February 25, 2025 to November 25, 2026

Area joining: (1)22°13'29"N,113°33'22"E
(2)22°12'52"N,113°34'30"E
(3)22°12'41"N,113°34'12"E
(4)22°13'10"N,113°33'12"E
(5)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 84218

Source Hongkong–Zhuhai–Macao Bridge Navigation Notice 0338&2865/2025

88.South China Sea – Qiongzhou Strait – Jiaowei Bay – Drilling (T)

Date August 1, 2025 to May 31, 2026

Area joining: (1)20°17'21".2N,109°59'23".3E
(2)20°15'31".0N,109°59'26".1E
(3)20°13'17".9N,109°57'29".8E
(4)20°11'21".9N,109°57'41".0E
(5)20°11'24".7N,109°58'04".2E
(6)20°13'12".8N,109°57'53".9E
(7)20°15'17".7N,109°59'41".1E
(8)20°17'09".1N,109°59'34".4E
(9)position (1) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.

Chart 01103

Source Zhanjiang Navigation Notice 1780&2639&2936/2025

89.Beibu Gulf – Yangpu Port and Approaches – Xinying Bay – Bridge Construction (T)

Date November 26, 2025 to May 25, 2026

Area joining: (1)19°43'39".6N,109°17'36".0E
(2)19°43'36".6N,109°17'43".2E
(3)19°42'57".0N,109°17'16".2E
(4)19°43'01".8N,109°17'10".2E
(5)position (1) above

Chart 04403

Source Yangpu Navigation Notice 0414/2025

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.