



NOTICES TO MARINERS

Issue No.24(Total No.1236)

Notice No.500-510

16 June 2025

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561, 65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Liaodong Gulf	(506)
Yellow Sea	Zhangzi Island	(505)
	Lianyungang Port	(507)
	Dafeng Port Southeastwards	(500)
East China Sea	Zhoushan Archipelago	(508)
	Hangzhou Gulf	(501)
South China Sea	Shapa Southwards	(502)
	Hainan Island	(509)
South China Sea, Beibu Gulf	Hainan Island and Approaches	(503),(504)
Beibu Gulf	Weizhou Island Southwestwards	(510)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No. (T)
12003		506
12201		505
41321		507
42002	500	
42251	500	
51001	501	
51171	501	
52001	501	
52152		508
52172	501	
2307	500	
2308	501	
87001	502	
88001	503,504	
92001		510
01102	504	
01103	504	
01104	504	
01201	504	
02001	503,504	
02101	504	
02201	504	509
02501	504	
03001	503,504	
03002	503,504	
03101	504	
03201	504	
03301	504	
04001	503,504	
04002	503,504	
04201	504	
04401	503,504	
04402	504	
04404	504	
04501	504	
3315	502,503	

Notices to Mariners

500.Yellow Sea – Dafeng Port Southeastwards – Submarine Power Line

Insert submarine power line 220KV-1, joining:

(1)33°08'41".6N,120°50'31".3E
(2)33°08'42".0N,120°50'33".3E
(3)33°08'42".2N,120°50'42".1E
(4)33°08'44".7N,120°51'33".0E
(5)33°08'47".1N,120°52'12".1E
(6)33°08'50".9N,120°53'36".5E
(7)33°08'54".5N,120°55'03".8E
(8)33°08'56".1N,120°55'23".9E
(9)33°09'00".5N,120°56'48".1E
(10)33°09'07".2N,120°59'14".9E
(11)33°09'12".3N,121°01'09".0E
(42251 东图廓交点)
(12)33°09'17".8N,121°03'13".8E
(13)33°09'24".3N,121°05'48".5E
(14)33°09'25".7N,121°05'55".4E
(15)33°09'26".2N,121°05'58".9E
(16)33°09'25".9N,121°06'01".2E
(17)33°09'25".4N,121°06'01".4E
(18)33°09'24".8N,121°05'56".2E
(19)33°09'24".4N,121°05'56".0E
(20)33°09'24".0N,121°05'56".1E
(21)33°09'25".0N,121°06'03".8E
(22)33°09'29".4N,121°07'47".5E
(23)33°09'33".8N,121°09'35".6E
(24)33°09'35".1N,121°09'42".4E
(25)33°09'50".6N,121°16'12".2E
(26)33°10'08".4N,121°23'08".0E
(27)33°10'13".1N,121°24'59".9E

submarine power line 220KV-2, joining:

(28) $33^{\circ}10'14''.3N, 121^{\circ}25'07''.3E$
(29) $33^{\circ}10'15''.1N, 121^{\circ}25'09''.1E$
(30) $33^{\circ}10'15''.0N, 121^{\circ}25'10''.4E$
(31) $33^{\circ}10'14''.5N, 121^{\circ}25'11''.1E$
(32) $33^{\circ}10'13''.0N, 121^{\circ}25'10''.9E$
(33) $33^{\circ}10'12''.2N, 121^{\circ}25'10''.3E$
(34) position (1) above
(35) $33^{\circ}08'41''.7N, 120^{\circ}50'32''.3E$
(36) $33^{\circ}08'41''.3N, 120^{\circ}50'32''.8E$
(37) $33^{\circ}08'40''.9N, 120^{\circ}50'33''.5E$
(38) $33^{\circ}08'40''.6N, 120^{\circ}50'34''.5E$
(39) $33^{\circ}08'40''.8N, 120^{\circ}50'35''.0E$
(40) $33^{\circ}08'41''.8N, 120^{\circ}50'35''.7E$
(41) $33^{\circ}08'41''.4N, 120^{\circ}50'37''.2E$
(42) $33^{\circ}08'41''.3N, 120^{\circ}50'39''.0E$
(43) $33^{\circ}08'41''.6N, 120^{\circ}50'42''.2E$
(44) $33^{\circ}08'43''.6N, 120^{\circ}51'29''.0E$
(45) $33^{\circ}08'45''.9N, 120^{\circ}52'27''.2E$
(46) $33^{\circ}08'46''.6N, 120^{\circ}52'42''.5E$
(47) $33^{\circ}08'50''.4N, 120^{\circ}54'03''.3E$
(48) $33^{\circ}09'09''.1N, 121^{\circ}00'48''.5E$
(49) $33^{\circ}09'10''.0N, 121^{\circ}01'09''.0E$
(42251 东图廓交点)
(50) $33^{\circ}09'21''.1N, 121^{\circ}05'13''.1E$
(51) $33^{\circ}09'24''.0N, 121^{\circ}06'27''.9E$
(52) $33^{\circ}09'25''.2N, 121^{\circ}06'45''.6E$
(53) $33^{\circ}09'39''.7N, 121^{\circ}12'28''.1E$
(54) $33^{\circ}10'02''.9N, 121^{\circ}21'50''.4E$
(55) $33^{\circ}10'03''.6N, 121^{\circ}22'22''.3E$
(56) $33^{\circ}10'09''.2N, 121^{\circ}24'17''.4E$
(57) $33^{\circ}10'09''.0N, 121^{\circ}24'33''.1E$
(58) $33^{\circ}10'11''.5N, 121^{\circ}25'03''.4E$

(59)33°10'11".0N,121°25'05".7E

(60)33°10'09".7N,121°25'08".7E

(61)33°10'09".7N,121°25'09".4E

(62)33°10'10".1N,121°25'10".0E

(63)33°10'10".5N,121°25'10".1E

(64)33°10'11".6N,121°25'09".9E

(65)position (33) above

Chart 42002(1~10,12,13,21~33)[2025-470]

42251(1~11;34~49)[2024-992] 2307(1,2,5,10,21,26~33)[2025-470]

Source Hydrography Department Shanghai MSA

501.East China Sea – Hangzhou Gulf – East Caojing Fairway Lateral Fairway – Wreck

Delete  30°33'59".6N,121°52'20".5E

Chart 51001[2025-299] 51171[2025-329] 52001[2025-437] 52172[2025-407]
2308[2025-456]

Source Hydrography Department Shanghai MSA

502.South China Sea – Shapa Southwards – Buoyage

Insert	青洲五风电(Q1)  莫(0)黄 12s	(1)20°53'23".1N,111°40'09".5E
	(Q2)  莫(0)黄 12s	(2)20°51'26".0N,111°40'09".5E
	(Q3)  莫(0)黄 12s	(3)20°49'29".0N,111°40'09".5E
	(Q4)  莫(0)黄 12s	(4)20°47'31".9N,111°40'09".5E
	(Q5)  莫(0)黄 12s	(5)20°46'54".9N,111°38'35".2E
	(Q6)  莫(0)黄 12s	(6)20°46'17".4N,111°36'59".5E
	(Q7)  莫(0)黄 12s	(7)20°45'44".8N,111°35'36".6E
	(Q8)  莫(0)黄 12s	(8)20°45'07".3N,111°34'00".9E
	(Q9)  莫(0)黄 12s	(9)20°44'29".7N,111°32'25".2E
	青洲七风电(Q10)  莫(0)黄 12s	(10)20°43'51".6N,111°30'37".3E
	(Q11)  莫(0)黄 12s	(11)20°43'13".5N,111°28'49".4E
	(Q12)  莫(0)黄 12s	(12)20°42'35".5N,111°27'01".9E
	(Q13)  莫(0)黄 12s	(13)20°44'09".6N,111°27'01".9E
	(Q14)  莫(0)黄 12s	(14)20°45'30".7N,111°27'01".9E

(Q15)  莫(0)黄12s

(15) 20°47'04".8N, 111°27'01".9E

(Q16)  莫(0)黄12s

(16) 20°48'38".9N, 111°27'01".9E

(Q17)  莫(0)黄12s

(17) 20°50'13".0N, 111°27'01".9E

(Q18)  莫(0)黄12s

(18) 20°51'47".1N, 111°27'01".9E

Chart 87001(6~18)[2025-231]

3315(2,4,7,9,12,15,17)(1,3,5with chart unchanged)[2025-354]

List of Lights CNP83/2024~2025[7710022.01][7710022.02][7710022.03][7710022.04]

[7710022.05][7710022.06][7710022.07][7710022.08][7710022.09]

[7710023.10][7710023.11][7710023.12][7710023.13][7710023.14]

[7710023.15][7710023.16][7710023.17][7710023.18]

Source Guangzhou Aids 012&013/2025

503.South China Sea, Beibu Gulf – Hainan Island and Approaches – Recommended Track

Insert coastal route around hainan island, joining:

(1) 20°06'42".0N, 109°48'38".0E

(2) 20°05'56".7N, 109°43'40".0E

(88001 西图廓交点)

(3) 20°01'10".0N, 109°12'15".0E

(4) 19°55'20".0N, 109°06'32".9E

(04401 北图廓交点)

(5) 19°48'25".0N, 108°59'47".3E

(04001 北图廓交点)

(6) 19°43'10".6N, 108°54'40".0E

(04401 西图廓交点)

(7) 19°38'34".4N, 108°50'10".0E

(04002 西图廓交点)

(8) 19°20'00".0N、108°32'00".8E

(3317 北图廓交点)

(9) 19°16'00".0N、108°28'06".3E

(3316 南图廓交点)

(10) 19°03'36".9N、108°16'00".0E

(3317 西图廓交点)

(11) 18°58'30".0N, 108°11'00".0E

(12)18°54'50".0N,108°11'00".0E

(03002北图廓交点)

(13)18°51'50".0N,108°11'00".0E

(04001南图廓交点)

(14)18°34'28".0N,108°11'00".0E

(15)18°31'21".5N、108°16'00".0E

(3317西图廓交点)

(16)18°04'00".0N,109°00'00".0E

(17)18°04'00".0N,109°20'30".0E

(03001西图廓交点)

(18)18°04'00".0N,109°30'35".0E

(03002东图廓交点)

(19)18°04'00".0N,109°42'18".0E

(20)18°33'30".0N,110°31'40".0E

(21)18°40'00".0N,110°35'52".1E

(02001南图廓交点)

(22)18°50'00".0N,110°42'19".9E

(03001北图廓交点)

(23)19°16'00".0N,110°59'08".3E

(3315南图廓交点)

(24)19°20'00".0N、111°01'43".4E

(3317北图廓交点)

(25)19°26'40".0N,111°06'02".0E

(26)19°50'00".0N,111°08'30".0E

(27)19°55'25".0N,111°07'37".1E

(88001南图廓交点)

(28)20°00'00".0N,111°06'52".3E

(02001北图廓交点)

(29)20°15'23".0N,111°04'22".0E

western land sea new corridor(yanpu port to
beibu gulf port)route, joining:

(30)20°30'00".0N,108°34'10".3E

(31)20°12'11".0N,108°50'10".0E

	(04002 西图廓交点)
	(32) 19°55'49".4N, 109°04'51".2E
western land sea new corridor (beibu gulf port	
to southeast asian countries) route, joining:	(33) 18°34'28".0N, 108°09'26".0E
	(34) 18°51'50".0N, 108°09'26".0E
	(04001 南图廓交点)
	(35) 18°54'50".0N, 108°09'26".0E
	(03002 北图廓交点)
	(36) 19°16'00".0N, 108°09'26".0E
	(3316 南图廓交点)
	(37) 19°48'25".0N, 108°09'26".0E
	(04001 北图廓交点)
	(38) 20°07'50".0N, 108°09'26".0E
Note:	Chinese version only.
Chart	88001 (1, 2; 27, 29) [2025-354] 02001 (21, 25, 26, 28) [2024-1265]
	03001 (17, 19, 20, 22) [2024-1207] 03002 (12, 14, 16, 18; 33, 35) [2025-35]
	04001 (5, 11, 13; 34, 37) [2025-267] 04002 (1, 3, 7; 31, 32) [2024-934]
	04401 (4, 6) [2025-] 3315 (23, 25, 26, 29) [2025-502]
	3316 (1, 3, 9; 30, 32; 36, 38) [2025-173]
	3317 (8, 10; 15, 16, 19, 20, 24) [2025-36]
Source	Hainan MSA 003/2025

504. South China Sea, Beibu Gulf – Hainan Island and Approaches – Recommended Track

Insert	xiuying port entry and exit route, joining:	(1) 20°09'06".0N, 110°15'20".5E
		(2) 20°07'00".0N, 110°15'27".0E
	sanya harbour E entry and exit route, joining:	(3) 18°11'47".4N, 109°27'13".7E
		(4) 18°05'33".0N, 109°29'45".7E
	sanya harbour W entry and exit route, joining:	(5) 18°11'47".0N, 109°22'04".1E
		(6) 18°05'30".8N, 109°18'06".1E
	sanya hongtang harbour entry and exit route,	
	joining:	(7) 18°16'13".8N, 109°14'06".7E
		(8) 18°13'02".3N, 109°11'49".2E

(9) 18°05'28".7N, 109°14'18".4E

sanya nanshan harbour E entry and exit route,
 joining: (10) 18°16'00".0N, 109°09'04".0E
 (11) 18°05'29".4N, 109°11'24".3E

sanya nanshan harbour W entry and exit route,
 joining: (12) 18°15'36".0N, 109°02'27".0E
 (13) 18°09'33".0N, 108°53'53".4E

ledong entry and exit route, joining: (14) 18°27'55".8N, 108°36'43".2E
 (15) 18°24'20".5N, 108°30'27".0E

lingshui xincun port entry and exit route,
 joining: (16) 18°24'18".0N, 109°57'13".0E
 (17) 18°22'25".0N, 109°56'43".0E
 (18) 18°17'05".0N, 110°01'15".6E

basuo port W entry and exit route, joining: (19) 19°05'13".1N, 108°19'39".8E
 (20) 19°03'23".5N, 108°24'22".0E

basuo port N entry route, joining: (21) 19°11'29".8N, 108°25'48".4E
 (22) 19°07'31".5N, 108°28'12".7E

basuo port gaopai harbour entry and exit route,
 joining: (23) 18°54'37".4N, 108°24'23".8E
 (24) 18°45'59".9N, 108°12'34".8E

changjiang river course entry and exit route,
 joining: (25) 19°21'15".6N, 108°35'20".7E
 (26) 19°20'08".4N, 108°37'55".4E

entry and exit route, joining: (27) 19°32'44".1N, 108°46'33".1E
 (28) 19°29'20".0N, 108°50'30".1E

yangpu harbour N entry and exit route, joining: (29) 19°52'25".9N, 109°05'51".4E
 (30) 19°42'17".5N, 109°05'51".4E

yangpu harbour S entry and exit route, joining: (31) position (30) above
 (32) 19°33'16".8N, 108°47'05".2E

yangpu harbour W entry and exit route, joining: (33) 19°44'05".2N, 108°57'38".2E
 (34) 19°44'05".2N, 109°05'51".4E

yangpu shentou harbour entry and exit route,	
joining:	(35)20°00'55".0N,109°20'33".4E
	(36)19°46'57".5N,109°05'49".6E
houshuiwan (qiongzhou ro-ro passenger ship)	
sheltered anchorage entry and exit route, joining:	(37)19°58'36".7N,109°18'06".2E
	(38)19°54'33".8N,109°23'54".7E
jinpai port entry and exit route, joining:	(39)20°05'07".3N,109°48'13".9E
	(40)20°01'27".0N,109°48'15".0E
qinlan port N entry and exit route, joining:	(41)19°37'20".5N,111°05'38".7E
	(42)19°29'26".2N,110°54'24".5E
qinlan port S entry and exit route, joining:	(43)19°27'37".0N,110°52'11".0E
	(44)19°16'51".3N,110°57'54".0E
longwan port entry and exit route, joining:	(45)19°17'30".5N,110°40'48".0E
	(46)19°15'32".8N,110°57'03".6E
wuchang entry and exit route, joining:	(47)18°44'11".0N,110°29'14".0E
	(48)18°38'18".7N,110°32'58".3E
puqian port entry and exit route, joining:	(49)20°08'48".0N,110°30'09".0E
	(50)20°05'19".0N,110°30'45".0E
S channel to circumnavigation route connecting	
segment route, joining:	(51)20°04'05".5N,110°57'56".2E
	(52)20°02'34".8N,111°04'50".2E

Note: Chinese version only.

Chart	88001(39,40;51,52)(with chart unchanged)[2025-503]
	01102(49,50;51,52)(with chart unchanged)[2025-354]
	01103(1,2)(with chart unchanged)[2025-281]
	01104(1,2)(with chart unchanged)[2024-833]
	01201(49,50)(with chart unchanged)[2021-934]
	02001(41,42;43,44;45,46)(with chart unchanged)[2025-503]
	02101(43,44)(with chart unchanged)[2025-176]
	02201(45,46)(with chart unchanged)[2024-909]
	02501(47,48)(with chart unchanged)[2024-910]
	03001(3,4;5,6;16~18)(with chart unchanged)[2025-503]

03002(3,4;5,6;7~9;10,11;12,13;14,15;23,24)(with chart unchanged)
 [2025-503]

03101(16~18)(with chart unchanged)[2024-837]

03201(3,4;5,6)(with chart unchanged)[2024-]

03301(7~9;10,11)(with chart unchanged)[2024-838]

04001(19,20;21,22;23,24;25,26;27,28;31,32;35,36)(with chart unchanged)
 [2025-503]

04002(31,32;35,36;37,38;39,40)(with chart unchanged)[2025-503]

04201(25,26)(with chart unchanged)[2022-1329]

04401(29,30;31,32;33,34;35,36)(with chart unchanged)[2025-503]

04402(29,30;31,32;33,34)(with chart unchanged)[2025-282]

04404(29,30;35,36)(with chart unchanged)[2024-]

04501(37,38)(with chart unchanged)[2024-609]

Source Hainan MSA 003/2025

Temporary Notices

505.Yellow Sea – Zhangzi Island – Construction (T)

Date April 25 to December 31, 2025

Area area1, joining: (1)39°02'07".2N,122°43'57".6E
 (2)39°02'15".0N,122°43'46".2E
 (3)39°02'22".8N,122°43'47".4E
 (4)39°02'27".6N,122°43'52".2E
 (5)39°02'17".4N,122°44'08".4E
 (6)position (1) above
 area2, joining: (7)39°02'23".4N,122°43'31".2E
 (8)39°02'23".4N,122°43'38".4E
 (9)39°02'24".0N,122°43'42".0E
 (10)39°02'29".2N,122°43'42".6E
 (11)39°02'35".4N,122°43'28".8E
 (12)39°02'28".8N,122°43'24".6E
 (13)39°02'28".2N,122°43'28".2E
 (14)position (7) above
 area3, joining: (15)39°02'14".4N,122°43'20".4E
 (16)39°02'13".8N,122°43'36".0E
 (17)39°02'18".6N,122°43'39".0E
 (18)39°02'22".8N,122°43'28".2E
 (19)39°02'19".8N,122°43'22".8E
 (20)39°02'19".8N,122°43'20".4E
 (21)position (15) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.

Chart 12201

Source Dalian Navigation Notice 0174/2025

Blank Page

506. Bohai Sea – Liaodong Gulf – Drilling (T)

Date April 29 to December 31, 2025
Area radius 500m, central point 39°56'09".0N, 120°49'34".2E
Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.
Chart 12003
Source Dalian Navigation Notice 0178/2025

507. Yellow Sea – Lianyungang Port – Construction (T)

Date April 18, 2025 to April 16, 2026
Area joining:
(1) 34°37'08".6N, 119°37'51".6E
(2) 34°37'09".8N, 119°37'53".0E
(3) 34°37'10".0N, 119°37'53".3E
(4) 34°37'31".6N, 119°38'18".5E
(5) 34°37'52".9N, 119°38'43".4E
(6) 34°37'53".2N, 119°38'43".8E
(7) 34°37'53".7N, 119°38'44".1E
(8) 34°37'54".0N, 119°38'45".1E
(9) 34°37'54".3N, 119°38'45".1E
(10) 34°37'55".0N, 119°38'45".9E
(11) 34°38'09".0N, 119°38'47".0E
(12) 34°38'21".5N, 119°38'31".4E
(13) 34°38'21".0N, 119°38'30".8E
(14) 34°38'20".0N, 119°38'29".7E
(15) 34°37'27".4N, 119°37'28".1E
(16) position (1) above
Note: Irrespective vessels are prohibited from entering the safety operation zone.
Chart 41321
Source Lianyungang Navigation Notice 0082/2025

Blank Page

508.East China Sea – Zhoushan Archipelago – Yangshan Deep Water Harbour –
Surveying(T)

Date April 18 to December 31, 2025, 06:00~18:00

Area area1, joining: (1)30°37'44".2N,122°01'55".7E
(2)30°36'51".0N,122°03'08".8E
(3)30°36'55".2N,122°03'13".0E
(4)30°35'55".5N,122°04'35".1E
(5)30°35'48".4N,122°05'05".7E
(6)30°36'09".9N,122°05'23".8E
(7)30°37'03".1N,122°04'00".4E
(8)30°38'13".2N,122°02'23".9E
(9)position (1) above
area2, joining: (10)30°35'57".4N,122°05'51".2E
(11)30°36'14".4N,122°05'52".8E
(12)30°36'27".0N,122°05'56".6E
(13)30°36'33".4N,122°05'54".9E
(14)30°36'41".6N,122°06'03".5E
(15)30°36'49".1N,122°05'59".4E
(16)30°36'45".4N,122°05'48".3E
(17)30°36'38".2N,122°05'42".2E
(18)30°36'26".3N,122°05'45".4E
(19)30°36'24".4N,122°05'45".3E
(20)30°36'06".7N,122°05'35".4E
(21)position (10) above

Note: Keep watching on VHF ch.13.

Chart 52152

Source Shanghai Navigation Notice 0289/2025

509.East China Sea – Hainan Island – Longwan Port – Submerged Pipeline

Date April 11 to November 30, 2025, day and night

Area area1, joining: (1)19°18'14".2N,110°38'59".9E
(2)19°18'26".0N,110°38'06".6E

Blank Page

	(3)19°18'12".5N,110°38'02".8E
	(4)19°18'00".8N,110°38'57".0E
	(5)position (1) above
area2, joining:	(6)19°18'52".0N,110°39'06".5E
	(7)19°18'41".1N,110°39'01".6E
	(8)19°18'07".8N,110°39'01".7E
	(9)19°18'07".9N,110°39'15".9E
	(10)19°18'40".0N,110°39'15".5E
	(11)19°18'48".2N,110°39'19".4E
	(12)position (6) above
area3, joining:	(13)19°18'53".2N,110°39'56".1E
	(14)19°18'43".3N,110°40'01".0E
	(15)19°18'41".3N,110°40'04".6E
	(16)19°18'32".2N,110°40'13".0E
	(17)19°18'13".6N,110°40'17".5E
	(18)19°18'11".0N,110°40'03".3E
	(19)19°18'31".4N,110°39'58".1E
	(20)19°18'50".7N,110°39'48".8E
	(21)position (13) above

Chart 02201

Source Qinglan Navigation Notice 0137/2025

510.Beibu Gulf – Weizhou Island Southwestwards – Driling(T)

Date April 18, 2025 to January 10, 2026

Area radius 500m, central point 20°53'42".9N,108°43'24".4E

Note: Keep watching on VHF ch.16&09.

Chart 92001

Source Qinzhou Navigation Notice 0304/2025

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.