



NOTICES TO MARINERS

Issue No.47(Total No.1206)

Notice No.1169-1194

18 November 2024

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Marine Chart Press Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office: E-mail: hedd@tjmsa.gov.cn
Phone: +86(0)22 58873986 Fax: +86(0)22 58873988

Shanghai Marine Chart Press Center: E-mail: gztg@shchart.cn
Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997

Guangdong MSA Survey and Mapping Office: E-mail: hemail@gdmsa.gov.cn
Phone: +86(0)20 89320335 Fax: +86(0)20 89320336

China MSA Nautical Charts&Books Publisher: Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023.
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (′) and seconds (″), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	33323	FAIRWAY OF WEIFANG PORT(I)	1:20 000	2024年10月第3版	CHECK NTM FROM ISSUE No.44 2024
2	35156	HAODANGJIA PORT AND APPROACHES	1:15 000	2024年10月第3版	CHECK NTM FROM ISSUE No.44 2024
3	35157	ZHANGJIABU PORT AND APPROACHES	1:15 000	2024年10月第2版	CHECK NTM FROM ISSUE No.45 2024
4	84102	YANTIAN HARBOUR	1:10 000	2024年10月第17版	CHECK NTM FROM ISSUE No.43 2024
5	04404	SHENTOU HARBOUR	1:15 000	2024年10月第7版	CHECK NTM FROM ISSUE No.44 2024

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	33323	FAIRWAY OF WEIFANG PORT(I)	1:20 000	2023年10月第2版	
2	35156	HAODANGJIA PORT AND APPROACHES	1:15 000	2020年10月第2版	
3	35157	ZHANGJIABU PORT AND APPROACHES	1:15 000	2020年11月第1版	
4	84102	YANTIAN HARBOUR	1:10 000	2023年9月第16版	
5	04404	SHENTOU HARBOUR	1:15 000	2024年1月第6版	

2,Marine Information

1.Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Tangshan Port	(1169)
	Tianjing Port	(1187)
	Dongying Port	(1188)
Yellow Sea	Rushan Port	(1189)
	Chaolian Island Northwards	(1190)
	Qingdao Port	(1191)
	Lüsi Port Northeastwards	(1170)
East China Sea	Changjiangkou and Approaches	(1171)
	Hangzhou Gulf	(1172),(1173)
	Zhoushan Archipelago	(1174),(1192)
	Xiangshan Port	(1175),(1176)
	Sanmen Bay and Approaches	(1177),(1178)
	Xuanmen Bay and Approaches	(1179)
	Qingchuan Bay Southwards	(1193)
	Baima Port	(1180)
Taiwan Strait	Meizhou Bay	(1181)
	Approaches to Xiamen Island	(1194)
	Futou Bay Eastwards	(1182)
	Chaozhou Port and Approaches	(1183),(1184)
Beibu Gulf	Anpu Port and Approaches	(1185)
	Qinzhou Port	(1186)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
22001	1169	
22111	1169	
23114		1187
33301		1188
35166		1189
36001		1190
36122		1190
36144		1191
36145		1191
44001	1172	
44126	1171	
51001	1172,1173,1174	
51131	1172,1173	
51171	1172,1173	
52001	1172,1173,1174	
52135	1174	
52173	1174	
53001	1175	
53342	1175	1192
53343	1175,1176	
53452	1177,1178	
54001	1177,1178	
54531	1179	
54631	1179	
55001	1179	
61251		1193
61321	1180	
61352	1180	
63111	1181	
63131	1181	
65111		1194
66001	1182	
2307	1170	
2308	1172,1173	
2309	1179	
2312	1182	

Notices to Mariners

1169. Bohai Sea – Tangshan Port – Jingtang Harbour – Dumping Area

Insert the dumping area boundary line and note
"临时倾倒区", radius 0.5km, central point 39°03'36".0N, 119°06'01".8E

Chart 22001〔2024-1146〕 22111〔2024-1104〕

Source MEE 008/2021

1170. Yellow Sea – Lüsi Port Northeastwards – Wreck


Insert 概位: 数据报(2024) 32°17'N, 123°00'E


Note: The wreck is a fishing vessel, 40m long.


Chart 2307〔2024-1087〕

Source Shanghai Navigation Warning 0777/2024

1171. East China Sea – Changjiangkou and Approaches – Baoshan South Fairway – Lightbeacon

Amend from: (石电警1)  莫(C)黄 12s7.3m3M (1) 31°28'29".9N, 121°24'41".7E

to: (石电警1)  莫(C)黄 12s11m3M AIS (2) 31°28'30".8N, 121°24'42".0E

from: (警2)  莫(C)黄 15s7.4m3M (3) 31°28'32".3N, 121°24'41".7E


to: (警2)  莫(C)黄 15s11m3M (4) 31°28'33".2N, 121°24'42".0E

Chart 44126(1,2)(3,4 with chart unchanged)〔2024-〕

List of Lights CNP82/2024~2025〔4511680.01〕〔4511680.02〕

Source East China Sea Aids 020/2024

1172. East China Sea – Hangzhou Gulf – Lingang Main Fairway Westwards – Submarine Power Line

Insert submarine power line named "220KV", joining: (1) 30°45'20".4N, 121°48'28".5E

(2) 30°46'00".8N, 121°47'30".4E

(3) 30°46'01".0N, 121°47'28".2E

(4) 30°46'07".6N, 121°47'20".9E

(5) 30°47'05".0N, 121°45'57".5E

- (6)30°47'08".6N,121°45'57".0E
- (7)30°47'12".2N,121°45'57".2E
- (8)30°48'00".0N,121°45'56".6E
- (44001 南图廓交点)
- (9)30°50'53".2N,121°45'54".8E
- (10)30°50'53".5N,121°45'54".8E
- (11)30°50'53".8N,121°45'54".7E

Chart 44001(8~10)[2024-1089] 51001(1~7,9~10)[2024-1148]
 51131(1~7,9~10)[2024-797] 51171(1~7,9~10)[2024-1148]
 52001(1~7,9~10)[2024-1147] 2308(1~7,9~11)[2024-1147]

Source Hydrography Department Shanghai MSA

1173.East China Sea – Hangzhou Gulf – Lingang Main Fairway Westwards – Windmotor & Offshore Platform & Offshore Production Area

- | | | |
|--------|--|---|
| Insert | <ul style="list-style-type: none"> ┆ ┆ ┆ ┆ ┆ ┆ ┆ ┆ ┆ ┆ ┆ ┆ ┆ ┆ ┆ ┆ ┆ ┆ | <ul style="list-style-type: none"> (1)30°45'50".0N,121°48'25".1E (2)30°45'54".1N,121°48'46".5E (3)30°45'58".2N,121°49'07".9E (4)30°46'02".3N,121°49'29".4E (5)30°46'06".4N,121°49'50".8E (6)30°44'42".6N,121°48'29".8E (7)30°44'47".4N,121°48'52".9E (8)30°44'52".3N,121°49'16".4E (9)30°44'57".1N,121°49'39".9E (10)30°45'01".9N,121°50'03".3E (11)30°43'35".2N,121°48'33".7E (12)30°43'39".7N,121°48'54".2E (13)30°43'44".1N,121°49'14".6E (14)30°43'48".6N,121°49'35".1E (15)30°43'53".0N,121°49'55".5E (16)30°43'57".5N,121°50'15".9E (17)30°46'34".4N,121°45'44".4E (18)30°46'37".6N,121°46'09".1E |
|--------|--|---|

┆	(19)30°45'35".4N,121°45'50".3E
┆	(20)30°45'41".4N,121°46'28".0E
┆	(21)30°45'47".5N,121°47'05".7E
┆	(22)30°44'36".3N,121°45'56".2E
┆	(23)30°44'43".5N,121°46'34".6E
┆	(24)30°44'50".7N,121°47'12".9E
┆	(25)30°43'37".4N,121°46'02".2E
┆	(26)30°43'43".0N,121°46'28".1E
┆	(27)30°43'48".5N,121°46'54".2E
┆	(28)30°43'53".9N,121°47'20".2E
┆	(29)30°42'51".4N,121°46'06".7E
┆	(30)30°42'44".7N,121°46'34".5E
┆	(31)30°42'50".9N,121°47'00".9E
┆	(32)30°42'57".2N,121°47'27".4E
(升压站)◻	(33)30°45'20".4N,121°48'28".5E

maritime limit in general and note "Wind Power

Plant Conservation Area", joining:

(34)position (17) above
(35)position (18) above
(36)position (21) above
(37)position (1) above
(38)position (5) above
(39)position (16) above
(40)position (11) above
(41)position (32) above
(42)position (30) above
(43)position (29) above
(44)position (17) above

Chart 51001(1,5,6,10,11,13,16~19,21,22,24,25,28~30,32,33;34~44)[2024-1172]
51131[2024-1172] 51171[2024-1172]
52001(1,5,6,10,11,13,16~19,21,22,24,25,28~30,32,33;34~44)[2024-1172]
2308(1,5,10,11,16~19,21,22,25,29,32,33;34~44)[2024-1172]

Source Hydrography Department Shanghai MSA

1174.East China Sea – Zhoushan Archipelago – Daishan Island Southwards – Lightbeacon

Insert (污排3) $\begin{matrix} \times \\ \downarrow \\ \star \\ \text{莫} \end{matrix}$ (C)黄12s16m4M 30°14'56".6N,122°08'27".6E

Chart 51001[2024-1173] 52001[2024-1173] 52135[2024-863] 52173[2024-997]

List of Lights CNP82/2024~2025[5311871.031]

Source East China Sea Aids 020/2024

1175.East China Sea – Xiangshan Port – Xiangshanganggonglu Bridge – Bridge Opening Mark

Amend from: (103) \boxtimes 定红 (1) 29°37'07".5N,121°48'47".0E
to: (103) \boxtimes 莫(P)黄12s3M 同步 (2) position (1) above
from: (104) \boxtimes 定红 (3) 29°37'07".0N,121°48'46".0E
to: (104) \boxtimes 莫(P)黄12s3M 同步 (4) position (3) above
from: (107) \boxtimes 定红 (5) 29°37'12".4N,121°48'43".7E
to: (107) \boxtimes 莫(P)黄12s3M 同步 (6) position (5) above
from: (108) \boxtimes 定红 (7) 29°37'11".7N,121°48'42".5E
to: (108) \boxtimes 莫(P)黄12s3M 同步 (8) position (7) above
from: (113) $\begin{matrix} \text{定绿} \\ \text{雷康(Q)} \\ \text{AIS} \end{matrix}$ (9) 29°37'25".3N,121°48'34".2E
to: (113) $\begin{matrix} \text{莫(A)6s3M 同步} \\ \text{雷康(Q)} \\ \text{AIS} \end{matrix}$ (10) position (9) above
from: (114) $\begin{matrix} \text{定绿} \\ \text{雷康(K)} \\ \text{AIS} \end{matrix}$ (11) 29°37'24".9N,121°48'33".0E
to: (114) $\begin{matrix} \text{莫(A)6s3M 同步} \\ \text{雷康(K)} \\ \text{AIS} \end{matrix}$ (12) position (11) above
from: (119) \boxtimes 定红 (13) 29°37'38".3N,121°48'24".8E
to: (119) \boxtimes 莫(P)黄12s3M 同步 (14) position (13) above
from: (120) \boxtimes 定红 (15) 29°37'37".8N,121°48'23".9E
to: (120) \boxtimes 莫(P)黄12s3M 同步 (16) position (15) above
from: (123) \boxtimes 定红 (17) 29°37'43".1N,121°48'21".4E
to: (123) \boxtimes 莫(P)黄12s3M 同步 (18) position (17) above
from: (124) \boxtimes 定红 (19) 29°37'42".5N,121°48'20".4E
to: (124) \boxtimes 莫(P)黄12s3M 同步 (20) position (19) above

Note: Chinese Version Only.

Chart 53001(9,10)[2024-1047] 53342(9,10)[2024-955]
53343(9,10,17~20)(1~8,11~16with chart unchanged)[2024-691]

List of Lights CNP82/2024~2025[5510530.03] [5510530.04] [5510530.07] [5510530.08]
[5510530.13] [5510530.14] [5510530.19] [5510530.20] [5510530.23] [5510530.24]

Source East China Sea Aids 020/2024

1176.East China Sea – Xiangshan Port – Baidungang Grand Bridge – Bridge Opening Mark

Amend from: (5) 固定绿 (1) 29°32'05".2N,121°49'52".4E
to: (5) 莫(A)6s3M 同步 (2) position (1) above
from: (6) 固定绿 (3) 29°32'04".9N,121°49'53".4E
to: (6) 莫(A)6s3M 同步 (4) position (3) above

Note: Chinese Version Only.

Chart 53343(3,4)(1,2with chart unchanged)[2024-1175]

List of Lights CNP82/2024~2025[5510590.05] [5510590.06]

Source East China Sea Aids 020/2024

1177.East China Sea – Sanmen Bay and Approaches – Ma'aomen – Bridge Opening Mark

Amend from: (5) 固定红 (1) 29°17'34".9N,121°47'01".6E
to: (5) 莫(P)黄12s3M 同步 (2) position (1) above
from: (6) 固定红 (3) 29°17'35".7N,121°47'01".3E
to: (6) 莫(P)黄12s3M 同步 (4) position (3) above
from: (9) 固定红 (5) 29°17'35".5N,121°47'04".1E
to: (9) 莫(P)黄12s3M 同步 (6) position (5) above
from: (10) 固定绿 (7) 29°17'36".3N,121°47'04".0E
to: (10) 莫(A)6s3M (8) position (7) above
from: (13) 固定绿 (9) 29°17'36".2N,121°47'07".4E
to: (13) 莫(A)6s3M (10) position (9) above
from: (14) 固定红 (11) 29°17'37".0N,121°47'07".2E
to: (14) 莫(P)黄12s3M 同步 (12) position (11) above
from: (17) 固定红 (13) 29°17'36".8N,121°47'10".0E
to: (17) 莫(P)黄12s3M 同步 (14) position (13) above
from: (18) 固定红 (15) 29°17'37".6N,121°47'09".7E
to: (18) 莫(P)黄12s3M 同步 (16) position (15) above

Note: Chinese Version Only.

Chart 53452(1~6)(with chart unchanged)[2024-828]

54001(7~16)(with chart unchanged)[2024-1071]

List of Lights CNP82/2024~2025[5511335.05] [5511335.06] [5511335.09] [5511335.10]

[5511335.13] [5511335.14] [5511335.17] [5511335.18]

Source East China Sea Aids 020/2024

1178.East China Sea – Sanmen Bay and Approaches – Shepan Island Northeastwards – Bridge Opening Mark

Amend	from: (5) <input checked="" type="checkbox"/> 定红	(1) 29°11'25".3N, 121°37'08".5E
	to: (5) <input checked="" type="checkbox"/> 莫(P)黄 12s3M 同步	(2) position (1) above
	from: (6) <input checked="" type="checkbox"/> 定红	(3) 29°11'26".2N, 121°37'07".9E
	to: (6) <input checked="" type="checkbox"/> 莫(P)黄 12s3M 同步	(4) position (3) above
	from: (9) <input checked="" type="checkbox"/> 定红	(5) 29°11'26".8N, 121°37'11".6E
	to: (9) <input checked="" type="checkbox"/> 莫(P)黄 12s3M 同步	(6) position (5) above
	from: (10) <input checked="" type="checkbox"/> 定绿	(7) 29°11'27".7N, 121°37'10".9E
	to: (10) <input checked="" type="checkbox"/> 莫(A)6s3M	(8) position (7) above
	from: (13) <input checked="" type="checkbox"/> 定绿	(9) 29°11'28".6N, 121°37'15".5E
	to: (13) <input checked="" type="checkbox"/> 莫(A)6s3M	(10) position (9) above
	from: (14) <input checked="" type="checkbox"/> 定红	(11) 29°11'29".5N, 121°37'14".9E
	to: (14) <input checked="" type="checkbox"/> 莫(P)黄 12s3M 同步	(12) position (11) above
	from: (17) <input checked="" type="checkbox"/> 定红	(13) 29°11'30".1N, 121°37'18".5E
	to: (17) <input checked="" type="checkbox"/> 莫(P)黄 12s3M 同步	(14) position (13) above
	from: (18) <input checked="" type="checkbox"/> 定红	(15) 29°11'31".0N, 121°37'18".0E
	to: (18) <input checked="" type="checkbox"/> 莫(P)黄 12s3M 同步	(16) position (15) above
	from: (5) <input checked="" type="checkbox"/> 定红	(17) 29°10'05".4N, 121°35'36".3E
	to: (5) <input checked="" type="checkbox"/> 莫(P)黄 12s3M 同步	(18) position (17) above
	from: (6) <input checked="" type="checkbox"/> 定红	(19) 29°10'05".9N, 121°35'35".2E
	to: (6) <input checked="" type="checkbox"/> 莫(P)黄 12s3M 同步	(20) position (19) above
	from: (9) <input checked="" type="checkbox"/> 定绿	(21) 29°10'07".3N, 121°35'37".4E
	to: (9) <input checked="" type="checkbox"/> 莫(A)6s3M 同步	(22) position (21) above
	from: (10) <input checked="" type="checkbox"/> 定绿	(23) 29°10'07".9N, 121°35'36".3E
	to: (10) <input checked="" type="checkbox"/> 莫(A)6s3M 同步	(24) position (23) above

from: (13) 定红 (25) 29°10'09".2N,121°35'38".4E
to: (13) 莫(P)黄12s3M 同步 (26) position (25) above
from: (14) 定红 (27) 29°10'09".7N,121°35'37".3E
to: (14) 莫(P)黄12s3M 同步 (28) position (27) above

Note: Chinese Version Only.

Chart 53452(7~10,21,22)(1~6,11~20,23~28with chart unchanged)[2024-1177]

54001(9,10,21,22)[2024-1177]

List of Lights CNP82/2024~2025[5511403.05][5511403.06][5511403.09][5511403.10]

[5511403.13][5511403.14][5511403.17][5511403.18][5511404.05]

[5511404.06][5511404.09][5511404.10][5511404.13][5511404.14]

Source East China Sea Aids 020/2024

1179.East China Sea – Xuanmen Bay and Approaches – Pishan Island Northwards – Buoyage

Delete (18) 莫(0)黄12s 同步 (1) 28°10'27".2N,121°31'22".3E
(19) 莫(0)黄12s 同步 (2) 28°08'35".7N,121°29'56".4E
(110) 莫(0)黄12s 同步 (3) 28°08'35".9N,121°28'55".1E
(111) 莫(0)黄12s 同步 (4) 28°10'27".7N,121°29'17".4E

Chart 54531(1,4)[2024-1048] 54631[2024-1048] 55001[2024-1050]

2309(1,3)[2024-1048]

List of Lights CNP82/2024~2025[5711442.08][5711442.09][5711442.10][5711442.11]

Source East China Sea Aids 020/2024

1180.East China Sea – Baima Port – Buoyage

Move (414) 闪(2)红6s from: (1) 26°46'51".4N,119°42'47".4E
to: (2) 26°46'56".4N,119°42'49".4E

Chart 61321[2024-1127] 61352[2024-1127]

List of Lights CNP82/2024~2025[6111130]

Source East China Sea Aids 020/2024

1181.Taiwan Strait – Meizhou Bay – Xiuyu Harbour – Buoyage

Delete (33) 快绿 AIS (1) 25°11'24".6N,119°00'32".2E

Amend from: (801) 闪绿4s (2) 25°12'14".2N,118°59'57".8E









Insert	to: (A1)  闪绿4s	(3) position (2) above
	(702)  甚快(6)+长闪10s	(4) 25°11'40".6N, 119°00'36".0E
	(703)  闪绿4s	(5) 25°12'02".4N, 119°01'13".4E
	(704)  闪红4s	(6) 25°12'15".5N, 119°01'14".1E
	(33)  闪(2+1)绿6s	(7) 25°11'33".2N, 119°00'24".2E
	(705)  快绿	(8) 25°12'34".9N, 119°01'49".0E
	(801)  快绿	(9) 25°12'30".3N, 119°00'58".8E
	(802)  快红	(10) 25°12'44".3N, 119°00'57".2E

Chart 63111[2024-804] 63131[2024-804]


















List of Lights CNP82/2024~2025[6410820.33] [6410820.702] [6410820.703]

[6410820.704] [6410820.705] [6410820.801] [6410820.802] [6410900]

Source East China Sea Aids 020/2024

1182.Taiwan Strait – Futou Bay Eastwards – Windmotor & Offshore Platform & Offshore

Production Area

Insert	(1) 	(1) 23°56'51".0N, 118°13'25".7E
	(2) 	(2) 23°56'34".3N, 118°13'41".0E
	(3) 	(3) 23°56'17".8N, 118°13'56".1E
	(4) 	(4) 23°56'00".8N, 118°14'10".9E
	(5) 	(5) 23°55'44".6N, 118°14'26".4E
	(6) 	(6) 23°55'28".0N, 118°14'41".6E
	(7) 	(7) 23°56'35".8N, 118°12'51".9E
	(8) 	(8) 23°56'19".3N, 118°12'14".9E
	(9) 	(9) 23°56'04".0N, 118°12'43".2E
	(10) 	(10) 23°55'48".7N, 118°13'00".4E
	(11) 	(11) 23°55'31".9N, 118°13'17".6E
	(12) 	(12) 23°55'17".8N, 118°13'34".8E
	(13) 	(13) 23°55'02".3N, 118°13'52".0E
	(14) 	(14) 23°54'46".9N, 118°14'09".2E
	(15) 	(15) 23°56'00".6N, 118°11'35".5E
	(16) 	(16) 23°55'32".2N, 118°11'44".7E
	(17) 	(17) 23°55'18".9N, 118°12'02".5E

┆	(18)23°54'39".2N,118°12'56".1E
┆	(19)23°54'26".0N,118°13'13".9E
┆	(20)23°54'12".7N,118°13'31".8E
┆	(21)23°55'11".6N,118°10'25".2E
┆	(22)23°54'58".0N,118°10'46".4E
┆	(23)23°54'44".4N,118°11'07".6E
┆	(24)23°54'30".8N,118°11'29".2E
┆	(25)23°54'28".8N,118°11'55".6E
┆	(26)23°54'03".7N,118°12'11".3E
┆	(27)23°53'49".3N,118°12'33".7E
┆	(28)23°53'37".3N,118°12'52".9E
(升压站)◻	(29)23°55'36".0N,118°11'08".4E

maritime limit in general and note "Wind Power
Plant Conservation Area", joining:

- (30)position (21) above
- (31)position (15) above
- (32)position (8) above
- (33)position (1) above
- (34)position (6) above
- (35)position (14) above
- (36)position (28) above
- (37)position (21) above

Chart 66001〔2024-1131〕2312(1,4,6,8,20,21,24,28,29;30~37)〔2024-1131〕

Source Hydrography Department Shanghai MSA

1183.Taiwan Strait – Chaozhou Port and Approaches – Reef & Shallow Depth

Delete	3 ₉ 石	(1)23°35'43".0N,117°10'29".3E
	3 ₄	(2)23°35'53".3N,117°10'25".6E
	3 ₄	(3)23°35'52".9N,117°10'24".9E
	9 ₃ 岩	(4)23°29'45".0N,117°07'58".8E
	10 ₈ 石	(5)23°27'40".0N,117°08'57".0E
	1 ₆ 石 及等深线	(6)23°32'52".9N,117°04'20".4E

	1 ₆ 石	(7)position (6) above
Insert	4 ₂ 石	(8)23°35'43".4N,117°10'29".7E
	3 ₄ 石	(9)23°35'53".2N,117°10'25".6E
	9 ₇ 岩	(10)23°29'45".1N,117°07'58".6E
	10 ₇ 石	(11)23°27'39".4N,117°08'57".0E
	7 ₈ 岩 及危险线	(12)23°27'49".4N,117°08'52".8E
	7 ₇ 岩 及危险线	(13)23°27'47".0N,117°08'54".5E
	7 ₇ 岩	(14)position (13) above
	3 ₆ 石 及等深线	(15)23°35'48".6N,117°10'24".7E
	4 ₄ 石 及等深线	(16)23°35'46".8N,117°10'22".6E
	8 ₄ 石	(17)23°27'29".9N,117°09'03".1E
	5 ₁	(18)23°29'21".4N,117°09'40".8E
Chart	81001(2,5,6;9,11,14,17,18)[2024-1151]	
	81101(1,2,5,6;8,9,11,13,16~18)[2024-1151]	
	81102(1,2,4,5;8~13,15~18)[2024-105] 81103(6)[2022-]	
	81105(4;10)[2024-417] 3313(3,7;9,14,17,18)[2024-1151]	
Source	Guangzhou Hydrographic Center	

1184.Taiwan Strait – Chaozhou Port and Approaches – Fairway

Insert	Jinshiwan harbour main fairway	
	middle line, joining:	(1)23°28'07".1N,117°11'34".4E (2)23°30'15".9N,117°09'15".0E
Insert	Jinshiwan harbour main fairway	
	west boundary line, joining:	(3)23°28'03".8N,117°11'30".8E (4)23°29'32".1N,117°09'55".2E (5)23°29'40".4N,117°09'46".3E (6)23°30'12".8N,117°09'11".2E (7)23°30'16".5N,117°09'10".2E
	Jinshiwan harbour main fairway	
	east boundary line, joining:	(8)23°28'10".4N,117°11'37".9E (9)23°30'19".1N,117°09'18".7E

Jinshiwan harbour branch fairway
middle line, joining: (10)position (2) above
(11)23°33'54".9N,117°08'11".6E

Jinshiwan harbour branch fairway
west boundary line, joining: (12)23°30'27".1N,117°09'07".1E
(13)23°33'53".9N,117°08'07".2E















Jinshiwan harbour branch fairway
east boundary line, joining: (14)position (9) above
(15)23°33'56".0N,117°08'15".9E

Note: Delete the former navigation line and note approaches to position (1)~(2).
(1)~(2) fairway orientation is 315°~135°.
(10)~(11) fairway orientation is 345°~165°.

Chart 81001(1,2;10,11)[2024-1183] 81101(1,2;10,11)[2024-1183]
81102(1,2;3,4;5~7;8,9;12,13;14,15)[2024-1183]

Source Chaozhou Navigation Notice 490/2024

1185.Beibu Gulf – Anpu Port and Approaches – Buoyage

Delete	龙头沙(1)  闪红4s	(1)21°24'02".9N,109°44'40".6E
	(2)  闪(3)绿10s	(2)21°25'09".3N,109°46'18".2E
	(3)  闪(2)红6s	(3)21°26'25".3N,109°47'11".0E
	(4)  闪绿4s	(4)21°27'06".8N,109°47'17".3E
Insert	龙头沙(1)  闪红4s	(5)position (1) above
	(2)  闪(3)绿10s	(6)position (2) above
	(3)  闪绿4s	(7)21°25'56".0N,109°46'55".8E
	(4)  闪(2)红6s	(8)21°26'14".6N,109°47'00".6E
	(5)  闪(3)红10s	(9)21°26'37".4N,109°47'12".5E
	(6)  闪绿4s	(10)21°26'53".1N,109°47'18".0E
	(7)  闪(2)红6s	(11)21°27'09".3N,109°47'12".9E
	(8)  闪(3)绿10s	(12)21°27'39".5N,109°47'08".3E
	(9)  闪(3)红10s	(13)21°27'39".8N,109°47'01".7E
	(10)  闪绿4s	(14)21°28'01".0N,109°47'18".7E

(11)  网红4s
会工

(15) 21°28'04".4N, 109°47'13".2E

Chart 88601[2024-] 91001(1~4;5,6,8,10,15)[2024-1096]

List of Lights CNP83/2024~2025[7812880.01][7812880.02][7812880.03][7812880.04]
[7812881.01][7812881.02][7812881.03][7812881.04][7812881.05]
[7812881.06][7812881.07][7812881.08][7812881.09][7812881.10]
[7812881.11]

Source Western Guangdong Waterway Notice 060/2024

1186.Beibu Gulf – Qinzhou Port – Legou Island Southwards – Reef

Delete  (1) 21°42'48".5N, 108°35'16".2E




(2) position (1) above

Insert  (3) 21°42'48".6N, 108°35'16".3E

Chart 92001(1;3)[2024-1028] 92101(1;3)[2024-979] 92104(1;3)[2023-]
92107(2;3)(with chart unchanged)[2024-978]

Source Guangzhou Hydrographic Center

Temporary Notices

1187.Bohai Sea – Tianjin Port – Dredging(T)

Delete the temporary notices No.912 in Issue No.34 2024.

Chart 23114

Source Beijiang Navigation Notice 074&120/2024

1188.Bohai Sea – Dongying Port – Guangli Harbour Northwards – Construction(T)

Delete the temporary notices No.917 in Issue No.34 2024.

Chart 33301

Source Dongying Navigation Notice 635/2023, 490&816/2024

1189.Yellow Sea – Rushan Port – Construction(T)

Date September 30, 2024 to March 25, 2025, 06:00~22:00

Area joining: (1)36°46'54".2N,121°28'44".0E
(2)36°46'43".0N,121°28'44".0E
(3)36°46'42".6N,121°28'16".2E
(4)36°46'53".8N,121°28'16".2E
(5)position (1) above

Note: Keep watching on VHF ch.16.

Chart 35166

Source Weihai Navigation Notice 782/2024

1190.Yellow Sea – Chaoliandao Northwards – Construction(T)

Delete the temporary notices No.818 in Issue No.31 2024.

Chart 36001 36122

Source Qingdao Navigation Notice 391&800/2024

1191.Yellow Sea – Qingdao Port – Dongjiakou Harbour – Pier Construction(T)

Date October 9, 2024 to December 31, 2025

Area area 1,joining: (1)35°34'22".1N,119°46'59".8E

Blank Page

- area 2, joining:
- (2)35°34'16".2N,119°46'58".3E
 - (3)35°34'18".6N,119°47'02".7E
 - (4)35°34'27".8N,119°47'19".5E
 - (5)35°34'30".2N,119°47'23".8E
 - (6)35°34'31".3N,119°47'16".6E
 - (7)35°34'31".2N,119°47'16".4E
 - (8)35°34'32".6N,119°47'15".3E
 - (9)35°34'23".4N,119°46'58".6E
 - (10)position (1) above
 - (11)35°34'15".9N,119°46'58".3E
 - (12)35°34'16".2N,119°46'58".3E
 - (13)35°34'33".6N,119°47'30".1E
 - (14)35°34'17".1N,119°47'43".6E
 - (15)35°33'26".2N,119°47'07".4E
 - (16)35°32'56".6N,119°47'02".6E
 - (17)35°33'12".2N,119°46'57".4E
 - (18)35°33'08".3N,119°46'39".4E
 - (19)position (11) above

Note: Keep watching on VHF ch.12&67.
Chart 36144 36145
Source Dongjiakou Navigation Notice 792/2024

1192.East China Sea – Zhoushan Archipelago – Liuheng Island and Approaches –
 Pier Construction(T)

Date October 3, 2024 to October 1, 2025

- Area** joining:
- (1)29°47'09".8N,122°05'50".1E
 - (2)29°46'56".3N,122°05'58".9E
 - (3)29°47'14".3N,122°06'35".0E
 - (4)29°47'19".2N,122°06'30".2E
 - (5)29°47'25".2N,122°06'29".9E
 - (6)29°47'27".8N,122°06'26".1E
 - (7)position (1) above

Blank Page

Note: Keep watching on VHF ch.16. Irrespective vessels are prohibited from entering the safety operation zone.

Chart 53342

Source Zhoushan Navigation Notice 193/2024

1193.East China Sea – Qingchuan Bay Southwards – Approaches to Tiaoweidao –
Construction(T)

Date October 4, 2024 to September 23, 2025

Area joining:

- (1)27°02'12".2N,120°17'01".6E
- (2)27°02'08".0N,120°16'54".7E
- (3)27°01'58".9N,120°17'08".8E
- (4)27°02'06".5N,120°17'10".5E
- (5)27°02'11".2N,120°17'16".3E
- (6)27°02'16".0N,120°17'08".5E
- (7)27°02'26".4N,120°17'01".1E
- (8)27°02'23".4N,120°16'54".7E
- (9)position (1) above

Note: Irrespective vessels and facilities are prohibited from entering the safety operation area.

Chart 61251

Source Ningde Navigation Notice 039/2024

1194.Taiwan Strait – Approaches to Island – Aoguan Bay – Bridge Construction(T)

Date September 29, 2024 to September 25, 2026

Area area1, joining:

- (1)24°32'11".6N,118°02'32".0E
- (2)24°32'13".6N,118°02'37".1E
- (3)24°32'07".6N,118°02'52".2E
- (4)24°32'02".2N,118°02'59".0E
- (5)24°31'49".6N,118°03'11".2E
- (6)24°31'41".7N,118°03'14".6E
- (7)24°31'38".8N,118°03'09".7E
- (8)24°31'56".8N,118°02'57".2E
- (9)24°31'59".6N,118°02'55".7E

Blank Page

- (10) 24°32'03".8N, 118°02'50".5E
- (11) 24°32'06".6N, 118°02'41".5E
- (12) 24°32'06".8N, 118°02'38".1E
- (13) 24°32'06".1N, 118°02'31".7E
- (14) 24°32'07".6N, 118°02'30".8E
- (15) position (1) above
- area2, joining:
 - (16) 24°31'20".1N, 118°03'26".2E
 - (17) 24°31'20".3N, 118°03'27".3E
 - (18) 24°31'21".4N, 118°03'26".9E
 - (19) 24°31'23".7N, 118°03'25".6E
 - (20) 24°31'27".6N, 118°03'22".5E
 - (21) 24°31'27".4N, 118°03'20".8E
 - (22) 24°31'25".6N, 118°03'21".7E
 - (23) position (16) above
 - area3, joining:
 - (24) 24°31'16".8N, 118°03'28".3E
 - (25) 24°31'18".0N, 118°03'28".1E
 - (26) 24°31'17".7N, 118°03'27".7E
 - (27) 24°31'17".5N, 118°03'27".7E
 - (28) position (24) above

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 65111

Source Xiamen Navigation Notice 091/2024

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai Marine Chart Press Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.