



NOTICES TO MARINERS

Issue No.38(Total No.1250)

Notice No.853-877

22 September 2025

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Changxingdao	(869)
	Liaodong Gulf	(870)
	Haihe	(871),(872)
	Tianjin Port	(873)
	Binzhou Port	(874)
	Dongying Port	(875)
Yellow Sea	Approaches to Maya Island	(867)
	Dalian Port	(868)
	Approaches to Haiyang Port	(876)
	Qingdao Port	(877)
East China Sea	Changjiangkou and Approaches	(853)
	Zhoushan Archipelago	(854)
	Jiushan Islands Southeastwards	(855)
South China Sea	Dahao Island Eastwards	(856)
	Jieshi Bay and Approaches	(857),(858)
	Zhujiangkou	(859)
	Zhujiang River	(860)
	Tanjiang River	(861)
	Chuanshan Archipelago	(862)
	Nanpeng Islands Southwards	(863),(864)
	Shapa Southeastwards	(865)
Beibu Gulf	Qinzhou Bay	(866)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
12001		867
12201		867
12316		868
12318		868
12368		869
13001		870
23115		873
23123		871
23124		872
23133		873
24101		874
33325		875
35002		876
36001		876
36127		877
44001	853	
44128	853	
44129	853	
44173	853	
44174	853	
51001	854	
52001	854	
52133	854	
52134	854	
52172	853	
52173	854	
53001	855	
54001	855	
2308	853	
2309	855	
81001	856	
81101	856	
81201	856	
81203	856	
81204	856	
82001	857,858	

Notices to Mariners

853.East China Sea – Changjiangkou and Approaches – Nanciao Fairway – Shallow Depth

Delete	7 ₈	(1)31°02'29".0N,122°16'24".4E
	7 ₈	(2)position (1) above
	6 ₈	(3)31°08'29".5N,121°53'25".0E
	6 ₈	(4)position (3) above
	6 ₅	(5)31°07'42".6N,121°55'18".4E
	6 ₅	(6)31°07'45".1N,121°55'22".4E
	6 ₅	(7)position (6) above
	6 ₂	(8)31°07'34".4N,121°56'30".0E
	6 ₂	(9)position (8) above
	5 ₃	(10)31°06'28".5N,121°57'55".6E
	5 ₃	(11)position (10) above
	3	(12)31°05'08".4N,121°58'57".8E
	3	(13)position (12) above
	5 ₃	(14)31°05'15".7N,121°59'29".6E
	5 ₃	(15)position (14) above
	5	(16)31°07'42".5N,121°53'34".0E
Insert	6 ₇	(17)31°07'41".6N,121°55'19".1E
	6 ₇	(18)31°07'38".3N,121°55'22".3E
	6 ₇	(19)31°07'38".9N,121°55'26".2E
	7	(20)31°07'34".0N,121°56'29".6E
	3 ₈	(21)31°05'08".3N,121°58'58".4E
	5 ₂	(22)31°05'15".8N,121°59'29".5E
	4 ₄ 及等深线	(23)31°07'34".1N,121°53'41".0E
	4 ₄	(24)position (23) above
	3 ₃ 及等深线	(25)31°09'04".0N,121°57'06".9E
	5 ₁	(26)31°09'09".2N,121°57'09".6E
	3 ₈	(27)31°09'01".7N,121°57'21".8E
	5 ₈	(28)31°08'56".7N,121°57'32".5E

5 ₄	(29)31°09'01".7N,121°57'36".3E
5 ₇	(30)31°09'07".8N,121°57'40".8E
5 ₇	(31)31°09'03".3N,121°57'48".0E
5 ₈	(32)31°05'45".3N,121°59'52".1E
6 ₂	(33)31°03'19".7N,122°05'31".4E
6 ₅	(34)31°03'10".4N,122°06'04".4E
6 ₄	(35)31°03'03".1N,122°06'23".6E
6 ₃	(36)31°02'41".6N,122°07'09".9E
6 ₂	(37)31°02'34".0N,122°07'47".4E

Chart 44001(2,4,7,9,11,13,15,16;17,20~22,24,25,29,32)[2025-824]
44128(1;33~37)(with chart unchanged)[2025-824]
44129(3,5,6,8,10,12,14;17~23,25~36)(with chart unchanged)[2025-824]
44173(1,3,6,8,10,12,14;17,20~23,25,27,29,32,34,37)[2025-824]
44174(3;25,27,29)[2025-578] 52172(2;34,37)[2025-826]
2308(2,7,9,11,13,15;17,20,21)[2025-824]

Source Hydrography Department Shanghai MSA

854.East China Sea – Zhoushan Archipelago – Daishan Island Northeastwards –

Pilot Boarding Place

Delete  No.2 30°19'30".0N,122°17'30".0E
Chart 51001[2025-774] 52001[2025-774] 52133[2025-437] 52134[2025-408]
52173[2025-437]
Source MOT 030/2025

855.East China Sea – Jiushan Islands Southeastwards – Bomb

Insert  2炸弹 29°18'06"N,122°44'18"E
Chart 53001[2025-828] 54001[2025-683] 2309[2025-582]
Source NTM 2025-(30)-910

856.South China Sea – Dahao Island Eastwards – Lightbeacon

Insert 海上风电场(1)  莫(C)黄 15s16m5M (1)23°17'53".0N,117°05'00".3E
(2)  莫(C)黄 12s16m3M (2)23°16'53".4N,117°05'17".9E

(3)  莫(C)黄 15s16m5M AIS	(3) 23°16′09″.1N, 117°05′17″.8E
(4) ★ 莫(C)黄 12s16m3M	(4) 23°16′09″.1N, 117°04′13″.6E
(5)  莫(C)黄 12s16m3M AIS	(5) 23°16′09″.1N, 117°03′09″.5E
(6) ★ 莫(C)黄 12s16m3M	(6) 23°16′09″.1N, 117°01′43″.9E
(7) ★ 莫(C)黄 12s16m3M	(7) 23°16′09″.1N, 117°00′39″.9E
(8)  莫(C)黄 15s16m5M AIS	(8) 23°16′09″.1N, 116°59′35″.6E
(9)  莫(C)黄 15s16m5M AIS	(9) 23°16′53″.6N, 117°00′16″.0E
(10) ★ 莫(C)黄 12s16m3M	(10) 23°16′53″.6N, 117°01′44″.1E
(11)  莫(C)黄 15s16m5M AIS	(11) 23°16′53″.6N, 117°03′09″.7E
(12) ★ 莫(C)黄 12s16m3M	(12) 23°16′53″.6N, 117°04′24″.2E
(13) ★ 莫(C)黄 15s16m5M	(13) 23°17′53″.1N, 117°04′24″.6E
升压站 ★ 莫(C)黄 12s25m3M	(14) 23°16′36″.4N, 117°02′47″.4E
 定红 16m3M	(15) 23°14′15″.0N, 116°48′11″.3E

Chart 81001(1~3,5,8,9,11,14)[2025-705] 81101(1~14)[2025-347]

81201(8)[2025-551] 81203(15)[2025-463] 81204(15)[2024-363]

3313(1,8,14)[2025-749]

List of Lights CNP83/2024~2025[7110133.01][7110133.02][7110133.03][7110133.04]

[7110133.05][7110133.06][7110133.07][7110133.08][7110133.09]

[7110133.10][7110133.11][7110133.12][7110133.13][7110134][7110135]

Source Nanhai Aids 069/2025

857.South China Sea – Jieshi Bay and Approaches – Jinyu Eastwards – Aids

Delete (6)  莫(0)黄 12s AIS	(1) 22°42′16″.6N, 115°39′55″.0E
(7)  莫(0)黄 12s AIS	(2) 22°41′32″.6N, 115°39′13″.6E
(8)  莫(0)黄 12s AIS	(3) 22°41′32″.6N, 115°37′34″.5E
(9)  V-AIS	(4) 22°42′36″.8N, 115°38′02″.7E
(10)  V-AIS	(5) 22°42′36″.8N, 115°39′06″.1E
(11)  V-AIS	(6) 22°42′01″.8N, 115°38′02″.6E
(12)  V-AIS	(7) 22°42′01″.8N, 115°39′06″.0E

Chart 82001(1~3)[2025-705] 82302[2024-107] 82311(1~3,6,7)[2025-609]

List of Lights CNP83/2024~2025[7210140.061][7210140.071][7210140.081][7210140.09]

[7210140.10] [7210140.11] [7210140.12]

Source Nanhai Aids 063/2025

858.South China Sea – Jieshi Bay and Approaches – Baisha Peninsula Southwestwards –
Lightbeacon

Insert ★等明暗红 3s6.9m3M 22°42'50".9N,115°33'20".7E

Chart 82001〔2025-857〕 82302〔2025-857〕 82311〔2025-857〕

List of Lights CNP83/2024~2025[7210134]

Source Nanhai Aids 070/2025

859.South China Sea – Zhujiangkou – Jibaosha Northwards – Aids

Insert 鬼洲支航道(1)  闪(3)红 10s (1)22°43'50".9N,113°38'11".8E
(2)  闪(3)绿 10s (2)22°43'53".1N,113°37'50".2E
(3)  闪(3)红 10s (3)22°43'48".9N,113°37'47".4E
(4)  闪(3)红 10s (4)22°43'42".8N,113°37'20".7E
(智能院 1)  甚快(6)+长闪 10s (5)22°43'46".7N,113°37'20".1E
(2)  甚快(3)5s (6)22°43'43".4N,113°37'09".6E
★ 闪 5s10m3M (7)22°43'38".9N,113°37'17".9E
★ 闪 5s10m3M (8)22°43'38".2N,113°37'13".0E

Chart 84206(1,5,8)〔2025-724〕 84215〔2025-〕 84232〔2025-〕

List of Lights CNP83/2024~2025[7411031.01] [7411031.02] [7411031.03] [7411031.04]
[7411032.01] [7411032.02] [7411033] [7411034]

Source Nanhai Aids 062/2025

860.South China Sea – Zhujiang River – Nanhe Channel – Buoyage

Insert (89)  闪红 4s from: (1)23°04'24".2N,113°15'14".9E
to: (2)23°04'22".0N,113°15'15".3E
Insert 东沙(L1)  闪红 4s (3)23°03'37".1N,113°15'58".0E
(L2)  闪绿 4s (4)23°03'53".6N,113°15'53".3E
(L3)  闪红 4s (5)23°04'06".0N,113°15'34".1E
(L4)  闪绿 4s (6)23°04'08".2N,113°15'39".0E

Chart 84217(3~5)〔2025-663〕 84241〔2025-229〕

List of Lights CNP83/2024~2025[7412980][7412997.01][7412997.02][7412997.03]
[7412997.04]

Source Nanhai Aids 064/2025

861.South China Sea – Tanjiang River – Buoyage

Insert  牛牯岭下游莫(P)黄12s from: (1)22°16'13".0N,113°04'30".0E
to: (2)22°16'03".9N,113°04'33".4E

Chart 84303〔2024–〕

List of Lights CNP83/2024~2025[7413725.01]

Source Western Zhujiang Waterway Notice 029/2025

862.South China Sea – Chuanshan Archipelago – Weijia Island Southeastwards – Bouyage

Delete  (B7)莫(0)黄12s 21°32'43".5N,112°49'42".6E

Chart 85001〔2025–753〕 85101〔2025–556〕 3314〔2025–805〕

List of Lights CNP83/2024~2025[7411600.007]

Source Nanhai Aids 071/2025

863.South China Sea – Nanpeng Islands Southwards – Buoyage

Delete  (8)莫(0)黄12s (1)21°03'46".1N,112°14'51".6E
 (9)莫(0)黄12s (2)21°03'45".0N,112°12'21".0E

Chart 3314(with chart unchanged)〔2025–862〕

List of Lights CNP83/2024~2025[7610341.08][7610341.09]

Source Nanhai Aids 065/2025

864.South China Sea – Nanpeng Islands Southwards – Aids

Delete  V-AIS (1)20°57'44".4N,112°00'02".1E









Insert 三山岛六风电钢管桩(1)  莫(U)15s9.4m5M 同步 (2)20°57'45".2N,112°00'02".3E
(2)  莫(U)15s9.4m5M 同步 (3)20°57'43".9N,112°00'01".8E

Chart 3314(1;2)(3with chart unchanged)〔2025–863〕







List of Lights CNP83/2024~2025[7710048][7710074.01][7710074.02]

Source Nanhai Aids 072/2025

865.South China Sea – Shaba Southeastwards – Buoyage

Delete	青洲四风电(S1)  (S2)  (S3)  (S4)  (S5)  (S6)  (S7)  (S8)  (S9)  (S10)  (S11) 	(1)20°57'08".9N,111°40'00".8E (2)20°55'46".3N,111°40'00".8E (3)20°54'23".2N,111°40'00".8E (4)20°53'48".3N,111°38'26".7E (5)20°53'13".5N,111°36'52".7E (6)20°52'38".3N,111°35'18".0E (7)20°52'03".4N,111°33'43".9E (8)20°51'28".7N,111°32'09".7E (9)20°52'37".1N,111°32'09".7E (10)20°53'54".0N,111°32'09".7E (11)20°55'05".2N,111°32'09".7E
Chart	87001(5~10)(11with chart unchanged)[2025–807] 3315(3,5)(1,2,4with chart unchanged)[2025–758]	
List of Lights	CNP83/2024~2025[7710066.01][7710066.02][7710066.03][7710066.04] [7710066.05][7710066.06][7710066.07][7710066.08][7710066.09] [7710066.10][7710066.11]	
Source	Nanhai Aids 066/2025	

866.Beibu Gulf – Qinzhou Bay – Aids

Delete	波浪观测 	(1)21°37'05".0N,108°40'15".0E
Amend	from:(C5)  to: (C5) 	(2)21°36'15".2N,108°40'22".4E (3)21°36'16".3N,108°40'18".2E
Insert	(2)★  (3)★  (C7)  (C8) 	(4)21°35'57".6N,108°40'15".0E (5)21°35'50".6N,108°40'07".6E (6)21°36'06".0N,108°40'07".4E (7)21°35'57".5N,108°39'58".6E
Chart	92001(5)[2025–784] 92101(1;4,5,7)[2025–761] 92103[2025–560] 92107[2025–762]	
List of Lights	CNP83/2024~2025[8310044][8310051.05][8310051.07][8310051.08] [8310052.02][8310052.03]	
Source	Nanhai Aids 067&068/2025	

Temporary Notices

867.Yellow Sea – Approaches to Maya Island – Construction (T)

Date June 25 to December 31, 2025

Area joining:

- (1)39°23'40".8N,122°24'51".6E
- (2)39°24'04".8N,122°24'37".8E
- (3)39°24'11".4N,122°24'33".6E
- (4)39°24'21".0N,122°24'27".0E
- (5)39°24'22".8N,122°24'25".2E
- (6)39°24'27".6N,122°24'21".0E
- (7)39°24'32".4N,122°24'16".2E
- (8)39°24'37".2N,122°24'11".4E
- (9)39°24'41".4N,122°24'06".0E
- (10)39°24'46".2N,122°24'00".0E
- (11)39°24'51".0N,122°23'53".4E
- (12)39°24'55".2N,122°23'46".8E
- (13)39°24'58".2N,122°23'40".8E
- (14)39°25'01".2N,122°23'34".8E
- (15)39°25'05".4N,122°23'26".4E
- (16)39°25'08".4N,122°23'18".6E
- (17)39°25'12".6N,122°23'07".2E
- (18)39°25'14".4N,122°23'06".6E
- (19)39°25'10".2N,122°23'19".2E
- (20)39°25'07".2N,122°23'27".0E
- (21)39°25'03".6N,122°23'34".2E
- (22)39°25'00".0N,122°23'40".8E
- (23)39°24'56".4N,122°23'48".0E
- (24)39°24'52".2N,122°23'54".6E
- (25)39°24'48".0N,122°24'00".6E
- (26)39°24'43".2N,122°24'06".6E
- (27)39°24'38".4N,122°24'12".6E

Blank Page

- (28)39°24'33".6N,122°24'17".4E
- (29)39°24'28".2N,122°24'22".8E
- (30)39°24'22".8N,122°24'27".6E
- (31)39°24'17".4N,122°24'31".8E
- (32)39°24'11".4N,122°24'36".0E
- (33)39°24'06".0N,122°24'39".6E
- (34)39°23'41".4N,122°24'53".4E
- (35)position (1) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.

Chart 12001 12201

Source Dalian Navigation Notice 0300&0362/2025

868.Yellow Sea – Dalian Port – Heshangdao Harbour – Construction (T)

Date July 22 to December 31, 2025

- Area** area 1, joining:
- (1)39°01'34".8N,121°44'37".8E
 - (2)39°01'42".0N,121°44'42".0E
 - (3)39°01'30".0N,121°45'03".0E
 - (4)39°01'13".2N,121°45'15".6E
 - (5)39°01'08".4N,121°44'54".0E
 - (6)39°01'04".2N,121°44'43".8E
 - (7)39°01'13".8N,121°44'36".6E
 - (8)39°01'13".2N,121°44'35".4E
 - (9)39°01'15".0N,121°44'33".6E
 - (10)39°01'21".6N,121°44'48".0E
 - (11)position (1) above
- area 2, joining:
- (12)39°01'34".8N,121°44'37".8E
 - (13)39°01'36".0N,121°44'40".2E
 - (14)39°01'20".4N,121°44'51".6E
 - (15)39°01'15".6N,121°44'40".8E
 - (16)39°01'13".2N,121°44'42".6E
 - (17)39°01'10".8N,121°44'37".2E

Blank Page

(18)39°01'15".0N,121°44'33".6E
 (19)39°01'21".6N,121°44'48".0E
 (20)position (12) above
 area 3, joining: (21)39°01'36".0N,121°44'40".2E
 (22)39°01'37".8N,121°44'43".8E
 (23)39°01'30".6N,121°44'49".2E
 (24)39°01'28".8N,121°44'45".6E
 (25)position (21) above

Note: Working time of area 3: 05:20~09:10, 13:10~16:30, 23:30~04:30.
 Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.

Chart 12316 12318

Source Dalian Navigation Notice 0354/2025

869.Bohai Sea – Changxingdao – Hulushanwan Harbour – Fairway Construction (T)

Date July 25 to December 31, 2025

Area joining: (1)39°28'27".6N,121°16'24".0E
 (2)39°29'07".2N,121°18'18".0E
 (3)39°29'42".0N,121°19'24".6E
 (4)39°29'49".8N,121°19'17".4E
 (5)39°29'16".2N,121°18'12".0E
 (6)39°28'36".6N,121°16'18".6E
 (7)position (1) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone. Cancel Dalian Navigation Notice 0259&0311/2025.

Chart 12368

Source Dalian Navigation Notice 0359/2025

870.Bohai Sea – Liaodong Gulf – Construction (T)

Date July 30 to December 31, 2025

Area joining: (1)40°34'37".2N,121°31'52".8E
 (2)40°41'13".8N,121°37'19".8E

Blank Page

(3)40°43'52".8N,121°31'42".6E

(4)position (1) above

Chart 13001

Source Panjin Navigation Notice 0369/2025

871.Bohai Sea – Haihe – Construction (T)

Date August 1, 2025 to June 30, 2027

Area joining: (1)38°59'26".4N,117°41'10".2E
(2)38°59'22".8N,117°41'22".8E
(3)38°59'19".2N,117°41'22".2E
(4)38°59'22".2N,117°41'11".4E
(5)position (1) above

Note: The width of navigable area reserved are 55 meters.

Chart 23123

Source Haihe Navigation Notice 0087/2025

872.Bohai Sea – Haihe – Construction (T)

Date July 25, 2025 to December 30, 2027

Area joining: (1)39°00'48".0N,117°36'12".0E
(2)39°00'48".0N,117°36'18".0E
(3)39°00'42".0N,117°36'24".0E
(4)39°00'36".0N,117°36'18".0E
(5)position (1) above

Chart 23124

Source Haihe Navigation Notice 0086/2025

873.Bohai Sea – Tianjin Port – Gaoshaling Harbour – Construction (T)

Date August 2 to December 31, 2025, daytime

Area joining: (1)38°53'45".6N,117°44'06".6E
(2)38°53'03".6N,117°46'36".0E
(3)38°52'49".8N,117°46'28".2E

Blank Page

(4)38°53'33".6N,117°44'01".8E

(5)position (1) above

Note: Irrespective vessels and marine facilities are prohibited from entering the safety operation zone.

Chart 23115 23133

Source Dagukou Navigation Notice 0088/2025

874.Bohai Sea – Binzhou Port – Drilling(T)

Date July 23 to December 31, 2025

Area radius 500m, central point 38°26'34".8N,118°25'54".6E

Note: Keep watching on VHF ch.16&66.Irrespective vessels are prohibited from entering the safety operation zone.

Chart 24101

Source Binzhou Navigation Notice 0687/2025

875.Bohai Sea – Dongying Port – Guangli Harbour – Construction(T)

Date July 31, 2025 to January 31, 2026

Area area 1, joining:

(1)37°22'00".5N,118°59'43".8E
(2)37°22'04".5N,118°59'38".2E
(3)37°22'10".2N,118°59'35".6E
(4)37°22'21".1N,119°00'13".9E
(5)37°22'15".4N,119°00'28".7E
(6)37°22'13".7N,119°00'29".4E
(7)position (1) above

area 2, joining:

(8)37°21'24".3N,118°56'52".7E
(9)37°21'21".3N,118°56'42".1E
(10)37°21'19".7N,118°56'29".1E
(11)37°21'16".6N,118°56'04".0E
(12)37°21'18".7N,118°56'03".9E
(13)37°21'20".8N,118°56'03".9E
(14)37°21'22".7N,118°56'04".2E

Blank Page

- (15)37°21'24".8N,118°56'04".6E
- (16)37°21'26".8N,118°56'05".2E
- (17)37°21'28".5N,118°56'05".8E
- (18)37°21'28".3N,118°56'06".3E
- (19)37°21'39".6N,118°56'45".9E
- (20)position (8) above

Note: Keep watching on HF.
Chart 33325
Source Dongying Navigation Notice 0719/2025

876.Yellow Sea – Approaches to Haiyang Port – Construction(T)

Date August 8, 2024 to July 24, 2026, day and night
Area joining:

- (1)36°31'23".8N,121°30'57".9E
- (2)36°27'42".0N,121°31'56".3E
- (3)36°29'40".6N,121°41'26".7E
- (4)36°32'38".3N,121°40'21".6E
- (5)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation zone.
Chart 35002 36001
Source Qingdao Navigation Notice 0596/2024&0683/2025

877.Yellow Sea – Qingdao Port – Huangdaoqianwan Harbour – Construction(T)

Date July 25 to December 31, 2025
Area joining:

- (1)35°59'59".8N,120°14'33".9E
- (2)35°59'59".4N,120°14'35".8E
- (3)36°00'00".6N,120°14'47".3E
- (4)35°59'58".3N,120°14'52".2E
- (5)36°00'06".8N,120°14'57".2E
- (6)36°00'09".2N,120°14'50".4E
- (7)36°00'00".3N,120°14'34".0E
- (8)position (1) above

Blank Page

Chart 36127

Source Qingdao Navigation Notice 0692/2025

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.