



NOTICES TO MARINERS

Issue No.22(Total No.1234)

Notice No.468-487

2 June 2025

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561, 65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44253	GAOQIAO FAIRWAY	1:5 000	2025年5月第28版	CHECK NTM FROM ISSUE No.20 2025

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44253	GAOQIAO FAIRWAY	1:5 000	2024年11月第27版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Yingkou Port	(482)
	Jinzhou Port	(483)
	Huanghua Port	(484)
Yellow Sea	Haiyang Port and Approaches	(468)
	Xiaoyang Port Northeastwards	(469),(470)
East China Sea	Yueqing Bay	(485)
	Haitan Island Northeastwards	(471),(472)
Taiwan Strait	Weitouwan	(486)
South China Sea	Shenquan Port and Approaches	(473)
	Daya Bay	(474)
	Hongkong Island Southeastwards	(475)
	Hongkong Island Southwards	(476)
	Wanshan Archipelago	(477)
	Zhujiangkou	(487)
	Yangjiang Port	(478)
Beibu Gulf	Tieshan Port	(479)
	Qinzhou Port	(480)
	Chart Correction by Patch	(481)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No. (T)
13001		483
13112		482
14101		483
24101		484
34173	468	
35166	468	
36001	468	
42002	469,470	
43001	469	
62261	472	
63001	471,472	
55221	481	485
55251	481	
64431		486
2307	469,470	
2311	471,472	
81001	473	
81401	473	
82001	473	
83001	475,476	
83101	474	
83103	474	
84001	476,477	
84002	477	
84203	476,477	
84204	477	
84206	477	
84211	477	
84218	477	
84221	477	
84225		487
86101	478	
86301	478	
91001	479	
91201	479	
91202	479	

Notices to Mariners

468.Yellow Sea – Haiyang Port and Approaches – Aids

Delete	★莫(C)黄12s9.7m6M	(1)36°42'35".2N,121°21'34".8E
	★莫(C)黄12s9.7m6M	(2)36°42'27".1N,121°21'35".9E
Move	(P1)  莫(C)黄12s from:	(3)36°42'33".7N,121°21'18".8E
	to:	(4)36°42'41".7N,121°21'34".7E
	(P2)  莫(C)黄12s from:	(5)36°42'25".7N,121°21'19".9E
	to:	(6)36°42'21".1N,121°21'40".4E
Insert	★莫(C)黄12s9.7m6M	(7)36°42'22".5N,121°21'23".4E
	★莫(C)黄12s9.7m6M	(8)36°42'11".5N,121°21'30".0E
	★莫(C)黄12s6.4m4M	(9)position (1) above
	(P3)  莫(C)黄12s	(10)36°42'10".0N,121°21'18".9E
	(P4)  莫(C)黄12s	(11)36°41'59".1N,121°21'25".5E
Chart	34173〔2025–368〕 35166〔2024–1223〕 36001(2;3,4;8,9)〔2025–387〕	
List of Lights	CNP81/2024~2025[3510870][3510880][3510881][3510890.01][3510890.02] [3510890.03][3510890.04]	
Source	Beihai Aids 014/2025	

469.Yellow Sea – Xiaoyang Port Northeastwards – Submarine Power Line

Insert	Rudong Zhixing No H13 220KV submarine power line, joining:	(1)32°33'24".8N,121°02'50".1E
		(2)32°33'27".7N,121°02'53".0E
		(3)32°34'16".1N,121°04'24".5E
		(4)32°36'00".0N,121°07'40".5E
		(43001北图廓交点)
		(5)32°36'27".5N,121°08'32".5E
		(6)32°36'29".3N,121°08'35".7E
		(7)32°36'30".7N,121°08'37".4E
		(8)32°36'33".7N,121°08'39".7E
		(9)32°37'05".4N,121°09'02".9E

- (10)32°37'40".3N,121°09'28".7E
- (11)32°37'42".1N,121°09'31".3E
- (12)32°37'45".4N,121°09'36".6E
- (13)32°38'12".2N,121°10'27".7E
- (14)32°39'45".9N,121°13'26".1E
- (15)32°39'58".4N,121°13'48".3E
- (16)32°40'08".5N,121°14'09".3E
- (17)32°41'27".9N,121°16'39".6E
- (18)32°41'41".1N,121°17'04".8E
- (19)32°41'48".7N,121°17'24".1E
- (20)32°42'02".3N,121°18'07".4E
- (21)32°42'13".4N,121°18'39".5E
- (22)32°42'30".0N,121°19'28".8E
- (23)32°42'37".5N,121°19'49".9E
- (24)32°42'44".4N,121°20'12".4E

Rudong Xiexing No H15 220KV submarine
power line, joining:

- (25)32°33'29".5N,121°02'48".8E
- (26)32°34'16".9N,121°03'48".5E
- (27)32°34'19".2N,121°03'52".9E
- (28)32°35'02".2N,121°05'14".9E
- (29)32°35'40".3N,121°06'27".5E
- (30)32°36'00".0N,121°07'04".9E
- (43001北图廓交点)
- (31)32°36'37".1N,121°08'15".6E
- (32)32°36'39".2N,121°08'19".6E
- (33)32°36'41".8N,121°08'23".2E
- (34)32°36'44".2N,121°08'25".4E
- (35)32°37'50".9N,121°09'14".9E
- (36)32°37'53".4N,121°09'16".7E
- (37)32°37'55".1N,121°09'19".5E
- (38)32°40'17".9N,121°13'52".2E
- (39)32°42'10".5N,121°17'26".3E

(40)32°44'06".3N,121°21'08".9E
 (41)32°46'00".4N,121°24'49".5E
 (42)32°47'24".1N,121°28'02".6E
 (43)32°47'42".2N,121°29'25".5E
 (44)32°47'54".5N,121°30'25".3E
 (45)32°48'00".5N,121°30'55".1E

Chart 42002(1~3,5~24;25~29,31~45)[2025-453] 43001(1~4;25~30)[2025-452]
 2307(1~3,5~24;25~29,31~45)[2025-453]

Source Hydrography Department Shanghai MSA

470.Yellow Sea – Xiaoyang Port Northeastwards – Windmotor & Offshore Platform & Offshore Production Area

Insert	⌋	(1)32°42'36".4N,121°19'11".7E
	⌋	(2)32°42'46".6N,121°19'31".3E
	⌋	(3)32°42'56".7N,121°19'51".0E
	⌋	(4)32°43'06".9N,121°20'10".6E
	⌋	(5)32°43'17".1N,121°20'30".3E
	⌋	(6)32°43'37".4N,121°21'09".6E
	⌋	(7)32°43'47".5N,121°21'29".2E
	⌋	(8)32°43'57".7N,121°21'48".9E
	⌋	(9)32°44'07".8N,121°22'08".6E
	⌋	(10)32°44'17".9N,121°22'28".2E
	⌋	(11)32°44'28".1N,121°22'47".9E
	⌋	(12)32°44'38".2N,121°23'07".6E
	⌋	(13)32°44'48".4N,121°23'27".2E
	⌋	(14)32°44'58".6N,121°23'47".1E
	⌋	(15)32°45'08".9N,121°24'07".0E
	⌋	(16)32°45'19".1N,121°24'26".8E
	⌋	(17)32°45'29".3N,121°24'46".5E
	⌋	(18)32°45'39".4N,121°25'06".2E
	⌋	(19)32°42'36".5N,121°20'47".4E
	⌋	(20)32°42'48".3N,121°21'10".4E

┆	(21)32°43'00".1N,121°21'33".3E
┆	(22)32°43'13".7N,121°21'59".5E
┆	(23)32°43'28".2N,121°22'27".7E
┆	(24)32°43'42".8N,121°22'55".9E
┆	(25)32°42'36".5N,121°22'39".6E
┆	(26)32°43'09".8N,121°23'44".2E
┆	(27)32°43'20".8N,121°24'05".5E
┆	(28)32°43'31".8N,121°24'26".8E
┆	(29)32°43'42".0N,121°24'46".5E
┆	(30)32°43'52".1N,121°25'06".2E
升压站■	(31)32°42'44".4N,121°20'12".4E
┆	(32)32°50'37".7N,121°34'08".5E
┆	(33)32°50'37".6N,121°34'30".1E
┆	(34)32°50'37".5N,121°34'53".2E
┆	(35)32°50'37".4N,121°35'16".3E
┆	(36)32°50'37".3N,121°35'36".3E
┆	(37)32°49'55".7N,121°33'13".1E
┆	(38)32°49'55".6N,121°33'33".1E
┆	(39)32°49'55".6N,121°33'53".9E
┆	(40)32°49'55".5N,121°34'14".6E
┆	(41)32°49'55".3N,121°34'56".3E
┆	(42)32°49'55".2N,121°35'17".0E
┆	(43)32°49'55".1N,121°35'37".0E
┆	(44)32°49'07".3N,121°32'09".3E
┆	(45)32°49'07".2N,121°32'30".4E
┆	(46)32°49'07".1N,121°32'51".6E
┆	(47)32°49'06".9N,121°33'38".5E
┆	(48)32°49'06".7N,121°34'27".2E
┆	(49)32°49'06".5N,121°35'14".8E
┆	(50)32°49'06".4N,121°35'37".9E
┆	(51)32°48'21".8N,121°31'09".2E
┆	(52)32°48'21".7N,121°31'32".3E

└─	(53)32°48'21".6N,121°31'59".2E
└─	(54)32°48'21".2N,121°33'25".7E
└─	(55)32°48'20".8N,121°34'50".7E
└─	(56)32°48'20".7N,121°35'15".7E
└─	(57)32°48'20".6N,121°35'38".7E
└─	(58)32°47'39".8N,121°30'13".9E
└─	(59)32°47'39".7N,121°30'35".1E
└─	(60)32°47'39".6N,121°30'56".2E
└─	(61)32°47'39".4N,121°31'39".2E
└─	(62)32°47'39".3N,121°32'23".1E
└─	(63)32°47'39".2N,121°32'45".0E
└─	(64)32°47'39".1N,121°33'06".9E
└─	(65)32°47'39".0N,121°33'28".8E
└─	(66)32°47'38".9N,121°33'50".7E
└─	(67)32°47'38".8N,121°34'12".5E
└─	(68)32°47'38".7N,121°34'34".5E
└─	(69)32°47'38".6N,121°34'56".4E
└─	(70)32°47'38".5N,121°35'18".3E
└─	(71)32°47'38".4N,121°35'39".5E
升压站	(72)32°48'00".5N,121°30'55".1E

Maritime limit in general and note "Wind Farm
Protection Zone", joining:

- (73)32°42'36.43N,121°19'11.65E
(74)32°45'39.39N,121°25'06.17E
(75)32°43'52.09N,121°25'06.17E
(76)32°42'36.46N,121°22'39.56E
(77)position (73) above

Maritime limit in general and note "Wind Farm
Protection Zone", joining:

- (78)32°50'37.67N,121°34'08.46E
(79)32°50'37.27N,121°35'36.27E
(80)32°47'38.36N,121°35'39.47E
(81)32°47'39.80N,121°30'13.93E
(82)position (78) above

Chart 42002[2025-469]
2307(1,4,6,9,12,15,18,19,22,24~26,28,30~32,36,44,47,50,58,64,71,72;73~77;
78~82)[2025-469]

Source Hydrography Department Shanghai MSA

471.East China Sea – Haitan Island Northeastwards – Submarine Power Line

Insert	Submarine power line 1, joining:	(1)25°46′09″.4N,119°58′06″.1E
		(2)25°46′08″.3N,119°58′05″.2E
		(3)25°46′05″.4N,119°58′04″.1E
		(4)25°45′27″.9N,119°58′17″.9E
		(5)25°45′16″.0N,119°58′21″.9E
		(6)25°45′13″.5N,119°58′22″.3E
		(7)25°45′11″.1N,119°58′20″.8E
		(8)25°45′10″.4N,119°58′14″.6E
		(9)25°45′09″.0N,119°58′04″.3E
		(10)25°45′07″.9N,119°58′00″.9E
		(11)25°45′06″.4N,119°58′00″.7E
		(12)25°45′04″.0N,119°58′01″.8E
		(13)25°44′54″.9N,119°58′04″.9E
		(14)25°44′49″.2N,119°58′07″.6E
	Submarine power line 2, joining:	(15)25°46′09″.4N,119°58′06″.1E
		(16)25°46′08″.7N,119°58′05″.6E
		(17)25°45′56″.7N,119°58′09″.6E
		(18)25°45′13″.5N,119°58′26″.8E
		(19)25°44′57″.9N,119°58′25″.7E
		(20)25°44′22″.6N,119°58′22″.0E
		(21)25°44′13″.1N,119°58′18″.1E
		(22)25°44′09″.4N,119°58′17″.9E
		(23)25°44′10″.4N,119°58′15″.1E
		(24)25°44′13″.2N,119°58′14″.9E
		(25)25°44′21″.0N,119°58′12″.9E
		(26)25°44′26″.2N,119°58′10″.4E

Submarine power line 3, joining:

(27)25°44'08".6N,119°58'14".6E
(28)25°43'58".2N,119°58'18".1E
(29)25°43'50".3N,119°58'19".9E
(30)25°46'09".4N,119°58'06".1E
(31)25°46'08".5N,119°58'06".6E
(32)25°46'05".8N,119°58'07".2E
(33)25°45'57".1N,119°58'11".7E
(34)25°45'29".9N,119°58'24".2E
(35)25°45'13".4N,119°58'31".1E
(36)25°44'25".4N,119°58'26".3E
(37)25°43'46".6N,119°58'25".8E
(38)25°43'30".9N,119°58'22".8E
(39)25°43'23".1N,119°58'26".5E
(40)25°42'49".5N,119°58'34".2E
(41)25°46'09".4N,119°58'06".1E
(42)25°46'08".7N,119°58'06".9E
(43)25°46'03".1N,119°58'09".9E
(44)25°45'48".6N,119°58'18".0E
(45)25°45'11".4N,119°58'37".1E
(46)25°44'04".1N,119°59'06".8E
(47)25°43'40".9N,119°59'17".2E
(48)25°43'39".7N,119°59'17".7E
(49)25°43'38".2N,119°59'17".6E
(50)25°43'31".2N,119°59'12".6E
(51)25°42'35".5N,119°58'42".1E
(52)25°42'31".8N,119°58'37".8E

Submarine power line 4, joining:

Chart 63001〔2025-461〕 2311〔2025-374〕

Source Hydrography Department Shanghai MSA

472.East China Sea – Haitan Island Northeastwards – Windmotor & Offshore Platform & Offshore Production Area

Insert 

(1)25°47'59".7N,119°57'21".4E

└	(2)25°47'43".9N,119°57'25".3E
└	(3)25°47'26".2N,119°57'29".4E
└	(4)25°47'08".0N,119°57'33".5E
└	(5)25°46'50".9N,119°57'37".7E
└	(6)25°46'33".3N,119°57'41".8E
└	(7)25°46'15".6N,119°57'46".0E
└	(8)25°45'58".0N,119°57'50".1E
└	(9)25°45'40".4N,119°57'54".2E
└	(10)25°45'22".7N,119°57'58".3E
└	(11)25°45'13".5N,119°58'17".5E
└	(12)25°47'57".5N,119°58'09".0E
└	(13)25°47'49".8N,119°58'47".7E
└	(14)25°47'33".2N,119°58'50".5E
└	(15)25°47'16".2N,119°58'53".3E
└	(16)25°46'58".0N,119°58'56".2E
└	(17)25°46'03".9N,119°59'07".6E
└	(18)25°45'47".5N,119°59'07".5E
└	(19)25°45'29".9N,119°59'10".4E
└	(20)25°45'12".3N,119°59'13".2E
└	(21)25°44'54".7N,119°59'16".1E
└	(22)25°44'37".0N,119°59'23".0E
└	(23)25°44'28".7N,119°59'45".8E
└	(24)25°45'19".5N,120°00'14".2E
└	(25)25°45'37".1N,120°00'16".8E
└	(26)25°45'54".8N,120°00'18".2E
└	(27)25°46'12".4N,120°00'15".4E
└	(28)25°46'30".0N,120°00'12".5E
└	(29)25°46'47".6N,120°00'09".7E
└	(30)25°47'05".3N,120°00'06".8E
└	(31)25°47'22".9N,120°00'04".0E
└	(32)25°47'40".5N,120°00'01".1E
└	(33)25°47'58".1N,119°59'58".3E

┆	(34)25°47'55".2N,120°00'42".6E
┆	(35)25°47'53".6N,120°01'02".3E
┆	(36)25°47'52".7N,120°01'21".7E
┆	(37)25°47'33".2N,120°01'19".3E
┆	(38)25°45'09".0N,119°58'01".6E
┆	(39)25°44'46".8N,119°58'06".7E
┆	(40)25°44'28".8N,119°58'11".0E
┆	(41)25°44'09".6N,119°58'15".5E
┆	(42)25°43'49".2N,119°58'20".3E
┆	(43)25°43'28".9N,119°58'25".1E
┆	(44)25°43'08".5N,119°58'29".8E
┆	(45)25°42'48".3N,119°58'34".6E
┆	(46)25°42'28".9N,119°58'39".1E
┆	(47)25°43'55".9N,119°59'10".7E
┆	(48)25°43'38".7N,119°59'18".2E
升压站■	(49)25°46'09".4N,119°58'06".1E

Maritime limit in general and note "Changle

Open Seas Wind Farm Area A Protection Zone",

joining:

- (50)position (1) above
- (51)position (33) above
- (52)25°47'54".1N,120°01'00".0E
(62261 东图廓交点)
- (53)position (36) above
- (54)position (37) above
- (55)25°46'53".6N,120°01'00".0E
(62261 东图廓交点)
- (56)25°46'24".0N,120°00'45".6E
(62261 南图廓交点)
- (57)position (24) above
- (58)25°44'25".0N,119°59'44".1E
- (59)position (10) above
- (60)25°46'24".0N,119°57'43".9E

(62261 南图廓交点)

(61)position (1) above

Maritime limit in general and note "Pingtan Open

Seas Wind Farm Protection Zone", joining: (62)position (10) above

(63)position (58) above

(64)position (46) above

(65)25°45'08".9N,119°58'01".2E

(66)position (10) above

Chart 62261(1~6,12~16,28~34;50~52;55,56;60,61)(with chart unchanged)[2025~460]
63001(1,3,5,7,9,12,13,15~17,19,21,23,24,27,29,31,33,34,36,38,40,42,44,46,48,49;
50,51,53,54,57~59,61;62~66)(8,10,11,18,20,22,25,26,35,37,39,41,43,45,47
with chart unchanged)[2025~471]
2311(1,5,13,16,19,24,29,33,36,38,42,46,48,49;50,51,53,54,57~59,61;62~66)
[2025~471]

Source Hydrography Department Shanghai MSA

473.South China Sea – Shenquan Port and Approaches – Lightbeacon

Delete ★ 定绿白红 21m7M (1)22°56'29".0N,116°15'44".0E

Insert ★ 定绿白红 21m7M (2)position (1) above

Note: Chinese version only.

Chart 81001(1)(with chart unchanged)[2025~463]

81401(with chart unchanged)[2025~]

82001(1)[2025~277] 3313(1)[2025~463]

List of Lights CNP83/2024~2025[7111366]

Source Nanhai Aids 028/2025

474.South China Sea – Daya Bay – Quanwan Harbour – Buoyage


Insert  22°42'15".4N,114°32'31".0E

Chart 83101[2025~349] 83103[2025~349]

List of Lights CNP83/2024~2025[7310722]

Source Nanhai Aids 026/2025

475.South China Sea – Hongkong Island Southeastwards – Submarine Cable

Insert Submarine cable and note "亚洲直达光缆S6段",

joining:

(1)22°10'51".0N,114°30'08".8E

(2)22°10'31".5N,114°31'41".7E

(3)22°09'55".9N,114°32'52".0E

(4)22°09'41".8N,114°33'00".0E

(3313 西图廓交点)

(5)22°09'30".5N,114°33'06".4E

(6)22°02'02".4N,114°39'00".0E

(3314 东图廓交点)

(7)21°58'58".9N,114°41'24".8E

(8)21°57'37".3N,114°42'17".1E

(9)21°57'24".2N,114°42'39".5E

(10)21°56'13".2N,114°43'24".7E

(11)21°55'24".3N,114°44'20".2E

(12)21°55'09".9N,114°45'38".9E

(13)21°54'30".0N,114°46'25".1E

(83001 南图廓交点)

(14)21°51'00".0N,114°50'28".1E

(3314 南图廓交点)

(15)21°50'19".0N,114°51'15".5E

(16)21°50'04".4N,114°51'50".0E

(17)21°50'04".4N,114°52'21".8E

(18)21°49'50".0N,114°52'53".7E

(19)21°40'24".4N,115°03'39".8E

(20)21°38'28".6N,115°04'49".3E

(21)21°36'37".4N,115°08'43".5E

(22)21°27'14".2N,115°33'40".4E

(23)21°26'32".1N,115°34'46".5E

(24)21°24'52".9N,115°36'32".4E

(25)21°20'30".3N,115°43'26".3E

(26)21°20'03".8N,115°44'24".2E

(27)21°20'01".7N,115°45'05".2E
(28)21°22'35".8N,115°55'30".1E
(29)21°22'46".6N,115°57'10".5E
(30)21°22'33".6N,115°57'46".3E
(31)21°15'00".3N,116°05'27".0E
(32)21°14'52".1N,116°05'55".3E
(33)21°15'42".6N,116°09'52".6E
(34)21°13'47".7N,116°17'24".5E
(35)21°03'14".0N,116°45'58".9E
(36)21°03'01".3N,116°47'35".4E
(37)20°59'18".1N,116°57'27".9E
(38)20°55'00".2N,117°01'26".2E
(39)20°50'12".7N,117°06'14".2E
(40)20°48'28".5N,117°06'31".4E
(41)20°44'28".3N,117°07'49".8E
(42)20°35'48".0N,117°09'39".3E
(43)20°29'03".4N,117°13'03".0E
(44)20°25'42".8N,117°15'35".6E
(45)20°23'49".4N,117°16'05".5E
(46)20°21'29".1N,117°16'17".5E
(47)20°18'27".2N,117°16'00".0E
(48)20°16'32".1N,117°15'34".0E
(49)20°14'41".1N,117°14'30".3E
(50)20°12'54".9N,117°14'23".7E
(51)20°11'05".1N,117°14'58".6E
(52)20°10'14".9N,117°15'59".3E
(53)20°01'38".7N,117°18'15".2E
(54)19°56'51".9N,117°17'28".2E
(55)19°52'26".4N,117°18'25".9E
(56)19°46'04".7N,117°23'09".5E
(57)19°40'00".7N,117°24'58".8E
(58)19°28'09".1N,117°36'15".9E

- (59) 19°15'44".9N, 117°42'25".3E
- (60) 19°15'13".8N, 117°43'56".4E
- (61) 19°11'19".0N, 117°45'50".2E
- (62) 19°11'07".4N, 117°47'08".4E
- (63) 19°10'26".7N, 117°46'14".3E
- (64) 19°10'02".4N, 117°46'14".6E
- (65) 19°09'05".3N, 117°45'43".1E
- (66) 19°06'44".7N, 117°46'52".6E
- (67) 19°00'26".5N, 117°47'30".8E
- (68) 18°43'12".3N, 117°55'36".8E
- (69) 18°15'21".3N, 118°12'26".4E

Chart 83001(1~3,5,7~13)[2025-376] 3313(4,5,7~12,14)[2025-473]
3314(1~3,5,6)[2025-376]

Source Official letter of MHIT 311/2025

476.South China Sea – Hongkong Island Southwards – Submarine Cable

Insert Submarine cable and note "亚洲直达光缆S6段",

joining:

- (1) 22°12'47".8N, 114°12'16".2E
- (2) 22°12'37".2N, 114°12'13".0E
- (3) 22°12'11".5N, 114°12'03".5E
- (4) 22°12'06".2N, 114°12'02".8E
- (5) 22°12'03".1N, 114°12'02".6E
- (6) 22°12'02".1N, 114°12'02".8E
- (7) 22°11'44".1N, 114°12'13".8E
- (8) 22°11'20".9N, 114°12'27".2E
- (9) 22°11'18".3N, 114°12'30".8E
- (10) 22°11'13".2N, 114°12'37".8E
- (11) 22°11'11".7N, 114°12'43".6E
- (12) 22°11'10".8N, 114°12'52".2E
- (13) 22°11'11".1N, 114°12'56".4E
- (14) 22°11'11".5N, 114°13'01".0E
- (15) 22°11'11".3N, 114°13'03".0E

- (16) 22°11'10".6N, 114°13'05".1E
- (17) 22°11'07".7N, 114°13'10".6E
- (18) 22°11'05".2N, 114°13'14".8E
- (19) 22°11'03".0N, 114°13'22".5E
- (20) 22°11'02".3N, 114°13'31".8E
- (21) 22°11'06".4N, 114°13'54".5E
- (22) 22°11'13".5N, 114°14'11".4E
- (23) 22°11'17".1N, 114°14'16".0E
- (24) 22°11'21".6N, 114°14'17".9E
- (25) 22°11'24".5N, 114°14'19".7E
- (26) 22°11'26".8N, 114°14'22".2E
- (27) 22°11'29".1N, 114°14'26".4E
- (28) 22°11'31".1N, 114°14'32".3E
- (29) 22°11'41".1N, 114°15'17".4E
- (30) 22°11'42".0N, 114°15'19".5E
- (31) 22°11'43".5N, 114°15'21".1E
- (32) 22°11'44".0N, 114°15'21".6E
- (33) 22°11'44".9N, 114°15'24".3E
- (34) 22°11'45".6N, 114°15'28".2E
- (35) 22°11'47".6N, 114°15'45".9E
- (36) 22°11'48".9N, 114°15'58".7E
- (37) 22°11'48".8N, 114°16'01".0E
- (38) 22°11'48".1N, 114°16'03".0E

Chart 83001〔2025-475〕 84001〔2025-464〕 84203〔2025-376〕 3314〔2025-475〕

Source Official letter of MIIT 311/2025

477.South China Sea – Wanshan Archipelago – Wanshan Islands and Approaches – Aids

- | | |
|---|--|
| <p>Insert 桂山海上风电场(1)  莫(C)黄 12s11m6M
 (2)  莫(C)黄 12s11m6M
 (3)  莫(U)15s11m3M
 (4)  莫(U)15s11m3M
 (5)  莫(U)15s11m3M</p> | <p>(1) 22°09'38".8N, 113°44'07".7E</p> <p>(2) 22°08'54".6N, 113°44'33".5E</p> <p>(3) 22°08'11".4N, 113°44'33".1E</p> <p>(4) 22°07'25".8N, 113°44'35".3E</p> <p>(5) 22°07'04".0N, 113°44'44".7E</p> |
|---|--|

(6)  莫(C)黄 12s11m6M	(6)22°06'22".4N,113°44'46".6E
(7)  莫(C)黄 12s11m6M	(7)22°06'20".3N,113°44'18".5E
(8)  莫(U)15s11m3M	(8)22°06'42".4N,113°43'37".1E
(9)  莫(U)15s11m3M	(9)22°07'05".2N,113°42'56".9E
(10)  莫(U)15s15m3M	(10)22°07'05".7N,113°42'30".0E
(11)  莫(C)黄 12s15m6M	(11)22°07'28".9N,113°41'49".9E
(12)  莫(C)黄 12s11m6M	(12)22°07'28".0N,113°42'43".9E
(13)  莫(U)15s11m3M	(13)22°07'54".0N,113°43'02".2E
(14)  莫(U)15s11m3M	(14)22°08'34".6N,113°43'26".2E
(15)  莫(U)15s11m3M	(15)22°09'17".3N,113°43'53".9E
	(16)22°10'01".9N,113°47'44".8E
	(17)22°08'45".7N,113°42'31".9E
	(18)22°08'17".8N,113°42'13".5E
	(19)22°01'43".0N,113°41'41".8E
	(20)21°57'13".2N,113°42'48".9E

Chart 84001(1,3,6,8,11,14)[2025-476] 84002(1,3,6,8,11,14)[2025-464]
84203(1~15,20)[2025-476] 84204(11)[2025-318]
84206(1~5,9~15)[2025-464] 84211(2~6,16)[2025-]
84218(1~15,17~19)[2025-351] 84221(1~19)[2025-464]
3314(1,6,11)[2025-476]

List of Lights CNP83/2024~2025[7410387.01][7410387.02][7410387.03][7410387.04]
[7410387.05][7410387.06][7410387.07][7410387.08][7410387.09]
[7410387.10][7410387.11][7410387.12][7410387.13][7410387.14]
[7410387.15]

Source Nanhai Aids 034/2025

478.South China Sea – Yangjiang Port – Lightbeacon

Insert ★ 闪红 2s9.5m5M 21°43'33".2N,111°48'45".5E

Chart 86101[2025-352] 86301[2025-352]

List of Lights CNP83/2024~2025[7610468]

Source Nanhai Aids 025/2025

479.Beibu Gulf – Tieshan Port – Aids

Amend	from: (29)  闪绿 4s 同步	(1) 21°34'14".2N, 109°35'50".2E
	to: (28)  闪绿 4s 同步	(2) position (1) above
	from: (28)  闪(2+1) 红 6s	(3) 21°34'14".8N, 109°35'40".7E
	to: (29)  闪(2+1) 红 6s	(4) 21°34'23".5N, 109°35'37".2E
Move	(30)  闪红 4s 同步 from:	(5) 21°34'47".0N, 109°35'19".1E
	to:	(6) 21°34'49".6N, 109°35'15".1E
Insert	★ 等明暗 4s11m5M	(7) 21°34'33".7N, 109°35'16".8E
	★ 等明暗 4s11m5M	(8) 21°34'44".7N, 109°35'12".7E
	(GL1)  闪绿 4s	(9) 21°34'55".1N, 109°35'33".6E
Chart	91001(1,2;7)[2025-236] 91201[2025-236] 91202[2025-236] 91204(1,2;5,6;7)[2025-236]	
List of Lights	CNP83/2024~2025[8110260.28] [8110260.29] [8110260.30] [8110282.01] [8110282.02] [8110283]	
Source	Nanhai Aids 035/2025	

480.Beibu Gulf – Qinzhou Port – Aids

Insert	(1)  莫(0) 黄 12s	(1) 21°40'26".6N, 108°34'51".2E
	(2)  莫(0) 黄 12s AIS	(2) 21°40'19".2N, 108°34'55".7E
	(3)  莫(0) 黄 12s	(3) 21°40'19".2N, 108°34'40".1E
	★ 等明暗 4s6.7m3M	(4) 21°43'38".8N, 108°34'58".5E
Chart	92101(2,4)[2025-175] 92104[2025-174] 92107[2025-174]	
List of Lights	CNP83/2024~2025[8310152.01] [8310152.02] [8310152.03] [8310184]	
Source	Nanhai Aids 027&030/2025	

481.Chart Correction by Patch

Chinese Version Only.

Chart 55221[2025-321] 55251[2025-457]

Temporary Notices

482. Bohai Sea – Yingkou Port – Xianrendao Harbour – Pier Construction (T)

Date April 10 to November 19, 2025, day and night

Area area 1, joining: (1) 40°12'26".2N, 121°57'16".2E
(2) 40°12'42".2N, 121°58'03".8E
(3) 40°12'39".8N, 121°58'03".0E
(4) 40°12'23".4N, 121°58'07".0E
(5) 40°12'18".1N, 121°58'00".2E
(6) 40°12'16".2N, 121°57'47".3E
(7) position (1) above
area 2, joining: (8) 40°12'35".9N, 121°57'45".0E
(9) 40°12'18".3N, 121°57'40".9E
(10) 40°12'22".1N, 121°57'29".0E
(11) 40°12'26".7N, 121°57'26".2E
(12) 40°12'31".7N, 121°57'32".7E
(13) position (8) above

Note: Keep watching on VHF ch.69. Irrespective vessels and offshore facilities are prohibited from entering the safety operating area.

Chart 13112

Source Yingkou Navigation Notice 0151/2025

483. Bohai Sea – Jinzhou Port – Fairway Construction (T)

Date April 9 to December 31, 2025

Area area 1, joining: (1) 40°47'03".8N, 121°03'00".6E
(2) 40°46'33".2N, 121°03'18".9E
(3) 40°46'10".2N, 121°03'23".2E
(4) 40°45'59".2N, 121°03'21".8E
(5) 40°45'57".9N, 121°03'40".8E
(6) 40°46'33".2N, 121°03'45".2E
(7) 40°47'11".1N, 121°03'20".5E

Blank Page

area 2, joining:

(8)position (1) above
 (9)40°45'59".2N,121°03'21".8E
 (10)40°43'26".1N,121°02'58".9E
 (11)40°21'54".6N,121°06'42".1E
 (12)40°21'55".8N,121°06'56".8E
 (13)40°43'26".3N,121°03'23".6E
 (14)40°45'57".9N,121°03'40".8E
 (15)position (9) above

area 3, joining:

(16)40°32'23".3N,121°09'02".6E
 (17)40°31'35".4N,121°09'38".9E
 (18)40°31'12".2N,121°08'40".1E
 (19)40°32'01".2N,121°08'05".4E
 (20)position (16) above

Chart 13001 14101

Source Jinzhou Navigation Notice 0150/2025

484.Bohai Sea – Huanghua Port – Coal Harbour – Surveying(T)

Date April 12 to December 31, 2025, day

Area Huanghua Port Coal Harbour fairway, basin, spoilarea and other area.

Note: Keep watching on VHF ch.08&16. Irrespective vessels are prohibited from entering the safety operation areas where central point is operation vesseand radius is 200m.

Chart 24101

Source Cangzhou Navigation Notice 0093/2025

485.East China Sea – Yueqing Bay – Jiangyanshan Westwards – Construction(T)

Date April 4, 2025 to January 29, 2026, day and night

Area joining:

(1)28°10'52".5N,121°06'10".3E
 (2)28°10'39".1N,121°06'38".7E
 (3)28°10'54".0N,121°06'47".6E
 (4)28°11'02".1N,121°06'39".0E
 (5)28°10'59".0N,121°06'37".1E
 (6)28°10'59".5N,121°06'36".1E

Blank Page

(7)28°11'07".8N,121°06'41".1E

(8)28°11'15".2N,121°06'25".4E

(9)position (1) above

Note: Keep watching on VHF ch.16.

Chart 55221

Source Wenzhou Navigation Notice 0067/2025

486.Taiwan Strait – Weitouwan – Dadeng Island Southeastwards – Pier Construction (T)

Date April 3, 2025 to April 30, 2026

Area joining: (1)24°32'21".2N,118°22'37".6E

(2)24°32'06".3N,118°22'48".5E

(3)24°31'57".8N,118°22'35".1E

(4)24°32'13".2N,118°22'23".7E

(5)position (1) above

Chart 64431

Source Xiamen Navigation Notice 0159/2025

487.South China Sea – Zhujiangkou – Approaches to Shenzhen Bay – Dredging (T)

Date April 3 to December 22, 2025

Area joining: (1)22°30'00".0N,113°51'42".0E

(2)22°29'58".0N,113°51'47".0E

(3)22°28'55".0N,113°52'09".0E

(4)22°28'44".0N,113°52'02".0E

(5)22°28'24".8N,113°52'08".7E

(6)22°28'23".2N,113°52'07".8E

(7)22°28'27".6N,113°52'18".0E

(8)22°27'26".7N,113°52'49".4E

(9)22°27'22".4N,113°52'47".5E

(10)22°27'12".0N,113°52'43".0E

(11)22°26'16".7N,113°53'07".6E

(12)22°26'12".8N,113°53'00".8E

(13)22°26'16".5N,113°53'00".3E

Blank Page

(14)22°27'17".0N,113°52'33".5E

(15)22°27'19".1N,113°52'28".4E

(16)22°28'16".6N,113°52'04".5E

(17)22°29'50".4N,113°51'25".4E

(18)22°29'56".5N,113°51'25".0E

(19)position (1) above

Note: Keep watching on VHF ch.69&16. During construction,the water area with a radius of 100m is the safety operating area whose central point is the construction vessel.
Tel.:13827670570.

Chart 84225

Source Nanshan Navigation Notice 0013/2025

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.