



NOTICES TO MARINERS

Issue No.27(Total No.1291)

Notice No.784-808

6 July 2026

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Liaodong Gulf	(797)
	Tianjin Port	(798),(799)
	Huanghua Port	(800),(801)
	Dongying Port	(802)
	Miaodao Archipelago	(803)
Yellow Sea	Yantai Port	(804)
	Shidao Port	(805)
	Haiyang Port and Approaches	(806)
	Lianyungang Port and Approaches	(784)
East China Sea	Changjiangkou and Approaches	(785)
	Hangzhou Bay	(786),(787)
	Zhoushan Archipelago	(788),(789)
	Sanmen Bay	(807)
	Wenzhou Port	(790)
	Baimahe and Approaches	(791)
Taiwan Strait	Xinghua Bay	(808)
	Xiamen Port and Approaches	(792)
South China Sea	Zhujiangkou	(793),(794)
	Luodousha and Approaches	(795)
Beibu Gulf	Fangcheng Port Southwestwards	(796)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
13001		797
23136		798,799
24101		801
24111		800
32202		802
34132		803
34167		804
35002		806
35144		805
36001		806
41001	784	
41101	784	
41112	784	
41121	784	
41122	784	
41321	784	
44001	785	
51001	785,788	
51121	786	
51122	787	
51123	787	
51132	786	
51172	787	
52001	785,788	
52136	788	
52137	789	
52172	785	
52173	788	
52174	788	
53001	788	
54121		807
55123	790	
61321	791	
62632		808
65112	792	
2308	785	

Notices to Mariners

784.Yellow Sea – Lianyungang Port and Approaches – Aids

Delete	(171A)  V-AIS		(1) 34°38'52".8N, 119°37'00".8E
Move	(116)  闪(3)红10s	from:	(2) 34°38'40".5N, 119°36'21".1E
	to:		(3) 34°38'45".2N, 119°36'22".7E
	(171)  快绿	from:	(4) 34°38'39".8N, 119°37'18".3E
	to:		(5) 34°38'47".4N, 119°37'03".9E
	(26)  闪(2+1)红6s	from:	(6) 34°47'44".2N, 119°39'10".0E
	to:		(7) 34°47'43".4N, 119°39'09".8E
	(28)  闪红4s	from:	(8) 34°47'11".6N, 119°37'52".5E
	to:		(9) 34°47'11".1N, 119°37'52".8E
	(30)  闪(2)红6s	from:	(10) 34°46'39".0N, 119°36'34".9E
	to:		(11) 34°46'38".4N, 119°36'35".2E
	(32)  闪(3)红10s	from:	(12) 34°46'06".4N, 119°35'17".4E
	to:		(13) 34°46'05".8N, 119°35'17".7E
	(34)  闪红4s	from:	(14) 34°45'33".7N, 119°33'59".9E
	to:		(15) 34°45'33".2N, 119°34'00".2E
	(35)  闪(2)绿6s	from:	(16) 34°45'30".3N, 119°33'13".1E
	to:		(17) 34°45'30".8N, 119°33'12".8E
	(36)  闪(2)红6s	from:	(18) 34°45'01".3N, 119°32'42".6E
	to:		(19) 34°45'00".8N, 119°32'42".9E
	(37)  闪(3)绿10s	from:	(20) 34°44'58".5N, 119°31'55".1E
	to:		(21) 34°44'59".0N, 119°31'54".8E
	(38)  闪(3)红10s	from:	(22) 34°44'27".7N, 119°31'25".3E
	to:		(23) 34°44'27".2N, 119°31'25".6E
	(39)  快绿	from:	(24) 34°44'24".9N, 119°30'24".4E
	to:		(25) 34°44'25".7N, 119°30'23".9E
	(40)  快红	from:	(26) 34°43'55".1N, 119°30'07".5E
	to:		(27) 34°43'54".6N, 119°30'07".7E
	(41)  快绿	from:	(28) 34°44'23".2N, 119°29'49".1E

to:	(29)34°44'24".4N,119°29'46".3E
(43-1)  4s from:	(30)34°44'43".6N,119°28'24".7E
to:	(31)34°44'45".2N,119°28'25".5E
(44)  4s from:	(32)34°44'32".9N,119°28'22".1E
to:	(33)34°44'31".2N,119°28'19".6E
(45)  (3) 10s from:	(34)34°44'54".5N,119°27'52".0E
to:	(35)34°44'56".1N,119°27'52".8E
(46)  (3) 10s from:	(36)34°44'51".7N,119°27'23".8E
to:	(37)34°44'50".1N,119°27'23".0E
(47)  雷康(Y) from:	(38)34°45'16".6N,119°26'45".6E
to:	(39)34°45'18".3N,119°26'46".0E
(49)  (2) 6s from:	(40)34°45'16".6N,119°25'36".0E
to:	(41)34°45'16".6N,119°25'17".0E

Chart 41001(2,3)(6,7,12,13,16,17,22,23,28,29with chart unchanged)[2026-635]
41101(2~5)(6~27with chart unchanged)[2026-631] 41112(24~41)[2025-1005]
41121(6~13)[2025-512] 41122(6~37)[2026-631] 41321(1;2~5)[2025-938]

List of Lights CNP82/2025~2026[4110551.16] [4110551.71] [4110551.711] [4110560.26]
[4110560.28] [4110560.30] [4110560.32] [4110560.34] [4110560.35]
[4110560.36] [4110560.37] [4110560.38] [4110560.39] [4110560.40]
[4110560.41] [4110610.431] [4110610.44] [4110610.45] [4110610.46]
[4110610.47] [4110610.49]

Source East China Sea Aids 014/2026

785.East China Sea – Changjiangkou and Approaches – Approaches to Tongsha Shazui – V-AIS

Insert (L1)  V-AIS	(1)30°53'06".4N,122°06'41".3E
(L2)  V-AIS	(2)30°55'43".8N,122°07'54".7E
(L3)  V-AIS	(3)30°55'46".2N,122°06'59".2E

Chart 44001[2026-645] 51001[2026-650] 52001[2026-650] 52172[2026-648]
2308(1)[2026-711]

List of Lights CNP82/2025~2026[4510981.6501] [4510981.6502] [4510981.6503]

Source East China Sea Aids 013/2026

786.East China Sea – Hangzhou Gulf – Caojing Harbour – Buoyage

Insert	(临3)  莫(0)黄12s 同步	(1)30°44'25".2N,121°24'48".7E
	(临4)  莫(0)黄12s 同步	(2)30°45'07".7N,121°24'12".0E
Note:	Caojinglin No.3 and No.4 flash in synchrony.	
Chart	51121(1)[2026-646] 51132[2026-579]	
List of Lights	CNP82/2025~2026[5110230.0103][5110230.0104]	
Source	East China Sea Aids 013/2026	

787.East China Sea – Hangzhou Gulf – Hangzhouwan Bridge – Aids

Delete	(大桥4)  闪红4s	(1)30°33'55".5N,121°03'12".1E
	(62)▲ 闪绿4s	(2)30°33'45".2N,121°02'54".1E
	(64)■ 闪红4s	(3)30°33'42".2N,121°02'55".7E
	(79)ⓘ 莫(A)6s3M	(4)30°33'43".7N,121°02'54".8E
	(178)☒ 莫(P)黄15s3M	(5)30°34'01".9N,121°02'45".6E
Move	(大桥3)  闪绿4s from:	(6)30°34'06".9N,121°03'15".8E
	to:	(7)30°34'06".7N,121°03'05".4E
	(大桥5)  闪绿4s from:	(8)30°33'43".4N,121°02'22".7E
	to:	(9)30°33'50".0N,121°02'28".4E
	(大桥6)  闪红4s from:	(10)30°33'38".8N,121°02'35".2E
	to:	(11)30°33'38".4N,121°02'25".3E
	(56)▲ 快绿 from:	(12)30°33'53".9N,121°02'48".9E
	to:	(13)30°33'57".2N,121°02'46".7E
	(57)▲ 快绿 from:	(14)30°33'54".4N,121°02'50".0E
	to:	(15)30°33'57".8N,121°02'48".0E
	(58)ⓘ 等明暗4s3M from:	(16)30°33'51".9N,121°02'50".2E
	to:	(17)30°33'53".3N,121°02'49".3E
	(59)ⓘ 等明暗4s3M from:	(18)30°33'52".3N,121°02'51".3E
	to:	(19)30°33'53".8N,121°02'50".4E
	(60)■ 快红 from:	(20)30°33'47".9N,121°02'52".3E
	to:	(21)30°33'51".1N,121°02'50".7E
	(61)■ 快红 from:	(22)30°33'48".5N,121°02'53".6E

	to:	(23) 30°33'51".6N, 121°02'51".8E
Insert	(大桥4)  闪红 4s	(24) 30°34'02".2N, 121°03'18".6E
	(L79)  莫(P) 黄 15s 3M	(25) position (4) above
	(53)  闪绿 4s 3M	(26) 30°34'03".4N, 121°02'44".6E
	(55)  闪红 4s 3M	(27) 30°34'00".5N, 121°02'46".4E
	(78)  莫(A) 6s 3M	(28) position (5) above
Chart	51122(1~3; 6~11, 16~19; 24, 28)(4, 5; 12~15, 20~23; 25~27 with chart unchanged) [2026-532]	
	51123(1~3; 8~11, 16~19)(4; 12~15, 20~23; 25 with chart unchanged)[2026-532]	
	51172(1; 8, 9; 24)[2026-646]	
List of Lights	CNP82/2025~2026[5110550.03] [5110550.04] [5110550.05] [5110550.06] [5110590.53] [5110590.55] [5110590.56] [5110590.57] [5110590.58] [5110590.59] [5110590.60] [5110590.61] [5110590.62] [5110590.64] [5110590.78] [5110590.781] [5110590.79] [5110590.791]	
Source	East China Sea Aids 013/2026	

788. East China Sea – Zhoushan Archipelago – Zhoushan Island Eastwards – Buoyage

Insert	牛首山礁(1)  快(3)10s 同步	(1) 30°03'04".9N, 122°18'20".1E
	(2)  快(3)10s 同步	(2) 30°02'20".2N, 122°19'22".6E
	(3)  快(3)10s 同步	(3) 30°01'48".9N, 122°19'56".3E
Note:	Niushoushanjiao No.1 to No.3 flash in synchrony.	
Chart	51001(1)[2026-785] 52001(1)[2026-785] 52136[2026-653] 52173[2026-650] 52174[2026-711] 53001(1,2)[2026-711]	
List of Lights	CNP82/2025~2026[5312770.01] [5312770.02] [5312770.03]	
Source	East China Sea Aids 013/2026	

789. East China Sea – Zhoushan Archipelago – Dawangjiaoshan Eastwards – Bridge

Opening Mark

Insert	(1)  莫(P) 黄 12s 2M 同步	(1) 29°58'42".2N, 122°04'03".5E
	(2)  莫(P) 黄 12s 2M 同步	(2) 29°58'42".0N, 122°04'03".5E
Note:	Dawangjiaoban Bridge opening mark No.1 and No.2 flash in synchrony.	

Chart 52137(1)(2with chart unchanged)[2026-484]

List of Lights CNP82/2025~2026[5313879.01][5313879.02]

Source East China Sea Aids 013/2026

790.East China Sea – Wenzhou Port – Buoyage

Move	(26)  闪(2)红 6s from:	(1) 27°59'38".0N, 120°51'54".9E
	to:	(2) 27°59'36".8N, 120°52'32".4E
	(28)  闪(3)红 10s from:	(3) 27°59'11".0N, 120°50'37".9E
	to:	(4) 27°59'17".7N, 120°50'21".9E
Insert	温福瓯江北桥(警L1)  莫(0)黄 12s 同步	(5) 27°59'47".5N, 120°51'18".5E
	(警L2)  莫(0)黄 12s 同步	(6) 27°59'33".0N, 120°51'22".6E
	(警L3)  莫(0)黄 12s 同步	(7) 27°59'06".9N, 120°51'29".9E
	(警L4)  莫(0)黄 12s 同步	(8) 27°59'00".1N, 120°50'59".0E
	(警L5)  莫(0)黄 12s 同步	(9) 27°59'26".1N, 120°50'51".7E
	(警L6)  莫(0)黄 12s 同步	(10) 27°59'40".8N, 120°50'47".6E
	温福瓯江北桥(L1)  闪(2)绿 6s	(11) 27°59'49".2N, 120°51'36".1E

Note: Wenfu Oujiang North Bridge warning buoyage No.L1 to No.L6 flash in synchrony.

Chart 55123[2026-259]

List of Lights CNP82/2025~2026[5810300.26][5810300.28][5810311.01][5810311.02]
[5810311.03][5810311.04][5810311.05][5810311.06][5810312.01]

Source East China Sea Aids 013/2026

791.East China Sea – Baimahe and Approaches – Buoyage

Insert	(701)  闪(3)绿 10s	(1) 26°50'36".8N, 119°40'55".2E
	(702)  闪绿 4s	(2) 26°51'12".9N, 119°40'29".1E
	(703)  闪(2)红 6s	(3) 26°52'35".2N, 119°40'08".7E
	(704)  闪(2)绿 6s	(4) 26°53'03".9N, 119°40'10".4E
	(705)  闪(3)绿 10s	(5) 26°53'30".6N, 119°38'55".2E
	(706)  闪红 4s	(6) 26°54'51".7N, 119°39'05".9E
	(707)  闪(2)绿 6s	(7) 26°55'05".5N, 119°39'38".6E
	(708)  闪(3)绿 10s	(8) 26°56'25".6N, 119°39'53".0E

Chart 61321〔2026-664〕

List of Lights CNP82/2025~2026[6111030.701] [6111030.702] [6111030.703] [6111030.704]
[6111030.705] [6111030.706] [6111030.707] [6111030.708]

Source East China Sea Aids 014/2026

792.Taiwan Strait – Xiamen Port and Approaches – Haicang Harbour – Buoyage

Delete (海澳1)  莫(0)黄12s 24°26'55".8N,117°59'27".2E

Chart 65112〔2026-107〕

List of Lights CNP82/2025~2026[6610851.01]

Source East China Sea Aids 013/2026

793.South China Sea – Zhujiangkou – Jiuzhou Port Southeastwards – Submarine Power Line

Insert submarine power line, joining: (1)22°12'14".7N,113°35'30".0E
(2)22°12'20".9N,113°35'29".1E
(3)22°12'48".9N,113°35'27".4E
(4)22°12'59".0N,113°35'20".0E
(84204 北图廓交点)
(5)22°12'59".7N,113°35'19".5E
(6)22°13'06".0N,113°35'17".2E
(84248 南图廓交点)
(7)22°13'08".4N,113°35'16".4E
(8)22°13'53".3N,113°35'06".3E
(9)22°14'03".2N,113°35'05".8E
submarine power line, joining: (10)22°08'17".7N,113°42'10".0E
(11)22°08'17".0N,113°42'00".0E
(84204 东图廓交点)
(12)22°08'16".6N,113°41'53".8E
(13)22°08'15".3N,113°41'26".4E
(14)22°09'07".0N,113°40'00".0E
(84203 西图廓交点)
(15)22°10'01".0N,113°38'29".8E

(16)22°10'05".5N,113°38'24".1E

(17)22°11'42".5N,113°37'31".8E

(18)22°12'15".5N,113°36'27".4E

(19)22°12'19".0N,113°36'24".1E

(20)22°12'19".7N,113°36'19".2E

(21)22°12'43".0N,113°35'33".2E

(22)22°12'44".6N,113°35'31".3E

(23)22°12'49".0N,113°35'27".8E

(24)22°12'51".4N,113°35'27".6E

(25)22°12'55".7N,113°35'25".8E

(26)22°12'59".0N,113°35'22".9E

(84204北图廓交点)

(27)22°13'00".6N,113°35'21".5E

(28)22°13'05".4N,113°35'20".9E

(29)22°13'06".0N,113°35'20".6E

(84248南图廓交点)

(30)22°13'14".5N,113°35'17".3E

(31)22°13'22".3N,113°35'15".2E

(32)22°13'29".7N,113°35'14".4E

(33)22°13'38".3N,113°35'11".5E

(34)22°13'53".4N,113°35'08".8E

(35)22°14'03".3N,113°35'06".0E

submarine power line, joining:

(36)22°08'17".2N,113°42'10".9E

(37)22°08'15".3N,113°42'07".7E

(38)22°08'14".8N,113°42'01".4E

(39)22°08'14".6N,113°42'00".0E

(84204东图廓交点)

(40)22°08'12".6N,113°41'35".9E

(41)22°08'14".3N,113°41'25".7E

(42)22°08'28".6N,113°41'01".4E

(43)22°08'38".3N,113°40'43".0E

(44)22°09'00".6N,113°40'08".6E

(45)22°09'04".2N,113°40'00".0E

(84203 西图廓交点)

(46)22°09'05".2N,113°39'57".6E

(47)22°09'08".7N,113°39'54".3E

(48)22°09'10".1N,113°39'49".9E

(49)22°09'57".1N,113°38'33".1E

(50)22°10'02".2N,113°38'23".4E

(51)22°10'09".5N,113°38'11".5E

(52)22°10'17".8N,113°37'57".9E

(53)22°10'24".0N,113°37'49".8E

(54)22°10'47".0N,113°37'26".1E

(55)22°10'49".6N,113°37'21".0E

(56)22°10'50".3N,113°37'13".5E

Chart 84001(1~3;10,12,13,15~25,27,28,30~35;50~56)[2026-763]

84002(1~3;10,12,13,15~25,27,28,30~35;50~56)[2026-763]

84203(10,12~14;36~38,40~45)[2026-760]

84204(1~4;11~13,15~26;39~44,46~56)[2026-763]

84206(1~3,5,7~9;10,12,13,15~25,27,28,30~35;36~38,40~44,46~56)[2026-728]

84218(1~3,5,7~9;10,12,13,15~25,27,28,30~35;36~38,40~44,46~56)[2026-723]

84221(1~3,5,7~9;10,12,13,15~25,27,28,30~35;36~38,40~44,46~56)[2026-760]

84248(6~9;29~35)[2025-318]

3314(1~3;10,12,13,15~25,27,28,30~35;50~56)[2026-764]

Source Guangzhou Hydrographic Center

794.South China Sea – Zhujiangkou – Jiuzhou Port Southeastwards – Windmotor & Offshore

Production Area

Insert	┆	(1)22°09'16".5N,113°44'20".8E
	┆	(2)22°08'11".5N,113°44'32".1E
	┆	(3)22°09'38".3N,113°44'07".8E
	┆	(4)22°07'03".9N,113°44'44".3E
	┆	(5)22°08'54".7N,113°44'33".9E

└─┘	(6)22°09'16".9N,113°43'53".9E
└─┘	(7)22°06'22".5N,113°44'46".5E
└─┘	(8)22°08'55".5N,113°43'39".8E
└─┘	(9)22°08'55".1N,113°44'06".8E
└─┘	(10)22°08'34".2N,113°43'26".3E
└─┘	(11)22°08'33".8N,113°43'53".2E
└─┘	(12)22°08'33".3N,113°44'20".2E
└─┘	(13)22°08'12".2N,113°43'39".4E
└─┘	(14)22°08'11".8N,113°44'06".2E
└─┘	(15)22°06'20".5N,113°44'18".3E
└─┘	(16)22°07'28".5N,113°41'50".0E
└─┘	(17)22°07'53".6N,113°43'02".3E
└─┘	(18)22°07'51".2N,113°43'26".9E
└─┘	(19)22°07'49".6N,113°43'54".2E
└─┘	(20)22°07'49".8N,113°44'21".1E
└─┘	(21)22°07'28".0N,113°42'17".1E
└─┘	(22)22°07'27".6N,113°42'44".0E
└─┘	(23)22°07'27".2N,113°43'10".6E
└─┘	(24)22°07'26".7N,113°43'37".7E
└─┘	(25)22°07'26".2N,113°44'08".1E
└─┘	(26)22°07'25".7N,113°44'34".9E
└─┘	(27)22°07'05".9N,113°42'29".9E
└─┘	(28)22°07'05".4N,113°42'56".8E
└─┘	(29)22°07'05".0N,113°43'23".7E
└─┘	(30)22°07'04".5N,113°43'50".7E
└─┘	(31)22°07'03".5N,113°44'17".1E
└─┘	(32)22°06'42".7N,113°43'37".0E
└─┘	(33)22°06'42".1N,113°44'03".9E
└─┘	(34)22°06'41".7N,113°44'30".9E

maritime limit in general and note "Wind Farm

Protection Zone", joining:

(35)position (3) above

(36)22°09'17".9N,113°44'20".0E

(84211 西图廓交点)

(37)position (5) above

(38)position (4) above

(39)22°07'00".0N,113°44'42".0E

(84206 南图廓交点)

(40)position (34) above

(41)22°06'38".3N,113°44'33".7E

(42)22°06'38".3N,113°44'20".0E

(84211 西图廓交点)

(43)22°06'38".2N,113°43'45".3E

(44)position (32) above

(45)22°07'00".0N,113°42'47".0E

(84206 南图廓交点)

(46)position (27) above

(47)22°07'22".8N,113°42'00".0E

(84204 东图廓交点)

(48)position (16) above

(49)22°07'28".3N,113°42'00".0E

(84204 东图廓交点)

(50)position (22) above

(51)position (10) above

(52)position (8) above

(53)position (3) above

Chart 84001(2~5,7,10,15~17,19,22,24,26,27,30,32,34;35,37,38,40,41,43,44,46,
48,50~53)[2026-793]

84002(2~5,7,10,15~17,19,22,24,26,27,30,32,34;35,37,38,40,41,43,44,46,
48,50~53)[2026-793]

84203(1~34;35,37,38,40,41,43,44,46,48,50~53)[2026-793]

84204(16;47~49)[2026-793]

84206(1~6,8~14,16~31;35,37~39;45,46,48,50~53)[2026-793]

84211(1,2,4,5,7,12,20,26,34;36~38,40~42)[2026-760]
 84218(1~34;35,37,38,40,41,43,44,46,48,50~53)[2026-793]
 84221(1~34;35,37,38,40,41,43,44,46,48,50~53)[2026-793]
 3314(2~5,7,10,16,19,22,27,30,32,34;35,37,38,40,41,43,44,46,48,50~53)
 [2026-793]

Source Guangzhou Hydrographic Center

795.South China Sea – Luodousha and Approaches – Submarine Power Line & Windmotor

Insert submarine power line, joining: (1)20°18'50".4N,110°34'48".7E
 (2)20°20'49".2N,110°35'43".4E
 (3)20°21'27".8N,110°36'00".1E
 (4)20°21'28".4N,110°36'00".7E
 (5)20°23'12".6N,110°35'59".7E
 (6)20°24'20".0N,110°35'57".5E
 (88301 南图廓交点)
 (7)20°24'59".0N,110°35'56".3E
 (01102 北图廓交点)
 (8)20°28'32".3N,110°35'49".5E
 (9)20°30'38".2N,110°37'20".6E
 (10)20°31'52".6N,110°38'14".7E
 (11)position (1) above

Chart 88001(1~5,8~10;11)[2026-774] 88301(6,8~10)[2026-774]
 01102(1~5,7;11)[2025-1181] 3315(1~5,8~10;11)[2026-774]

Source Guangzhou Hydrographic Center

796.Beibu Gulf – Fangcheng Port Southwestwards – Windmotor & Offshore Platform & Offshore Production Area

Insert (1)21°22'31".9N,108°10'59".6E
 (2)21°21'35".8N,108°10'33".9E
 (3)21°21'11".8N,108°10'23".5E
 (4)21°20'47".8N,108°10'12".9E

└	(5)21°20'22".5N,108°10'06".0E
└	(6)21°20'00".5N,108°10'10".9E
└	(7)21°19'38".5N,108°10'19".3E
└	(8)21°19'16".6N,108°10'24".3E
└	(9)21°18'54".8N,108°10'26".0E
└	(10)21°18'33".0N,108°10'31".6E
└	(11)21°18'11".0N,108°10'36".1E
└	(12)21°17'49".4N,108°10'41".6E
└	(13)21°17'30".4N,108°10'57".9E
└	(14)21°22'36".0N,108°11'36".3E
└	(15)21°22'10".5N,108°11'11".3E
└	(16)21°21'48".4N,108°11'10".9E
└	(17)21°21'26".2N,108°11'09".7E
└	(18)21°21'02".6N,108°11'08".6E
└	(19)21°20'40".4N,108°11'11".4E
└	(20)21°20'18".1N,108°11'14".4E
└	(21)21°19'55".8N,108°11'17".3E
└	(22)21°19'33".5N,108°11'20".1E
└	(23)21°19'11".3N,108°11'23".0E
└	(24)21°18'49".0N,108°11'25".9E
└	(25)21°18'26".7N,108°11'28".8E
└	(26)21°18'04".3N,108°11'30".4E
└	(27)21°17'42".0N,108°11'32".1E
└	(28)21°16'57".5N,108°11'43".0E
└	(29)21°16'40".3N,108°11'57".2E
└	(30)21°22'39".8N,108°12'07".4E
└	(31)21°22'17".3N,108°12'09".1E
└	(32)21°21'55".0N,108°12'10".8E
└	(33)21°21'32".6N,108°12'12".6E
└	(34)21°20'47".8N,108°12'15".8E
└	(35)21°20'25".4N,108°12'17".4E

└─	(36)21°20'03".0N,108°12'19".1E
└─	(37)21°19'40".7N,108°12'20".7E
└─	(38)21°19'18".2N,108°12'22".4E
└─	(39)21°18'55".9N,108°12'24".0E
└─	(40)21°18'33".5N,108°12'25".7E
└─	(41)21°18'11".1N,108°12'27".3E
└─	(42)21°17'48".7N,108°12'28".9E
└─	(43)21°17'26".3N,108°12'30".2E
└─	(44)21°17'04".7N,108°12'28".9E
└─	(45)21°22'45".9N,108°13'00".5E
└─	(46)21°22'23".5N,108°13'01".7E
└─	(47)21°22'01".4N,108°13'03".7E
└─	(48)21°21'39".1N,108°13'05".4E
└─	(49)21°21'16".6N,108°13'07".0E
└─	(50)21°20'54".2N,108°13'08".6E
└─	(51)21°20'31".9N,108°13'10".3E
└─	(52)21°20'09".5N,108°13'11".9E
└─	(53)21°19'47".1N,108°13'13".5E
└─	(54)21°19'24".7N,108°13'15".2E
└─	(55)21°19'02".3N,108°13'16".8E
└─	(56)21°18'39".9N,108°13'18".4E
└─	(57)21°18'17".6N,108°13'20".1E
└─	(58)21°17'56".8N,108°13'20".8E
└─	(59)21°23'46".5N,108°14'16".2E
└─	(60)21°23'16".6N,108°14'15".9E
└─	(61)21°22'44".3N,108°13'53".0E
└─	(62)21°22'20".5N,108°13'55".7E
└─	(63)21°21'57".0N,108°13'57".4E
└─	(64)21°21'33".2N,108°13'59".2E
└─	(65)21°21'09".4N,108°14'01".0E
└─	(66)21°20'45".7N,108°14'02".7E

	(67)21°20'21".9N,108°14'04".4E
	(68)21°19'58".2N,108°14'06".2E
	(69)21°19'34".4N,108°14'08".0E
	(70)21°19'10".7N,108°14'09".7E
	(71)21°18'48".2N,108°14'09".9E
	(72)21°23'46".2N,108°15'00".1E
	(73)21°23'23".7N,108°14'59".1E
	(74)21°23'01".2N,108°14'58".2E
	(75)21°22'38".8N,108°14'57".1E
	(76)21°22'16".3N,108°14'56".2E
	(77)21°21'54".0N,108°14'55".3E
	(78)21°21'31".6N,108°14'54".3E
	(79)21°21'09".2N,108°14'53".4E
	(80)21°20'46".8N,108°14'52".4E
	(81)21°20'24".3N,108°14'51".5E
	(82)21°20'01".9N,108°14'50".5E
	(83)21°19'25".3N,108°14'44".6E
升压站 	(84)21°21'18".5N,108°11'44".3E

maritime limit in general and note "Wind Farm

Protection Zone", joining:	(85)21°23'51".0N,108°14'01".0E
	(86)21°23'50".0N,108°15'03".0E
	(87)21°19'27".0N,108°14'51".0E
	(88)21°16'11".0N,108°11'41".0E
	(89)21°17'34".0N,108°10'07".0E
	(90)21°20'09".0N,108°09'32".0E
	(91)21°22'36".0N,108°10'27".0E
	(92)21°23'13".0N,108°14'01".0E
	(93)position (85) above

Chart 92001〔2026-742〕

3316(1,2,5,9,12,18,21,24,27,28,30,33,35,38,41,44,45,50,53,56,58,59,61,
64,68,71,72,74,77,80,83,84;85~93)〔2026-742〕

Source Guangzhou Hydrographic Center

Temporary Notices

797.Bohai Sea – Liaodong Gulf – Construction (T)

Date May 20 to December 31, 2026

Area joining: (1)40°33'10".2N,121°30'41".4E
(2)40°34'37".2N,121°31'52".8E
(3)40°43'52".8N,121°31'42".6E
(4)40°44'33".0N,121°30'16".8E
(5)40°44'33".0N,121°22'39".6E
(6)40°39'03".0N,121°18'05".4E
(7)position (1) above

Chart 13001

Source Jinzhou Navigation Notice 0220/2026

798.Bohai Sea – Tianjin Port – Construction (T)

Date May 21 to November 30, 2026

Area joining: (1)38°42'06".1N,117°40'03".4E
(2)38°42'05".2N,117°40'03".4E
(3)38°42'04".5N,117°41'04".9E
(4)38°42'05".2N,117°41'05".0E
(5)position (1) above

Note: Keep watching on VHF ch.08&16. Irrespective vessels are prohibited from entering the safety operation zone.

Chart 23136

Source Dagang Navigation Notice 0060/2026

799.Bohai Sea – Tianjin Port – Construction (T)

Date May 21 to December 31, 2026

Area joining: (1)38°42'06".2N,117°39'00".1E
(2)38°42'06".0N,117°40'03".4E
(3)38°42'05".3N,117°40'03".3E

(4)38°42'05".4N,117°39'57".0E

(5)38°42'04".4N,117°39'56".9E

(6)38°42'04".4N,117°39'56".5E

(7)38°42'05".3N,117°39'56".6E

(8)38°42'05".6N,117°39'00".1E

(9)position (1) above

Note: Keep watching on VHF ch.08&16. Irrespective vessels are prohibited from entering the safety operation zone.

Chart 23136

Source Dagang Navigation Notice 0061/2026

800.Bohai Sea – Huanghua Port – Berth Construction(T)

Date November 1, 2025 to April 30, 2027

Area joining: (1)38°19'46".6N,117°50'00".1E

(2)38°20'00".9N,117°49'44".5E

(3)38°19'54".6N,117°49'35".1E

(4)38°19'40".2N,117°49'50".7E

(5)position (1) above

Note: Keep watching on VHF ch.08&16. Irrespective vessels are prohibited from entering the safety operation zone.

Chart 24111

Source Cangzhou Navigation Notice 0334/2025&0212/2026

801.Bohai Sea – Huanghua Port – Submarine Cable(T)

Date May 21 to October 15, 2026

Area a circular moving water area with a radius of 1200m centered on the main working vessel, where the central axis of this area is the polyline formed by sequentially connecting the following five control points, joining (1)38°34'55".1N,118°30'22".6E
(2)38°30'10".8N,118°30'18".0E

(3)38°29'42".0N,118°30'14".4E

(4)38°29'13".2N,118°30'07".2E

(5)38°28'51".8N,118°29'52".0E

(6)position (1) above

Note: Keep watching on VHF ch.08&16. Irrespective vessels are prohibited from entering the safety operation zone.

Chart 24101

Source Cangzhou Navigation Notice 0216/2026

802.Bohai Sea – Dongying Port – Construction(T)

Date May 21 to September 30, 2026

Area radius 500m, central point 38°11'57".4N,118°49'28".4E

Note: Keep watching on HF .

Chart 32202

Source Dongying Navigation Notice 0512/2026

803.Bohai Sea – Miaodao Archipelago – Pipeline Work(T)

Date May 23 to September 30, 2026

Area within a 200m wide area centered on the line,
joining:

(1)37°56'41".7N,120°40'43".2E

(2)37°57'17".9N,120°40'05".6E

(3)37°57'19".6N,120°38'30".1E

(4)37°57'42".3N,120°38'23".0E

(5)37°57'50".4N,120°38'34".3E

(6)37°57'50".6N,120°38'34".0E

(7)37°57'43".2N,120°38'22".2E

(8)37°57'48".7N,120°37'21".4E

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 34132

Source Yantai Navigation Notice 0525/2026

804.Yellow Sea – Yantai Port – Approaches to Zhifuwan Harbour – Pier Construction (T)

Date November 25, 2025 to November 25, 2026

Area joining: (1)37°32'08".6N,121°25'28".2E
(2)37°32'08".6N,121°25'28".6E
(3)37°32'09".6N,121°25'30".0E
(4)37°32'12".4N,121°25'31".5E
(5)37°32'13".4N,121°25'29".6E
(6)37°32'10".2N,121°25'28".1E
(7)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 34167

Source Yantai Navigation Notice 1186/2025&0523/2026

805.Yellow Sea – Shidao Port – Wangjia Bay – Dredging (T)

Date November 21, 2025 to November 21, 2026

Area joining: (1)36°51'28".3N,122°22'34".6E
(2)36°51'41".4N,122°23'04".4E
(3)36°51'36".1N,122°23'08".3E
(4)36°51'23".1N,122°22'38".0E
(5)position (1) above

Note: Keep watching on VHF ch.08&16.

Chart 35144

Source Weihai Navigation Notice 1146/2025&0508/2026

806.Yellow Sea – Haiyang Port and Approaches – Construction (T)

Date May 18 to November 30, 2026

Area joining: (1)36°34'16".9N,121°31'04".4E
(2)36°31'59".6N,121°31'11".5E
(3)36°33'01".0N,121°39'48".4E
(4)36°34'50".4N,121°39'09".0E
(5)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 35002 36001

Source Qingdao Navigation Notice 0500/2026

807. East China Sea – Sanmen Bay – Huangyanzuitou – Construction (T)

Date November 17, 2025 to January 31, 2027, day and night

Area joining:

- (1) 29°06'20".1N, 121°38'45".4E
- (2) 29°06'18".5N, 121°38'45".8E
- (3) 29°06'20".2N, 121°38'54".5E
- (4) 29°06'13".9N, 121°38'59".8E
- (5) 29°06'14".9N, 121°39'01".3E
- (6) 29°06'22".0N, 121°38'55".2E
- (5) position (1) above

Note: Irrespective vessels are prohibited from entering the safety operation zone.

Chart 54121

Source Taizhou Navigation Notice 0144/2025&0526/2026

808. Taiwan Strait – Xinghua Bay – Jiangyin Harbour – Fairway Construction (T)

Date December 1, 2025 to November 30, 2026

Area joining:

- (1) 25°23'35".0N, 119°17'28".6E
- (2) 25°23'48".1N, 119°16'24".5E
- (3) 25°24'58".7N, 119°14'05".0E
- (4) 25°26'02".7N, 119°13'19".3E
- (5) 25°26'23".3N, 119°13'49".2E
- (6) 25°26'02".6N, 119°13'45".2E
- (7) 25°25'13".0N, 119°14'19".4E
- (8) 25°24'07".6N, 119°16'22".1E
- (9) 25°23'49".5N, 119°17'32".6E
- (10) position (1) above

Note: Keep watching on VHF ch.10&16.

Chart 62632

Source Putian Navigation Notice 0283/2026

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.