



NOTICES TO MARINERS

Issue No.5 (Total No.1269)

Notice No.120-154

2 February 2026

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (′) and seconds (″), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	21117	MAIN FAIRWAY OF QINHUANGDAO PORT	1:15 000	2026年1月第3版	CHECK NTM FROM ISSUE No.2 2026
2	23119	BEITANG HARBOUR TO HANGU HARBOUR	1:30 000	2025年12月第5版	CHECK NTM FROM ISSUE No.52 2025
3	24111	BASIN IN HUANGHUA PORT	1:10 000	2025年12月第13版	CHECK NTM FROM ISSUE No.52 2025
4	24113	FAIRWAY IN HUANGHUA PORT(Ⅲ)	1:25 000	2026年1月第15版	CHECK NTM FROM ISSUE No.2 2026
5	44121	DEEP WATER FAIRWAY OF CHANGJIANGKOU(Ⅰ)	1:25 000	2025年12月第56版	CHECK NTM FROM ISSUE No.52 2025
6	44122	DEEP WATER FAIRWAY OF CHANGJIANGKOU(Ⅱ)	1:25 000	2025年12月第56版	CHECK NTM FROM ISSUE No.51 2025
7	44123	DEEP WATER FAIRWAY OF CHANGJIANGKOU(Ⅲ)	1:25 000	2025年12月第56版	CHECK NTM FROM ISSUE No.1 2026
8	44124	JIANGYA TO YUANYUANSHA	1:25 000	2026年1月第56版	CHECK NTM FROM ISSUE No.2 2026
9	44125	YUANYUANSHA TO WUSONGKOU	1:25 000	2026年1月第56版	CHECK NTM FROM ISSUE No.2 2026
10	44126	WUSONGKOU TO LIUHEKOU	1:25 000	2026年1月第56版	CHECK NTM FROM ISSUE No.2 2026

No.	Chart No.	Name	Scale	Date	Note
11	82301	XIAOMO PORT AND APPROACHES	1:25 000	2026年1月第1版	CHECK NTM FROM ISSUE No.3 2026
12	84234	DAHU CHANNEL	1:10 000	2026年1月第17版	CHECK NTM FROM ISSUE No.2 2026
13	86301	YANGJIANG PORT	1:25 000	2026年1月第1版	CHECK NTM FROM ISSUE No.1 2026 Scope of Chart 21°30'32"N ~21°44'02"N 111°43'06"E ~111°52'59"E
14	87105	FAIRWAY OF BOHEXINGANG	1:10 000	2025年12月第2版	CHECK NTM FROM ISSUE No.1 2026

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	21117	MAIN FAIRWAY OF QINHUANGDAO PORT	1:15 000	2023年11月第2版	
2	23119	BEITANG HARBOUR TO HANGU HARBOUR	1:30 000	2021年9月第4版	
3	24111	BASIN IN HUANGHUA PORT	1:10 000	2025年9月第12版	
4	24113	FAIRWAY IN HUANGHUA PORT(Ⅲ)	1:25 000	2025年9月第14版	
5	44121	DEEP WATER FAIRWAY OF CHANGJIANGKOU(Ⅰ)	1:25 000	2025年10月第55版	
6	44122	DEEP WATER FAIRWAY OF CHANGJIANGKOU(Ⅱ)	1:25 000	2025年10月第55版	
7	44123	DEEP WATER FAIRWAY OF CHANGJIANGKOU(Ⅲ)	1:25 000	2025年10月第55版	

No.	Chart No.	Name	Scale	Date	Note
8	44124	JIANGYA TO YUANYUANSHA	1:25 000	2025年11月第55版	
9	44125	YUANYUANSHA TO WUSONGKOU	1:25 000	2025年11月第55版	
10	44126	WUSONGKOU TO LIUHEKOU	1:25 000	2025年11月第55版	
11	82301	HOUMEN PORT AND APPROACHES	1:25 000	2021年9月第3版	
12	84234	DAHU CHANNEL	1:10 000	2025年1月第16版	
13	86301	YANGJIANG PORT	1:25 000	2023年8月第8版	
14	87105	FAIRWAY OF BOHEXINGANG	1:10 000	2023年12月第1版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Yingkou Port	(148)
	Dongying Port	(120)
	Laizhou Gulf Northern	(149)
	Laizhou Gulf	(150)
Yellow Sea	Yantai Port	(151)
	Weihai Northwards	(152)
	Heishidao Southwestwards	(153)
	Wuleidao Bay	(154)
	Qingdao Port	(121)
	Yangkou Port Northeastwards	(122),(123),(124),(126)
	Yangkou Port Northwards	(125)
East China Sea	Hangzhou Gulf	(127)
	Zhoushan Archipelago	(128),(129),(130),(131), (132),(133),(134),(135)
	Jiushan Islands Southeastwards	(136)
	Yushan Islands Westwards	(137)
	Yushan Islands Southeastwards	(138)
	Approaches to Dongtoudao	(139)
	Taiwan Strait	Haitan Strait Northwards
Xinghua Bay		(141),(142)
Meizhou Bay		(143),(144),(145)
Gulei Peninsula Southeastwards		(146)
South China Sea	Bohexingang Harbour and Approaches	(147)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
13114		148
13115		148
32001	120	149
32201	120	
32202	120	
33301		150
33321		150
33324		150
34161		151
34165		151
35001		152
35002		153
35154		154
36122	121	
36123	121	
36124	121	
1304	120	
42002	122,123,124,125,126	
51001	127,128,129,132	
51171	127	
52001	128,129,132	
52131	128,130	
52132	128,129	
52133	131	
52135	132	
52137	133	
52139	132	
52141	134,135	
52171	128,130	
52172	128,129,130,131	
52173	131	
52174	133,134,135	
53001	132,133,134,135,136	
53171	132	
53342	133,134	
54001	136,137,138	

Notices to Mariners

120. Bohai Sea – Dongying Port – Anchorage Area

Delete No 1 anchorage boundary line and note, joining: (1) $38^{\circ}06'24''.1N, 119^{\circ}04'38''.4E$
(2) $38^{\circ}07'01''.8N, 119^{\circ}05'45''.2E$
(3) $38^{\circ}06'09''.0N, 119^{\circ}06'32''.9E$
(4) $38^{\circ}05'31''.3N, 119^{\circ}05'26''.2E$
(5) position (1) above

No 10 dangerous goods anchorage boundary line
and note, joining: (6) $38^{\circ}10'25''.3N, 119^{\circ}21'11''.6E$
(7) $38^{\circ}11'44''.3N, 119^{\circ}19'59''.6E$
(8) $38^{\circ}12'41''.0N, 119^{\circ}21'39''.8E$
(9) $38^{\circ}11'22''.0N, 119^{\circ}22'51''.7E$
(10) position (6) above

Insert anchorage boundary line and note "  No1",
joining: (11) $38^{\circ}07'20''.7N, 119^{\circ}06'18''.6E$
(12) $38^{\circ}07'58''.4N, 119^{\circ}07'25''.4E$
(13) $38^{\circ}07'05''.6N, 119^{\circ}08'13''.1E$
(14) $38^{\circ}06'27''.9N, 119^{\circ}07'06''.4E$
(15) position (11) above

anchorage boundary line and note "  No2",
joining: (16) $38^{\circ}11'00''.6N, 119^{\circ}05'11''.5E$
(17) $38^{\circ}11'38''.2N, 119^{\circ}06'18''.2E$
(18) $38^{\circ}10'45''.4N, 119^{\circ}07'06''.2E$
(19) $38^{\circ}10'07''.9N, 119^{\circ}05'59''.2E$
(20) position (16) above

anchorage boundary line and note "  No3",
joining: (21) $38^{\circ}12'15''.9N, 119^{\circ}08'00''.8E$
(22) $38^{\circ}12'36''.5N, 119^{\circ}08'38''.0E$
(32201 东图廓交点)
(23) $38^{\circ}13'00''.6N, 119^{\circ}09'21''.5E$

(24) 38°12'28".7N, 119°09'49".9E
(25) 38°11'48".9N, 119°08'38".0E
(32201 东图廓交点)
(26) 38°11'44".0N, 119°08'29".1E
(27) position (21) above

anchorage boundary line and note "  No4",
joining:

(28) 38°09'33".7N, 119°10'14".5E
(29) 38°11'26".7N, 119°13'35".2E
(30) 38°10'33".9N, 119°14'22".9E
(31) 38°08'40".9N, 119°11'02".2E
(32) position (28) above

anchorage boundary line and note "  No5",
joining:

(33) 38°11'45".5N, 119°14'08".6E
(34) 38°12'23".2N, 119°15'15".6E
(35) 38°11'30".4N, 119°16'03".3E
(36) 38°10'52".7N, 119°14'56".3E
(37) position (33) above

anchorage boundary line and note "  No6",
joining:

(38) 38°08'12".7N, 119°16'49".2E
(39) 38°10'04".2N, 119°20'13".5E
(40) 38°09'24".3N, 119°20'48".5E
(41) 38°07'32".2N, 119°17'22".6E
(42) position (38) above

anchorage boundary line and note "  No7",
joining:

(43) 38°10'25".2N, 119°21'11".5E
(44) position (9) above
(45) 38°12'14".8N, 119°22'03".1E
(46) 38°11'17".9N, 119°20'23".6E
(47) position (43) above

anchorage boundary line and note "  No8",
joining:

(48) 38°16'44".0N, 119°29'53".6E

(49)38°15'38".9N,119°32'44".5E

(50)38°14'58".2N,119°31'02".0E

(51)position (48) above

anchorage boundary line and note "  No9",

radius 670m, center point

(52)38°22'39".3N,119°26'00".8E

anchorage boundary line and note "  No10",

radius 670m, center point

(53)38°25'57".0N,119°31'41".4E

Note: Chinese Version Only.

Chart 32001(1~5;6~10;11~15;16~20;21,23,24,26,27;28~32;33~37;38~42;43~47;
48~51;52,53)[2025-1228]

32201(1~5;11~15;16~20;21,22;25~27)[2025-]

32202(1~5;6~10;11~15;16~20;21,23,24,26,27;28~32;33~37;38~42;43~47;
48~51;52)[2025-1193]

1304(6~10)[2026-90]

Source Dongying Navigation Notice 1251/2025&0002/2026

121.Yellow Sea – Qingdao Port – Obstruction

Insert  概位: 据报 36°05'30".6N,120°18'57".6E

Chart 36122[2025-1127] 36123[2025-1127] 36124[2023-]

Source Qingdao Navigation Notice 1275/2025

122.Yellow Sea – Yangkou Port Northeastwards – Lightbeacon

- | | | |
|--------|---|--------------------------------|
| Insert | 如东H7风电(1)  莫(C)黄 12s15m5M 同步 | (1)32°51'27".0N,121°45'24".2E |
| | (2)  莫(C)黄 12s15m5M 同步 | (2)32°51'25".0N,121°47'47".4E |
| | (3)  莫(C)黄 12s15m5M 同步 | (3)32°51'22".9N,121°50'10".5E |
| | (4)  莫(C)黄 12s15m5M 同步 | (4)32°51'21".1N,121°52'13".2E |
| | (5)  莫(C)黄 12s15m5M 同步 | (5)32°51'19".3N,121°54'16".0E |
| | (6)  莫(C)黄 12s15m5M 同步 | (6)32°51'17".4N,121°56'16".2E |
| | (7)  莫(C)黄 12s15m5M 同步 | (7)32°50'31".3N,121°56'32".2E |
| | (8)  莫(C)黄 12s15m5M 同步 | (8)32°50'04".4N,121°54'07".0E |
| | (9)  莫(C)黄 12s15m5M 同步 | (9)32°49'42".2N,121°52'10".0E |
| | (10)  莫(C)黄 12s15m5M 同步 | (10)32°49'16".2N,121°49'53".6E |

- | | |
|--|---------------------------------|
| (11)  莫(C)黄 12s15m5M 同步 | (11) 32°48'50".1N,121°47'37".1E |
| (12)  莫(C)黄 12s15m5M 同步 | (12) 32°48'24".0N,121°45'20".5E |
| (13)  莫(C)黄 12s15m5M 同步 | (13) 32°49'56".2N,121°45'22".4E |
| (14)  莫(C)黄 12s24m5M 同步 | (14) 32°49'56".3N,121°50'17".9E |

Note: Chinese Version Only.

Chart 42002[2026-51] 2307(1,12,14)[2026-54]

List of Lights CNP82/2025~2026[4310639.701][4310639.702][4310639.703][4310639.704]
 [4310639.705][4310639.706][4310639.707][4310639.708][4310639.709]
 [4310639.710][4310639.711][4310639.712][4310639.713][4310639.714]

Source East China Sea Aids 045/2025

123.Yellow Sea – Yangkou Port Northeastwards – Aids

- | | |
|---|---------------------------------|
| Insert from:  | (1) 32°45'51".6N,121°50'25".9E |
| to:  莫(C)黄 12s13m5M 同步 | (2) position (1) above |
| from:  | (3) 32°46'23".0N,121°52'13".4E |
| to:  莫(C)黄 12s13m5M 同步 | (4) position (3) above |
| from:  | (5) 32°46'51".1N,121°53'49".9E |
| to:  莫(C)黄 12s13m5M 同步 | (6) position (5) above |
| from:  | (7) 32°47'20".0N,121°55'29".5E |
| to:  莫(C)黄 12s13m5M 同步 | (8) position (7) above |
| from:  | (9) 32°47'49".0N,121°57'09".1E |
| to:  莫(C)黄 12s13m5M 同步 | (10) position (9) above |
| from:  | (11) 32°45'45".7N,121°57'59".2E |
| to:  莫(C)黄 12s13m5M 同步 | (12) position (11) above |
| from:  | (13) 32°45'05".2N,121°55'39".9E |
| to:  莫(C)黄 12s13m5M 同步 | (14) position (13) above |
| from:  | (15) 32°44'25".2N,121°53'22".6E |
| to:  莫(C)黄 12s13m5M 同步 | (16) position (15) above |
| from:  | (17) 32°43'48".4N,121°51'16".2E |
| to:  莫(C)黄 12s13m5M 同步 | (18) position (17) above |
| from: 升压站  | (19) 32°45'09".1N,121°54'34".7E |

to: 升压站  莫(C)黄 12s28m5M 同步

(20)position (19) above

Chart 42002[2026-122] 2307(1,2,9~12,17~20)[2026-122]

List of Lights CNP82/2025~2026[4310639.801][4310639.802][4310639.803][4310639.804]
[4310639.805][4310639.806][4310639.807][4310639.808][4310639.809]
[4310639.810]

Source East China Sea Aids 045/2025

124.Yellow Sea – Yangkou Port Northeastwards – Aids

Insert from:  (1)32°47'39".8N,121°30'13".9E
to:  莫(C)黄 12s11m5M 同步 (2)position (1) above
from:  (3)32°49'07".3N,121°32'09".3E
to:  莫(C)黄 12s11m5M 同步 (4)position (3) above
from:  (5)32°50'37".7N,121°34'08".5E
to:  莫(C)黄 12s11m5M 同步 (6)position (5) above
from:  (7)32°50'37".3N,121°35'36".3E
to:  莫(C)黄 12s11m5M 同步 (8)position (7) above
from:  (9)32°49'06".4N,121°35'37".9E
to:  莫(C)黄 12s11m5M 同步 (10)position (9) above
from:  (11)32°47'38".4N,121°35'39".5E
to:  莫(C)黄 12s11m5M 同步 (12)position (11) above
from:  (13)32°47'38".8N,121°34'12".5E
to:  莫(C)黄 12s11m5M 同步 (14)position (13) above
from:  (15)32°47'39".3N,121°32'23".1E
to:  莫(C)黄 12s11m5M 同步 (16)position (15) above
from: 升压站  (17)32°48'00".5N,121°30'55".1E
to: 升压站  莫(C)黄 12s28m5M 同步 (18)position (17) above

Chart 42002[2026-123] 2307(1,2,5~8,11,12,17,18)[2026-123]

List of Lights CNP82/2025~2026[4310656.1501][4310656.1502][4310656.1503]
[4310656.1504][4310656.1505][4310656.1506][4310656.1507][4310656.1508]
[4310656.1509]

Source East China Sea Aids 045/2025

125. Yellow Sea – Yangkou Port Northwards – Aids

Insert	from: 	(1) 32°42'36".4N, 121°19'11".7E
	to:  莫(C)黄 12s11m5M 同步	(2) position (1) above
	from: 	(3) 32°43'37".4N, 121°21'09".6E
	to:  莫(C)黄 12s11m5M 同步	(4) position (3) above
	from: 	(5) 32°44'38".2N, 121°23'07".6E
	to:  莫(C)黄 12s11m5M 同步	(6) position (5) above
	from: 	(7) 32°45'39".4N, 121°25'06".2E
	to:  莫(C)黄 12s11m5M 同步	(8) position (7) above
	from: 	(9) 32°43'52".1N, 121°25'06".2E
	to:  莫(C)黄 12s11m5M 同步	(10) position (9) above
	from: 	(11) 32°43'09".8N, 121°23'44".2E
	to:  莫(C)黄 12s11m5M 同步	(12) position (11) above
	from: 	(13) 32°42'36".5N, 121°22'39".6E
	to:  莫(C)黄 12s11m5M 同步	(14) position (13) above
	from: 	(15) 32°42'36".5N, 121°20'47".4E
	to:  莫(C)黄 12s11m5M 同步	(16) position (15) above
	from: 升压站 	(17) 32°42'44".4N, 121°20'12".4E
	to: 升压站  莫(C)黄 12s28m5M 同步	(18) position (17) above

Chart 42002[2026-124] 2307(1,2,7~10,13,14,17,18)[2026-124]

List of Lights CNP82/2025~2026[4310656.1301][4310656.1302][4310656.1303]
 [4310656.1304][4310656.1305][4310656.1306][4310656.1307]
 [4310656.1308][4310656.1309]

Source East China Sea Aids 045/2025

126. Yellow Sea – Yangkou Port Northeastwards – Lightbeacon

Insert	如东H4风电(1)  莫(C)黄 12s14m5M 同步	(1) 32°39'13".1N, 121°30'57".9E
	(2)  莫(C)黄 12s14m5M 同步	(2) 32°39'49".8N, 121°32'53".4E
	(3)  莫(C)黄 12s14m5M 同步	(3) 32°40'26".4N, 121°34'48".8E
	(4)  莫(C)黄 12s14m5M 同步	(4) 32°41'03".1N, 121°36'44".2E
	(5)  莫(C)黄 12s14m5M 同步	(5) 32°41'39".6N, 121°38'39".8E

- | | |
|--|---------------------------------|
| (6)  莫(C)黄 12s14m5M 同步 | (6) 32°39'57".3N,121°39'51".0E |
| (7)  莫(C)黄 12s14m5M 同步 | (7) 32°38'05".2N,121°41'08".8E |
| (8)  莫(C)黄 12s14m5M 同步 | (8) 32°38'07".1N,121°39'13".9E |
| (9)  莫(C)黄 12s14m5M 同步 | (9) 32°38'09".3N,121°37'02".5E |
| (10)  莫(C)黄 12s14m5M 同步 | (10) 32°38'11".5N,121°34'51".2E |
| (11)  莫(C)黄 12s14m5M 同步 | (11) 32°38'13".5N,121°32'39".8E |
| (12)  莫(C)黄 12s27m5M 同步 | (12) 32°40'44".3N,121°37'13".6E |

Note: Chinese Version Only.

Chart 42002〔2026-125〕 2307(1,5,7,11,12)〔2026-125〕

List of Lights CNP82/2025~2026[4310656.0401] [4310656.0402] [4310656.0403]
 [4310656.0404] [4310656.0405] [4310656.0406] [4310656.0407]
 [4310656.0408] [4310656.0409] [4310656.0410] [4310656.0411]
 [4310656.0412]

Source East China Sea Aids 045/2025

127. East China Sea – Hangzhou Gulf – Buoyage

- | | |
|---|--------------------------------|
| Amend from: 金电一期(1)  莫(0)黄 12s | (1) 30°40'14".2N,121°31'14".1E |
| to: 金电一期(1)  莫(C)黄 12s | (2) position (1) above |
| from: (2)  莫(0)黄 12s 同步 | (3) 30°34'42".1N,121°31'16".7E |
| to: (2)  莫(C)黄 12s 同步 | (4) position (3) above |
| from: (3)  莫(0)黄 12s 同步 | (5) 30°35'35".2N,121°33'20".9E |
| to: (3)  莫(C)黄 12s 同步 | (6) position (5) above |
| from: (4)  莫(0)黄 12s 同步 | (7) 30°36'27".9N,121°35'25".2E |
| to: (4)  莫(C)黄 12s 同步 | (8) position (7) above |

Note: Chinese Version Only.

Chart 51001(1~4,7,8)〔2026-4〕 51171〔2025-1229〕

List of Lights CNP82/2025~2026[5110250.371] [5110250.372] [5110250.373] [5110250.374]

Source East China Sea Aids 045/2025

128. East China Sea – Zhoushan Archipelago – Sijiaoshan Westward – Submarine Pipeline

Insert submarine pipeline and note "water", joining: (1) 30°39'53".5N,122°15'00".0E

- (2) 30°40'50".9N, 122°17'00".0E
(52131 西图廓交点)
- (3) 30°40'56".8N, 122°17'12".2E
- (4) 30°41'05".3N, 122°18'00".0E
(52132 东图廓交点)
- (5) 30°41'24".5N, 122°19'48".0E
(52171 西图廓交点)
- (6) 30°41'53".2N, 122°22'30".0E
(51001 东图廓交点)
- (7) 30°42'07".6N, 122°23'50".7E
- (8) 30°42'07".9N, 122°24'00".0E
(52712 东图廓交点)
- (9) 30°42'10".6N, 122°25'29".7E
- (10) 30°42'10".6N, 122°25'31".5E
- (11) 30°42'10".6N, 122°25'31".6E

Note: Chinese Version Only.

Chart 51001(1,3,6)[2026-127] 52001(1,3,7,11)[2026-60]
52131(2,3,7,10)(with chart unchanged)[2026-] 52132(1,3,4)[2026-4]
52171(5,7,11)[2026-60] 52172(1,3,7,8)[2026-4] 2308(1,3,7,9)[2026-94]

Source Zhoushan Navigation Notice 0341/2025

129. East China Sea – Zhoushan Archipelago – Bodaozuidao Northeastward – Submarine Pipeline

Insert submarine pipeline and note "water", joining: (1) 30°37'19".5N, 122°09'12".8E
(2) 30°37'22".2N, 122°09'20".2E
(3) 30°37'37".9N, 122°10'20".6E
(4) 30°39'53".5N, 122°15'00".0E

Note: Chinese Version Only.

Chart 51001[2026-128] 52001[2026-128] 52132[2026-128] 52172[2026-128]
2308[2026-128]

Source Yangshan Navigation Notice 725/2024

130. East China Sea – Zhoushan Archipelago – Approaches to Majishan – V-AIS

Insert  (9) V-AIS 30°41'02".7N, 122°23'34".9E

Chart 52131 (with chart unchanged) [2026–128] 52171 [2026–128] 52172 [2026–129]

List of Lights CNP82/2025~2026 [5310490.09]

Source East China Sea Aids 044/2025

131. East China Sea – Zhoushan Archipelago – Qushan Island Westwards – Buoyage

Insert  快(9)15s 30°25'41".3N, 122°16'34".6E

Chart 52133 [2026–60] 52172 [2026–130] 52173 [2026–60]

List of Lights CNP82/2025~2026 [5311339]

Source East China Sea Aids 045/2025

132. East China Sea – Zhoushan Archipelago – Zhoushan Island Northwestwards – Buoyage

Insert  快(9)15s (1) 30°12'02".9N, 121°56'07".4E



(2) 30°11'10".4N, 121°56'03".4E

Chart 51001 (2) [2026–129] 52001 (2) [2026–129] 52135 [2025–1129] 52139 [2025–1129]
53001 (2) [2025–1199] 53171 [2025–1159]

List of Lights CNP82/2025~2026 [5311636] [5311641]

Source East China Sea Aids 045/2025

133. East China Sea – Zhoushan Archipelago – Liuheng Island Northwards – V-AIS

Insert  (14) V-AIS (1) 29°47'52".4N, 122°07'56".7E



(2) 29°49'16".0N, 122°08'25".5E

Chart 52137 (2) [2025–1159] 52174 [2025–1199] 53001 [2026–132] 53342 [2025–954]

List of Lights CNP82/2025~2026 [5314752.14] [5314752.16]

Source East China Sea Aids 045/2025

134. East China Sea – Zhoushan Archipelago – Jinboyu Island Northeastwards – Overhead Power Line and Pylon

Insert  (1) 29°45'58".0N, 122°11'45".0E



(2) 29°46'11".0N, 122°12'01".0E



(3) 29°46'19".0N, 122°12'09".0E

- (4)29°46'23".0N,122°12'35".0E
- (5)29°46'32".0N,122°12'39".0E
- (6)29°46'27".0N,122°13'03".0E
- overhead power line and note " $\overline{53}$ ", joining: (7)position (1) above
(8)position (2) above
- overhead power line and note " $\overline{42}$ ", joining: (9)position (2) above
(10)position (3) above
- overhead power line and note " $\overline{42}$ ", joining: (11)position (3) above
(12)position (4) above
- overhead power line and note " $\overline{42}$ ", joining: (13)position (4) above
(14)position (5) above
- overhead power line and note " $\overline{42}$ ", joining: (15)position (5) above
(16)29°46'30".1N,122°12'48".0E
(53342 东图廓交点)
(17)position (6) above

Chart 52141(1~6;7,8;9,10;11,12;13,14;15,17)[2025-1199]
 52174(1~6;7,8;9,10;11,12;13,14;15,17)[2026-133]
 53001(3,4;11,12)[2026-133]
 53342(1~5;7,8;9,10;11,12;13,14;15,16)[2026-133]

Source Zhoushan Navigation Notice 344/2025

135.East China Sea – Zhoushan Archipelago – Yuanshan Island Eastwards – V-AIS

Insert (9)  V-AIS 29°41'03".8N,122°20'01".8E

Chart 52141[2026-134] 52174[2026-134] 53001[2026-134]

List of Lights CNP82/2025~2026[5314752.09]

Source East China Sea Aids 045/2025

136.East China Sea – Jiushan Islands Southeastwards – Wreck & Obstruction

Delete (1995)++ 概位 (1)29°22'22".7N,122°29'36".9E

Insert  碍 (2)29°21'26".7N,122°27'53".7E

Chart 53001[2026-135] 54001(2)[2026-63] 2309[2026-66]

Source Hydrography Department Shanghai MSA

137. East China Sea – Yushan Islands Westwards – Wreck

Delete 据报: (2021) 28°52'33".0N, 122°08'49".2E

Chart 54001[2026-136] 2309[2026-136]

Source Hydrography Department Shanghai MSA

138. East China Sea – Yushan Islands Southeastwards – V-AIS

Insert  V-AIS 28°43'07".8N, 122°42'27".6E

Chart 54001[2026-137] 2309[2026-137]

List of Lights CNP82/2025~2026[5711047.02301]

Source East China Sea Aids 045/2025

139. East China Sea – Approaches to Dongtoudao – Niyudao Southwards – Buoyage

Insert 布袋岙特大桥(L1)  闪绿4s 同步 (1) 27°50'37".9N, 121°02'09".1E
(12)  闪红4s 同步 (2) 27°50'44".1N, 121°02'05".3E
布袋岙特大桥(警L1)  莫(0)黄12s 同步 (3) 27°50'49".6N, 121°02'21".9E
(警12)  莫(0)黄12s 同步 (4) 27°50'44".3N, 121°03'19".1E
小北岙大桥(警L1)  莫(0)黄12s 同步 (5) 27°50'45".9N, 121°01'45".9E
 快(6)+长闪15s (6) 27°50'56".4N, 121°02'11".5E

Note: Chinese Version Only.

Chart 55121[2026-5] 55151[2026-5]

List of Lights CNP82/2025~2026[5811139.0101][5811139.0102][5811139.0201]
[5811139.0202][5811139.0301][5811139.04]

Source East China Sea Aids 044/2025

140. Taiwan Strait – North Haitan Strait – Lightbeacon

Amend from: ★  10s10m7M (1) 25°39'13".2N, 119°37'51".0E

to: ★  10s11m7M (2) position (1) above

Amend ★  6s11m7M from: (3) 25°34'03".4N, 119°40'04".4E

to: (4) 25°34'03".1N, 119°40'04".3E

Chart 62431(1,2)[2025-641] 62521(1,2)(3,4with chart unchanged)[2025-808]
 62561(with chart unchanged)[2025-1203] 63001(with chart unchanged)[2026-72]
 List of Lights CNP82/2025~2026[6211590][6211750]
 Source East China Sea Aids 044/2025

141.Taiwan Strait – Xinghua Bay – Xiaoridao Northwestwards – V-AIS

Insert  V-AIS 25°17'35".0N,119°30'36".0E
 Chart 62631[2026-70] 62661[2026-71] 63001[2026-140] 2311[2026-97]
 List of Lights CNP82/2025~2026[6212099]
 Source East China Sea Aids 045/2025

142.Taiwan Strait – Xinghua Bay – Buoyage

Delete (3)  闪(2)红6s (1)25°25'43".5N,119°14'55".9E
 (4)  甚快(3)5s (2)25°26'15".6N,119°14'56".8E
 Insert (19)  闪(2)红6s (3)position (1) above
 (20)  甚快(3)5s (4)position (2) above
 Chart 62632[2026-70] 62661[2026-141]
 List of Lights CNP82/2025~2026[6410087.03][6410087.04][6410090.19][6410090.20]
 Source East China Sea Aids 044/2025

143.Taiwan Strait – Meizhou Bay – Meizhou Southwestwards – Lightbeacon

Amend from: ★  闪(2)6s8.5m4M (1)25°01'03".7N,119°04'22".7E
 to: ★  闪(2)6s7.7m4M (2)position (2) above
 Chart 63001[2026-141] 64001[2026-105] 64111[2025-881] 64131[2025-881]
 2311(with chart unchanged)[2026-141]
 List of Lights CNP82/2025~2026[6410720]
 Source East China Sea Aids 045/2025

144.Taiwan Strait – Meizhou Bay – Lightbeacon & Navigation Line

Delete 前灯 ★  闪11m7M (1)25°05'34".6N,118°59'15".9E
 后灯 ★  等明暗2s22m7M (2)25°05'54".0N,118°58'50".6E

navigation line and note, joining: (3)25°04'28".0N,119°00'42".7E
 (4)25°04'28".9N,119°00'41".5E
 (5)25°04'36".0N,119°00'32".3E
 (63131 南图廓交点)
 (6)25°05'00".0N,119°00'01".0E
 (63112 南图廓交点)
 (7)25°05'42".0N,118°59'06".2E
 (64111 北图廓交点)
 (8)25°05'53".9N,118°58'50".8E

navigation line and note, joining: (9)25°02'52".8N,119°02'47".0E
 (10)position (3) above
 (11)position (4) above
 (12)position (1) above
 (13)position (2) above

Insert ★ 闪(2)6s11m4M
 ★ 闪(3)10s6m4M

Chart 63112(1,2;6,8;12,13)[2025-266]
 63131(1,2;12,13)(5,8with chart unchanged)[2026-95]
 64111(1;4,7;9,11;12)[2026-143] 64131(1,2;3,8;9,10;12,13)[2026-143]

List of Lights CNP82/2025~2026[6410590][6410591][6410600][6410601]

Source East China Sea Aids 045/2025

145.Taiwan Strait – Meizhou Bay – Xiuyu Harbour – Lightbeacon

Insert (石9油1) ★ 闪4s10m3M (1)25°12'46".1N,119°01'20".0E
 (2) ★ 闪(2)6s10m3M (2)25°12'52".3N,119°01'29".4E

Chart 63111[2026-95] 63131[2026-144]

List of Lights CNP82/2025~2026[6410820.70591][6410820.70592]

Source East China Sea Aids 045/2025

146.East China Sea – Gulei Peninsula Southeastwards – Aids

Insert  23°45'55".7N,117°36'53".4E

Chart 66411[2025-1017] 66441[2026-112]

List of Lights CNP82/2025~2026[6611715]

Source East China Sea Aids 045/2025

147.South China Sea – Bohexingang Harbour and Approaches – Shallow Depth

Delete	中间石: 	(1)21°24'33".5N,111°17'33".0E
Insert	中间石: 	(2)21°24'33".5N,111°17'32".9E
Chart	87105〔2025- 〕	
Source	Guangzhou Hydrographic Center	

Temporary Notices

148. Bohai Sea – Yingkou Port – Bayuquan Harbour – Construction (T)

Date	December 16, 2025 to April 30, 2026, day and night	
Area	area 1, joining:	(1) 40°20'09".5N, 122°07'36".1E (2) 40°19'47".0N, 122°07'14".6E (3) 40°19'27".5N, 122°07'33".1E (4) 40°19'38".2N, 122°07'54".3E (5) 40°19'47".0N, 122°07'46".2E (6) position (1) above
	area 2, joining:	(7) 40°20'07".6N, 122°08'10".9E (8) 40°20'06".2N, 122°08'08".3E (9) 40°20'00".9N, 122°08'13".2E (10) 40°20'02".4N, 122°08'15".9E (11) position (7) above
Note:	Keep watching on VHF ch.69.	
Chart	13114 13115	
Source	Yingkou Navigation Notice 0597/2025	

149. Bohai Sea – Laizhou Gulf Northern – Construction (T)

Date	December 19, 2025 to May 20, 2026	
Area	within a 200m wide area centered on the line, joining:	(1) 38°12'41".2N, 119°44'12".9E (2) 37°59'45".8N, 119°57'46".4E
Note:	Irrespective vessels are prohibited from entering the safety operating area.	
Chart	32001	
Source	Yantai Navigation Notice 1272/2025	

150. Bohai Sea – Laizhou Gulf – Weifang Port – Construction (T)

Date	December 17, 2025 to April 30, 2026, day and night	
Area	xiaqing river waterway waters between the	

following two points, joining: (1)37°16'52".0N,118°59'35".0E
(2)37°18'51".0N,119°08'01".0E

Note: Keep watching on VHF ch.16.

Chart 33301 33321 33324

Source Weifang Navigation Notice 1264/2025

151.Yellow Sea – Yantai Port – Yantai Port Western Harbour – Construction (T)

Date September 26, 2025 to June 30, 2026

Area joining: (1)37°43'07".2N,121°02'23".7E
(2)37°43'15".0N,121°02'10".6E
(3)37°42'39".9N,121°01'39".1E
(4)37°42'32".1N,121°01'52".2E
(5)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 34161 34165

Source Yantai Navigation Notice 0960&1259/2025

152.Yellow Sea – Weihai Northwards – Construction (T)

Date August 1, 2025 to May 30, 2026

Area area 1, joining: (1)37°34'23".6N,122°03'47".8E
(2)37°34'23".6N,122°05'39".2E
(3)37°35'36".2N,122°05'39".2E
(4)37°35'36".2N,122°03'47".8E
(5)position (1) above
area 2, joining: (6)37°34'07".4N,122°04'48".8E
(7)37°34'06".4N,122°04'44".9E
(8)37°34'04".3N,122°04'45".8E
(9)37°34'05".8N,122°04'51".6E
(10)position (6) above

Note: Keep watching on VHF ch.16.

Chart 35001

Source Weihai Navigation Notice 0723&1268/2025

153.Yellow Sea – Heishidao Southwestwards – Construction(T)

Date December 19, 2025 to May 6, 2026

Area joining: (1)36°56'55".8N,122°31'22".3E
(2)36°56'58".2N,122°31'11".7E
(3)36°57'01".9N,122°31'11".9E
(4)36°57'03".2N,122°31'14".8E
(5)36°57'23".1N,122°31'46".1E
(6)36°57'14".2N,122°31'54".8E
(7)position (1) above

Note: Keep watching on VHF ch.08&16.

Chart 35002

Source Weihai Navigation Notice 1277/2025

154.Yellow Sea – Wuleidao Bay – Construction(T)

Date April 28, 2025 to June 15, 2026

Area area 1, joining: (1)36°56'52".8N,122°01'24".0E
(2)36°56'48".6N,122°01'24".6E
(3)36°56'48".0N,122°01'12".6E
(4)36°56'46".8N,122°01'00".6E
(5)36°56'27".6N,122°00'30".6E
(6)36°56'16".2N,122°00'13".2E
(7)36°56'19".8N,122°00'10".2E
(8)36°56'30".6N,122°00'27".0E
(9)36°56'51".0N,122°00'58".2E
(10)36°56'51".6N,122°01'12".0E
(11)position (1) above
area 2, joining: (12)36°56'13".8N,122°00'15".0E
(13)36°55'53".4N,121°59'42".0E
(14)36°50'56".4N,121°59'45".0E

(15) $36^{\circ}49'20''.4N, 122^{\circ}01'24''.0E$

(16) $36^{\circ}49'14''.4N, 122^{\circ}01'14''.4E$

(17) $36^{\circ}50'53''.4N, 121^{\circ}59'33''.0E$

(18) $36^{\circ}55'56''.4N, 121^{\circ}59'30''.0E$

(19) $36^{\circ}56'22''.2N, 122^{\circ}00'08''.4E$

(20) position (12) above

Note: Keep watching on VHF ch.16.

Chart 35154

Source Weihai Navigation Notice 0353&1269/2025

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.