



NOTICES TO MARINERS

Issue No.12(Total No.1276)

Notice No.302-322

23 March 2026

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment,cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	13144	LIAOHEKOU	1:50 000	2026年2月第9版	CHECK NTM FROM ISSUE No.9 2026
2	24112	APPROACHES TO BASIN IN HUANGHUA PORT	1:25 000	2026年2月第17版	CHECK NTM FROM ISSUE No.9 2026
3	37122	LANSHAN HARBOUR AND APPROACHES	1:35 000	2026年2月第6版	CHECK NTM FROM ISSUE No.9 2026

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	13144	LIAOHEKOU	1:50 000	2023年7月第8版	
2	24112	APPROACHES TO BASIN IN HUANGHUA PORT	1:25 000	2025年10月第16版	
3	37122	LANSHAN HARBOUR AND APPROACHES	1:35 000	2023年11月第5版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Dongying Port	(315),(316),(317)
	Laizhou Gulf	(318),(319)
Yellow Sea	Nüdao Port	(320)
East China Sea	Yongjiang River	(302),(303),(304),(305),(306), (307),(321)
	Aojiang River	(308)
Taiwan Strait	Xiamen Port and Approaches	(322)
South China Sea	Hongkong Island and Approaches	(309),(310)
	Zhujiangkou	(311),(312),(313)
Beibu Gulf	Beihai Port and Approaches	(314)

Notices to Mariners

302. East China Sea – Yongjiang River – Qingfeng Bridge – Vertical Clearance

Delete note " $\overline{20}$ ", approaches to (1) $29^{\circ}53'29''.2N, 121^{\circ}34'02''.1E$
Insert note " $\underline{19}$ ", approaches to (2) position (1) above
Chart 53253[2026-194]
Source Ningbo Navigation Notice 0046/2026

303. East China Sea – Yongjiang River – Waitan Bridge – Vertical Clearance

Insert note " $\overline{10}$ ", approaches to $29^{\circ}52'57''.0N, 121^{\circ}33'35''.0E$
Chart 53253[2026-302]
Source Ningbo Navigation Notice 0046/2026

304. East China Sea – Yongjiang River – Yongjiang Bridge – Vertical Clearance

Delete note " $\overline{5}$ ", approaches to (1) $29^{\circ}52'37''.8N, 121^{\circ}33'27''.5E$
Insert note " $\underline{4}$ ", approaches to (2) position (1) above
Chart 53253[2026-303]
Source Ningbo Navigation Notice 0046/2026

305. East China Sea – Yongjiang River – Xinjiang Bridge – Vertical Clearance

Delete note " $\overline{4}$ ", approaches to (1) $29^{\circ}52'31''.3N, 121^{\circ}33'17''.3E$
Insert note " $\underline{5}$ ", approaches to (2) position (1) above
Chart 53253[2026-304]
Source Ningbo Navigation Notice 0047/2026

306. East China Sea – Yongjiang River – Jiangxia Bridge – Vertical Clearance

Delete note " $\overline{4}$ ", approaches to (1) $29^{\circ}52'21''.8N, 121^{\circ}33'23''.3E$
Insert note " $\underline{3}$ ", approaches to (2) position (1) above
Chart 53253[2026-305]
Source Ningbo Navigation Notice 0048/2026

307. East China Sea – Yongjiang River – Lingqiao – Vertical Clearance

Delete note " 4 ", approaches to (1) 29°52'08".5N, 121°33'20".2E
Insert note " 3 ", approaches to (2) position (1) above
Chart 53253[2026-306]
Source Ningbo Navigation Notice 0048/2026

308. East China Sea – Aojiang River – Bridge & Vertical Clearance

Delete note " 鳌江一桥 ", approaches to (1) 27°35'25".6N, 120°31'06".8E
Insert note " 龙港大桥 8 ", approaches to (2) position (1) above
Chart 55511[2026-264]
Source Wenzhou Navigation Notice 0058/2026

309. South China Sea – Hongkong Island and Approaches – Junk Bay – Obstruction

Insert 8 碍 22°17'35".5N, 114°15'09".1E
Chart 83001[2026-169] 84001[2026-267]
Source Hongkong NTM 2026-(2)-3

310. South China Sea – Hongkong Island and Approaches – Tsing Yi Westwards – Floating Dock

Delete floating dock, joining: (1) 22°21'03".9N, 114°04'57".6E
(2) 22°21'01".8N, 114°04'57".3E
(3) 22°20'52".2N, 114°04'56".0E
Chart 83001[2026-309] 84001[2026-309] 84002[2026-267]
Source Hongkong NTM 2026-(2)-4

311. South China Sea – Zhujiangkou – Lantau Island Westwards – Obstruction & Shallow Depth

Delete 8 (1) 22°13'16".8N, 113°50'07".1E
Insert 7₄ (2) 22°13'18".1N, 113°50'07".1E
6 碍 (3) 22°13'14".6N, 113°50'06".4E
Chart 84001(3)[2026-310] 84002(3)[2026-310] 84203(1;3)[2026-267]

84206(1;3)[2026-267] 84211[2026-267] 84221[2026-267]

3314(3)[2026-267]

Source Hongkong NTM 2026-(2)-5

312.South China Sea – Zhujiangkou – Approaches to Hong Kong–Zhuhai–Macao Bridge – Buoyage

Insert (警6)  莫(C)黄12s 同步 (1)22°16'57".7N,113°47'39".7E
(警7)  莫(C)黄12s 同步 (2)22°16'26".8N,113°47'39".8E

Chart 84001(2)[2026-311] 84002(2)[2026-311] 84206[2026-311]
84211[2026-311] 84212[2025-1237] 84220[2026-170]
84221[2026-311] 84227[2025-1237]

List of lights CNP83/2025~2026[7411309.06][7411309.07]

Source Hong Kong–Zhuhai–Macao Bridge Aids 001/2026

313.South China Sea – Zhujiangkou – Jinxing Port – Aids

Delete (2)  闪(3)绿10s (1)22°23'13".5N,113°35'55".4E
★  等明暗红4s8.4m4M (2)22°23'07".5N,113°36'05".8E

Chart 84206(2)[2026-312] 84219[2024-1205]

List of lights CNP83/2025~2026[7411835.02][7411835.021]

Source Nanhai Aids 116/2025

314.Beibu Gulf – Beihai Port and Approaches – Anchoring and Fishing Prohibited Area

Delete anchoring and fishing prohibited area boundary
line, joining: (1)21°21'00".5N,109°02'08".5E
(2)21°18'48".0N,109°02'21".5E
(91301 南图廓交点)
(3)21°09'35".0N,109°03'31".0E
(91204 南图廓交点)
(4)21°08'00".0N,109°03'42".9E
(91102 北图廓交点)
(5)21°03'39".3N,109°04'15".7E

anchoring and fishing prohibited area boundary
line, joining: (6)21°23'08".5N,109°03'05".2E
(7)21°21'58".7N,109°03'11".9E

Insert anchoring and fishing prohibited area boundary
line, joining: (8)21°21'00".5N,109°02'08".5E
(9)21°20'23".6N,109°01'52".2E
(10)21°18'48".0N,109°02'03".9E
(91301南图廓交点)
(11)21°09'35".0N,109°03'11".4E
(91204南图廓交点)
(12)21°08'14".4N,109°03'21".2E
(13)21°08'00".0N,109°03'16".4E
(91102北图廓交点)
(14)21°07'49".9N,109°03'13".1E
(15)21°07'37".0N,109°03'25".7E
(16)21°06'10".5N,109°03'36".3E
(17)21°04'20".8N,109°03'49".6E
(18)21°03'39".3N,109°04'15".7E

west anchoring and fishing prohibited area
boundary line, joining: (19)21°23'08".5N,109°03'05".2E
(20)21°24'32".1N,109°03'42".3E
(21)21°25'37".4N,109°05'04".6E
(22)21°25'52".0N,109°05'18".1E

east anchoring and fishing prohibited area
boundary line, joining: (23)21°21'58".7N,109°03'11".9E
(24)21°24'12".4N,109°04'11".1E
(25)21°25'14".2N,109°05'29".0E
(26)21°25'30".4N,109°05'44".0E

west anchoring and fishing prohibited area
boundary line, joining: (27)21°02'43".6N,109°05'04".4E
(28)21°03'18".3N,109°04'28".8E
(29)21°04'20".8N,109°03'49".6E

- (30)21°07'37".0N,109°03'25".7E
- (31)21°07'49".9N,109°03'13".1E
- (32)21°08'14".4N,109°03'21".2E
- (33)21°20'23".6N,109°01'52".2E
- (34)21°24'32".1N,109°03'42".3E
- (35)21°25'37".4N,109°05'04".6E
- (36)21°26'07".2N,109°05'31".5E

east anchoring and fishing prohibited area

boundary line, joining:

- (37)21°03'16".4N,109°05'18".6E
- (38)21°03'38".1N,109°04'56".7E
- (39)21°04'31".4N,109°04'23".3E
- (40)21°07'51".4N,109°03'58".9E
- (41)21°07'58".2N,109°03'52".2E
- (42)21°08'11".3N,109°03'56".5E
- (43)21°20'19".0N,109°02'27".7E
- (44)21°24'12".4N,109°04'11".1E
- (45)21°25'14".2N,109°05'29".0E
- (46)21°25'36".0N,109°05'48".9E

- Chart** 91001(1,2,5;6,7;8,9,12,14~18;19~22;23~26)[2026~210]
 91102(4,5;13~18)[2024~559]
 91204(1~3;6,7;8,9,11;19~22;23~26)[2026~210]
 91301(1,2;6,7;8~10;19~22;23~26)[2025-]
 92001(1,2,5;6,7;8,9,12,14~18;19~22;23~26)(with chart unchanged)[2026~274]
 3316(27~36;37~46)[2026~284]
- Source** Shanghai Nautical Chart Center

Temporary Notices

315. Bohai Sea – Dongying Port – Construction (T)

Date January 22 to December 30, 2026

Area joining:

- (1) 38°12'55".9N, 118°48'31".4E
- (2) 38°13'05".9N, 118°48'52".5E
- (3) 38°11'55".4N, 118°49'56".2E
- (4) 38°11'31".2N, 118°48'58".6E
- (5) position (1) above

Note: Keep watching on HF .

Chart 32202

Source Dongying Navigation Notice 0051/2026

316. Bohai Sea – Dongying Port – Dredging (T)

Date September 8, 2025 to June 30, 2026

Area area 1, joining:

- (1) 38°03'45".4N, 118°57'53".6E
- (2) 38°03'53".3N, 118°58'13".5E
- (3) 38°04'08".0N, 118°58'04".2E
- (4) 38°04'01".1N, 118°57'46".9E
- (5) 38°03'56".2N, 118°57'46".8E
- (6) position (1) above

area 2, joining:

- (7) 38°06'13".8N, 119°01'58".9E
- (8) 38°06'05".1N, 119°01'29".0E
- (9) 38°06'04".4N, 119°00'06".7E
- (10) 38°05'53".8N, 118°59'58".9E
- (11) 38°05'57".8N, 119°00'19".4E
- (12) 38°05'58".3N, 119°01'16".7E
- (13) 38°05'55".8N, 119°01'25".2E
- (14) 38°05'49".4N, 119°01'29".2E
- (15) 38°05'57".3N, 119°01'54".7E
- (16) position (7) above

area 3, joining: (17)38°06'04".4N,119°00'06".7E
(18)38°05'14".1N,118°58'00".5E
(19)38°04'58".8N,118°58'10".2E
(20)38°05'12".9N,118°58'16".1E
(21)38°05'53".8N,118°59'58".9E
(22)position (17) above

area 4, joining: (23)38°04'19".2N,118°58'55".4E
(24)38°05'00".3N,119°00'38".7E
(25)38°05'13".0N,119°00'58".0E
(26)38°05'42".6N,119°01'26".6E
(27)38°05'49".4N,119°01'29".1E
(28)38°05'57".4N,119°01'55".0E
(29)38°05'47".5N,119°01'41".8E
(30)38°04'59".8N,119°00'55".6E
(31)38°04'13".4N,118°58'59".1E
(32)position (23) above

Note: Keep watching on HF .

Chart 32201

Source Dongying Navigation Notice 0873/2025&0025/2026

317.Bohai Sea – Dongying Port – Construction(T)

Date January 23 to December 31, 2026

Area area 1, radius 2000m, central point (1)38°15'44".5N,119°27'28".5E

area 2, radius 2000m, central point (2)38°17'26".6N,119°23'04".4E

Note: Keep watching on HF .

Chart 32202

Source Dongying Navigation Notice 0055/2026

318.Bohai Sea – Laizhou Gulf – Approaches to Dongyinggangguangli Harbour – Construction(T)

Date July 4, 2024 to July 1, 2026

Area area 1, joining: (1)37°32'35".3N,118°58'31".4E
(2)37°32'01".9N,118°58'12".8E
(3)37°31'41".0N,118°58'12".8E
(4)37°31'41".0N,119°01'24".0E
(5)37°32'35".4N,119°00'43".5E
(6)position (1) above

area 2, joining: (7)37°31'32".0N,118°58'12".8E
(8)37°31'05".5N,118°58'12".8E
(9)37°30'51".2N,118°58'55".9E
(10)37°31'32".2N,119°00'59".8E
(11)37°31'32".2N,119°01'24".2E
(12)position (7) above

Note: Keep watching on HF .

Chart 33301

Source Dongying Navigation Notice 0503/2024&0065/2026

319.Bohai Sea – Laizhou Gulf – Approaches to Dongyinggangguangli Harbour –
Construction(T)

Date July 4, 2024 to August 2, 2026

Area area 1, joining: (1)37°32'35".3N,118°58'31".4E
(2)37°32'01".9N,118°58'12".8E
(3)37°31'41".0N,118°58'12".8E
(4)37°31'41".0N,119°01'24".0E
(5)37°32'35".4N,119°00'43".5E
(6)position (1) above

area 2, joining: (7)37°31'32".0N,118°58'12".8E
(8)37°31'05".5N,118°58'12".8E
(9)37°30'51".2N,118°58'55".9E
(10)37°31'32".2N,119°00'59".8E
(11)37°31'32".2N,119°01'24".2E
(12)position (7) above

Note: Keep watching on HF .
Chart 33301
Source Dongying Navigation Notice 0504/2024&0036/2026

320.Yellow Sea – Nūdao Port – Chanshan Bay – Construction (T)

Date January 16 to December 31, 2026
Area area 1, joining the following six points and the
terrestrial shoreline: (1)36°23'21".9N,120°53'04".2E
(2)36°23'21".8N,120°53'21".4E
(3)36°22'53".9N,120°53'21".0E
(4)36°22'53".7N,120°53'39".1E
(5)36°22'52".9N,120°53'39".1E
(6)36°22'52".2N,120°53'22".1E
area 2, joining the following six points and the
terrestrial shoreline: (7)36°23'23".3N,120°53'00".5E
(8)36°23'23".3N,120°53'23".2E
(9)36°22'55".4N,120°53'23".2E
(10)36°22'55".4N,120°53'40".7E
(11)36°22'51".8N,120°53'40".7E
(12)36°22'51".8N,120°53'22".7E

Note: Irrespective vessels are prohibited from entering the safety operating area.
Chart 36112
Source Qingdao Navigation Notice 0039/2026

321.East China Sea – Yongjiang River – Bridge Construction (T)

Date January 14 to July 13, 2026
Area joining: (1)29°58'14".7N,121°44'31".7E
(2)29°58'15".5N,121°44'30".5E
(3)29°58'16".6N,121°44'30".0E
(4)29°58'18".0N,121°44'30".8E
(5)29°58'18".6N,121°44'31".9E

(6)29°58'17".0N,121°44'34".8E

(7)29°58'16".2N,121°44'35".0E

(8)position (1) above

Chart 53251

Source Ningbo Navigation Notice 0061/2026

322.Taiwan Strait – Xiamen Port and Approaches – Channel on East Side of Xiamen

Northwards – Construction (T)

Date January 14, 2026 to June 30, 2027

Area joining:

(1)24°28'18".7N,118°11'07".0E

(2)24°28'17".6N,118°11'09".0E

(3)24°28'19".5N,118°11'10".3E

(4)24°28'20".6N,118°11'08".4E

(5)position (1) above

Chart 65131

Source Xiamen Navigation Notice 0017/2026

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.

b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.

c) Establishments or changes of navigation facilities.

d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).

e) Changes in the limit of fairway, anchorages or sailing route.

f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).

b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.

c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.

d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.

e) The report should be signed and affix the official seal.

3. Remarks:

a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.

b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.