



NOTICES TO MARINERS

Issue No.19(Total No.1231)

Notice No.400-433

12 May 2025

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561, 65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44251	WUSONGKOU FAIRWAY	1:150 00	2025年4月第27版	CHECK NTM FROM ISSUE No.15 2025

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44251	WUSONGKOU FAIRWAY	1:150 00	2024年9月第26版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Yingkou Port	(400)
	Liaodong Gulf	(401),(417)
	Tianjin Port	(418),(419)
	Approaches to Dongying Port	(420)
	Nüdao Port	(421)
Yellow Sea	Dandong Port	(416)
	Qingdao Port	(422),(423)
	Lianyungang Port	(402)
	Lvsi Port Eastwards	(403)
East China Sea	Changjiangkou and Approaches	(404),(405),(424),(425)
	Huangpu River	(406)
	Zhoushan Archipelago	(407),(408),(409),(410), (426),(429),(430)
	Ningbo Zhoushan Port	(427),(428)
	Taizhou Bay	(411)
	Jiaojiang River	(412)
	Approaches to Aojiangkou	(431)
	Aojiangkou Southeastwards	(413)
Taiwan Strait	Pinghai Bay Southeastwards	(414)
South China Sea	Jiazijiao Southwards	(432)
South China Sea	Approaches to Tieshan Port	(433)
	Chart Correction	(415)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No. (T)
11113		416
12003		417
13001	400,401	417
13111	400	
13114	400	
13115	400	
21001		417
23101		418
23113		419
23115		419
32202		420
34123	415	
36001		421
36112		421
36145		422,423
1303	401	417
41001	402	
41101	402	
41122	402	
44001	404	
44124	404,405	
44125		424,425
44133		424
44135		425
44174	404,405	425
44212	406	
44260	406	
52133	407	
52134	408	
52135	409	
52137	410	428,429
52172	407	
52173	407,408,409	
53132		426,427,428
53171		426
53342		430

Notices to Mariners

400. Bohai Sea – Yingkou Port – Bayuquan Harbour – V-AIS

Insert  V-AIS 40°19'13".8N, 122°05'18".0E
 Chart 13001〔2024-1328〕 13111〔2025-〕 13114〔2025-〕 13115〔2025-〕
 List of lights CNP81/2024~2025〔1410489〕
 Source Beihai Aids 010/2025

401. Bohai Sea – Liaodong Gulf – V-AIS

Insert  V-AIS 40°21'24".4N, 121°02'27".1E
 Chart 13001〔2025-400〕 1303〔2025-161〕
 List of lights CNP81/2024~2025〔1610595〕
 Source Beihai Aids 010/2025

402. Yellow Sea – Lianyungang Port – Aids

Move  (37) 闪(3)绿 10s from: (1) 34°44'58".5N, 119°31'55".1E
 to: (2) 34°45'00".6N, 119°31'53".7E
 (38) 闪(3)红 10s from: (3) 34°44'27".7N, 119°31'25".3E
 to: (4) 34°44'26".5N, 119°31'28".9E
 Insert  (37A) V-AIS (5) 34°44'58".5N, 119°31'55".1E
 (38A) V-AIS (6) 34°44'27".7N, 119°31'25".3E
 Chart 41001(3,4)〔2025-371〕 41101(3,4)〔2025-294〕 41122〔2025-294〕
 List of lights CNP82/2024~2025〔4110560.37〕〔4110560.371〕〔4110560.38〕〔4110560.381〕
 Source East China Sea Aids 009/2025

403. Yellow Sea – Lvsi Port Eastwards – V-AIS

Move  V-AIS from: (1) 31°59'42".0N, 122°37'48".0E
 to: (2) 32°00'33".4N, 122°38'18".4E
 Insert  V-AIS (3) 32°00'33".4N, 122°38'18".4E
 Chart 2307(3)〔2025-296〕 2308(1,2)〔2025-316〕
 List of lights CNP82/2024~2025〔4310835〕

Source East China Sea Aids 008/2025

404.East China Sea – Changjiangkou and Approaches – Up Reach of Nancoa Fairway – Aids

Amend from: (3)  莫(C)黄15s11m4M 雷康(Y) (1) 31°15'56".8N, 121°45'02".2E
to: (3)  炮 雷康(Y) AIS (2) position (1) above
Insert  V-AIS (3) position (1) above

Chart 44001[2025-251] 44124[2025-297] 44174[2025-251]

List of lights CNP82/2024~2025[4511270.03] [4511270.031]

Source East China Sea Aids 008/2025

405.East China Sea – Changjiangkou and Approaches – Up Reach of Nancoa Fairway –
Lightbeacon

Insert (护岸警1)  莫(C)黄15s8.8m4M 同步 (1) 31°10'03".0N, 121°49'45".8E
(警2)  莫(C)黄15s8.8m4M 同步 (2) 31°09'55".7N, 121°50'00".6E
(警3)  莫(C)黄15s8.8m4M 同步 (3) 31°09'46".9N, 121°50'14".9E

Note: Chinese version only.

Chart 44124[2025-404] 44174(1,3)[2025-404]

List of lights CNP82/2024~2025[4511148.01] [4511148.02] [4511148.03]

Source East China Sea Aids 009/2025

406.East China Sea – Huangpu River – Approaches to Bailianjinggang – Aids

Insert (116A)  快红 (1) 31°11'54".6N, 121°29'48".6E
(116C)  闪红4s (2) 31°11'34".8N, 121°29'23".4E

Chart 44212[2025-315] 44260[2024-]

List of lights CNP82/2024~2025[4512140.01] [4512140.02]

Source East China Sea Aids 009/2025

407.East China Sea – Zhoushan Archipelago – Qushan Island Southwestwards – Buoyage

Insert  快(3)10s 30°25'14".5N, 122°17'10".4E
黑黄黑

Chart 52133[2025-332] 52172[2025-189] 52173[2025-332]

List of lights CNP82/2024~2025[5311341]

Source East China Sea Aids 008/2025

408. East China Sea – Zhoushan Archipelago – Xiaochangtushan Southwards – Buoyage

Insert  快(6)+长闪15s 30°14'12".2N, 122°15'29".5E
 Chart 52134[2025-193] 52173[2025-407]
 List of lights CNP82/2024~2025[5312285]
 Source East China Sea Aids 008/2025

409. East China Sea – Zhoushan Archipelago – Daishan Island Southwards – Buoyage

Insert  莫(C)黄12s 30°15'02".8N, 122°08'16".8E
 Chart 52135[2024-1292] 52173[2025-408]
 List of lights CNP82/2024~2025[5311871.0311]
 Source East China Sea Aids 008/2025

410. East China Sea – Zhoushan Archipelago – Dongxieshi Westwards – V-AIS

Insert  V-AIS 29°59'11".9N, 122°07'23".0E
 Chart 52137[2025-316]
 List of lights CNP82/2024~2025[5314080.01]
 Source East China Sea Aids 009/2025

411. East China Sea – Taizhou Bay – Toumen Island Westwards – Buoyage

Insert  快(9)15s 28°41'32".6N, 121°44'27".1E
 Chart 54001[2025-317] 54211[2025-256] 54231[2025-256] 54232[2025-256]
 List of lights CNP82/2024~2025[5710605.01]
 Source East China Sea Aids 009/2025

412. East China Sea – Jiaojiang River – Haimen Port – Aids

Delete  长顺坝(1) 莫(C)黄12s8.6m7M 同步 (1) 28°41'28".0N, 121°26'02".8E
 Insert (1)  V-AIS (2) position (1) above
 (长顺坝临1)  莫(C)黄12s4.3m7M (3) position (1) above
 Chart 54311[2024-340]
 List of lights CNP82/2024~2025[5710720.01] [5710720.011] [5710720.012]
 Source East China Sea Aids 009/2025

413.East China Sea – Aojiangkou Southeastwards – Buoyage

Move	(2)  闪红 4s 同步	from:	(1) 27°24'43".1N, 120°45'19".3E
		to:	(2) 27°24'40".7N, 120°45'21".5E
	(3)  闪(2) 绿 6s	from:	(3) 27°25'06".5N, 120°45'10".7E
		to:	(4) 27°25'05".0N, 120°45'14".4E
	(4)  闪(3) 红 10s 同步	from:	(5) 27°25'53".1N, 120°44'14".0E
		to:	(6) 27°25'50".7N, 120°44'15".9E
	(5)  闪(3) 绿 10s 同步	from:	(7) 27°26'16".2N, 120°44'05".2E
		to:	(8) 27°26'14".7N, 120°44'09".2E
	(6)  闪红 4s 同步	from:	(9) 27°27'03".0N, 120°43'08".7E
		to:	(10) 27°27'00".5N, 120°43'10".5E
	(7)  闪绿 4s 同步	from:	(11) 27°27'26".0N, 120°42'59".8E
		to:	(12) 27°27'24".4N, 120°43'03".8E
	(8)  闪(2) 红 6s 同步	from:	(13) 27°28'16".5N, 120°41'59".9E
		to:	(14) 27°28'14".0N, 120°42'01".1E
	(9)  闪(2) 绿 6s 同步	from:	(15) 27°28'32".1N, 120°41'57".6E
		to:	(16) 27°28'26".2N, 120°42'12".2E
	(10)  闪(3) 红 10s	from:	(17) 27°28'30".1N, 120°41'42".1E
		to:	(18) 27°28'26".2N, 120°41'45".8E
	(11)  闪绿 4s 同步	from:	(19) 27°29'17".6N, 120°40'37".1E
		to:	(20) 27°29'10".7N, 120°40'52".2E
	(12)  闪红 4s 同步	from:	(21) 27°29'10".8N, 120°40'36".7E
		to:	(22) 27°29'07".9N, 120°40'37".8E

Chart 55631〔2025-330〕 55731(1,2)〔2025-302〕
61001(3~6,11~14)(with chart unchanged)〔2025-303〕
2310(7,8,13,14,21,22)(with chart unchanged)〔2025-345〕

List of lights CNP82/2024~2025[5811930.02] [5811930.03] [5811930.04] [5811930.05]
[5811930.06] [5811930.07] [5811930.08] [5811930.09] [5811930.10]
[5811930.11] [5811930.12]

Source East China Sea Aids 008/2025

414.Taiwan Strait – Pinghai Bay Southeastwards – Buoyage

Insert	(S2)  莫(0)黄15s	(1)25°04'07".5N,119°20'01".5E
	(S4)  莫(0)黄15s	(2)25°01'03".2N,119°20'03".7E
	(S7)  莫(0)黄12s	(3)25°02'14".8N,119°16'52".3E
	(S8)  莫(0)黄15s	(4)25°04'08".8N,119°17'23".4E
Chart	63001〔2025–374〕 64001(2,3)〔2025–305〕	
List of lights	CNP82/2024~2025[6410263.02] [6410263.04] [6410263.07] [6410263.08]	
Source	East China Sea Aids 009/2025	

415.Chart Correction

Insert	 6 ₃	(1)37°38'12".3N,120°15'03".4E
	 5 ₇ 右	(2)37°38'17".2N,120°15'49".3E
Chart	34123〔2025– 〕	

Temporary Notices

416.Yellow Sea – Dandong Port – Dadong Harbour – Dredging (T)

Date March 25 to August 31, 2025, day and night

Area area1, joining: (1)39°49'31".8N,124°09'30".6E
(2)39°50'07".2N,124°09'35".9E
(3)39°50'37".4N,124°09'48".8E
(4)39°50'38".8N,124°09'52".3E
(5)39°50'37".6N,124°09'57".8E
(6)39°50'08".0N,124°09'45".3E
(7)39°50'05".9N,124°09'45".0E
(8)39°50'06".7N,124°09'38".6E
(9)39°49'31".6N,124°09'33".3E
(10)position (1) above
area2, joining: (11)39°48'44".5N,124°09'21".6E
(12)39°49'02".2N,124°09'24".1E
(13)39°49'01".1N,124°09'36".6E
(14)39°48'43".5N,124°09'34".1E
(15)position (11) above
area3, joining: (16)39°49'11".1N,124°09'25".8E
(17)39°49'24".5N,124°09'29".3E
(18)39°49'24".6N,124°09'28".7E
(19)39°49'28".5N,124°09'29".7E
(20)39°49'26".8N,124°09'42".4E
(21)39°49'22".9N,124°09'41".8E
(22)39°49'09".2N,124°09'38".2E
(23)position (16) above
area4, joining: (24)39°48'12".0N,124°09'23".5E
(25)39°48'30".3N,124°09'13".6E
(26)39°48'31".0N,124°09'08".6E
(27)39°48'52".0N,124°08'50".2E

Blank Page

	(28)39°48'55".9N,124°08'51".2E
	(29)39°48'59".6N,124°08'47".9E
	(30)39°49'11".4N,124°08'50".9E
	(31)39°49'15".9N,124°08'59".7E
	(32)39°49'01".9N,124°09'12".0E
	(33)39°48'47".3N,124°09'08".3E
	(34)39°48'40".4N,124°09'14".4E
	(35)39°48'39".5N,124°09'23".7E
	(36)position (24) above
area5, joining:	(37)39°46'37".1N,124°09'38".2E
	(38)39°47'03".3N,124°09'20".6E
	(39)39°47'47".1N,124°08'22".8E
	(40)39°48'06".6N,124°08'18".1E
	(41)39°48'11".2N,124°08'24".0E
	(42)39°47'53".7N,124°08'47".1E
	(43)39°47'50".7N,124°08'47".1E
	(44)39°47'32".4N,124°08'53".5E
	(45)39°47'11".7N,124°09'19".5E
	(46)39°47'06".9N,124°09'28".9E
	(47)39°47'08".7N,124°09'40".4E
	(48)39°47'04".1N,124°09'41".7E
	(49)position (37) above
area6, joining:	(50)39°44'40".9N,124°08'40".4E
	(51)39°44'53".2N,124°08'48".0E
	(52)39°44'54".7N,124°08'53".6E
	(53)39°44'59".4N,124°09'11".1E
	(54)39°44'23".0N,124°08'48".6E
	(55)39°44'36".6N,124°08'42".4E
	(56)position (50) above

Chart 11113

Source Dandong Navigation Notice 0105/2025

Blank Page

417. Bohai Sea – Liaodong Gulf – Construction (T)

Date January 27 to November 30, 2025

Area area1, joining: (1) 40°10'04".5N, 120°32'08".7E
 (2) 40°11'06".5N, 120°33'09".5E
 (3) 40°11'20".2N, 120°32'41".6E
 (4) 40°10'51".1N, 120°31'36".8E
 (5) 40°10'29".6N, 120°31'17".8E
 (6) position (1) above
 area2, joining: (7) 40°08'54".8N, 120°29'40".3E
 (8) 40°08'19".0N, 120°30'51".3E
 (9) 40°11'09".5N, 120°33'33".7E
 (10) 40°11'42".8N, 120°32'32".9E
 (11) 40°11'08".6N, 120°31'25".5E
 (12) position (7) above
 area3, joining: (13) 40°10'25".2N, 120°38'07".5E
 (14) 40°08'51".1N, 120°41'07".7E
 (15) 40°04'22".2N, 120°37'05".6E
 (16) 40°05'56".5N, 120°34'08".9E
 (17) position (13) above
 area4, joining: (18) 40°04'30".1N, 120°42'36".8E
 (19) 40°02'28".3N, 120°44'16".3E
 (20) 40°05'51".7N, 120°51'30".7E
 (21) 40°07'56".6N, 120°49'54".3E
 (22) position (18) above

Note: Keep watching on VHF ch.16. Three mooring buoys made of steel with diameter about 2.8m and height 1.6m (about 1m above water) are installed within (temporary) lightering area.

Chart 12003 13001 21001 1303

Source Huludao Navigation Notice 0036&0116/2025

418. Bohai Sea – Tianjin Port – Surveying (T)

Date March 1 to September 30, 2025, day

Blank Page

Area Chinese version only.
 Note: Keep watching on VHF ch.09&14.
 Chart 23101
 Source Beijiang Navigation Notice 0040&0051/2025

419.Bohai Sea – Tianjin Port – Dagukou Harbour – Construction(T)

Date March 26 to October 30, 2025, day
 Area area1, Chinese version only.
 area2, extend 100m on sea side of the line joined
 by the following points: (1)38°54'06".3N,117°47'05".9E
 (2)38°53'03".4N,117°46'36".6E
 (3)38°52'40".5N,117°47'49".9E
 Note: Irrespective vessels are prohibited from entering the safety operating area.
 Chart 23113 23115
 Source Dagukou Navigation Notice 0050/2025

420.Bohai Sea – Approaches to Dongying Port – Construction(T)

Date March 28 to August 30, 2025
 Area radius 500m, central point 38°15'47".2N,118°46'40".6E
 Note: Keep watching on HF .
 Chart 32202
 Source Dongying Navigation Notice 0258/2025

421.Yellow Sea – Nūdao Port – Construction(T)

Date March 27 to December 31, 2025
 Area area1, joining: (1)36°26'28".0N,120°46'41".3E
 (2)36°26'35".6N,120°49'13".9E
 (3)36°25'57".4N,120°49'13".5E
 (4)36°25'36".9N,120°47'32".6E
 (5)36°25'37".2N,120°46'40".8E
 (6)position (1) above
 area2, joining: (7)36°25'31".6N,120°46'30".1E

Blank Page

- (8)36°25'31".3N,120°47'13".0E
- (9)36°23'38".8N,120°47'02".2E
- (10)36°23'39".2N,120°46'03".1E
- (11)36°25'05".6N,120°46'04".0E
- (12)position (7) above

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 36001 36112

Source Qingdao Navigation Notice 0246/2025

422.Yellow Sea – Qingdao Port – Dongjiakou Harbour – Pier Construction (T)

Delete the temporary notices No.1321 in Issue No.52 2024.

Chart 36145

Source Dongjiakou Navigation Notice 0942/2024&0244/2025

423.Yellow Sea – Qingdao Port – Dongjiakou Harbour – Pier Construction (T)

Delete the temporary notices No.41 in Issue No.2 2025.

Chart 36145

Source Dongjiakou Navigation Notice 1036/2024&0243/2025

424.East China Sea – Changjiangkou and Approaches – Changxing Island Northwards – Construction (T)

Date March 27, 2025 to March 26, 2026, day and night

- Area** area1, joining:
- (1)31°25'32".6N,121°42'43".8E
 - (2)31°25'42".3N,121°42'24".2E
 - (3)31°26'03".2N,121°42'39".9E
 - (4)31°25'51".0N,121°42'58".6E
 - (5)position (1) above
- area2, joining:
- (6)31°26'05".9N,121°39'49".3E
 - (7)31°25'57".9N,121°40'26".1E
 - (8)31°25'43".6N,121°40'21".7E
 - (9)31°25'59".7N,121°39'44".9E
 - (10)position (6) above

Blank Page

Note: Keep watching on VHF ch.06. Irrespective vessels are prohibited from entering the safety operating area.

Chart 44125 44133

Source Shanghai Navigation Notice 0212/2025

425.East China Sea – Changjiangkou and Approaches – Changxing Island Southwards – Construction(T)

Date March 25 to October 30, 2025, day and night

Area joining:

- (1)31°20'07".0N,121°44'53".0E
- (2)31°20'08".0N,121°44'53".0E
- (3)31°20'08".0N,121°44'52".0E
- (4)31°20'10".0N,121°44'58".0E
- (5)31°20'06".0N,121°45'03".0E
- (6)31°20'05".0N,121°45'02".0E
- (7)31°20'03".0N,121°45'03".0E
- (8)31°20'00".0N,121°44'57".0E
- (9)position (1) above

Note: Keep watching on VHF ch.06. Irrespective vessels are prohibited from entering the safety operating area.

Chart 44125 44135 44174

Source Shanghai Navigation Notice 0207/2025

426.East China Sea – Zhoushan Archipelago – Approaches to Huibie Ocean – Pipeline Work(T)

Date April 1 to December 31, 2025

Area joining:

- (1)30°08'15".6N,121°46'46".9E
- (2)30°08'09".3N,121°46'51".5E
- (3)30°02'18".4N,121°40'01".2E
- (4)30°02'24".2N,121°39'55".2E
- (5)position (1) above

Note: Keep watching on VHF ch.06.

Chart 53132 53171

Blank Page

Source Ningbo Navigation Notice 0114/2025

427. East China Sea – Ningbo Zhoushan Port – Beilun Harbour – Surveying (T)

Date April 3 to December 31, 2025

Area joining: (1) 29°56'35".2N, 121°50'33".6E
(2) 29°56'39".6N, 121°50'35".6E
(3) 29°56'35".1N, 121°50'49".2E
(4) 29°56'31".1N, 121°50'47".4E
(5) position (1) above

Note: Keep watching on VHF ch.14.

Chart 53132

Source Ningbo Navigation Notice 0117/2025

428. East China Sea – Ningbo Zhoushan Port – Daxie Harbour – Surveying (T)

Date April 2 to December 31, 2025

Area joining: (1) 29°55'06".4N, 121°59'57".2E
(2) 29°55'05".8N, 122°00'03".8E
(3) 29°54'54".3N, 122°00'02".7E
(4) 29°54'54".8N, 121°59'55".2E
(5) position (1) above

Note: Keep watching on VHF ch.14.

Chart 53132 52137

Source Ningbo Navigation Notice 0116/2025

429. East China Sea – Zhoushan Archipelago – Daxie Island Southeastwards – Surveying (T)

Date March 31 to December 25, 2025

Area joining: (1) 29°53'23".4N, 121°59'10".6E
(2) 29°53'23".3N, 121°59'17".4E
(3) 29°53'29".5N, 121°59'17".3E
(4) 29°53'29".5N, 121°59'10".8E
(5) position (1) above

Note: Keep watching on VHF ch.16.

Blank Page

Chart 52137

Source Ningbo Navigation Notice 0126/2025

430. East China Sea – Zhoushan Archipelago – Liuheng Island Northeastwards –

Pier Construction (T)

Date March 29 to October 30, 2025

Area joining: (1) 29°47'20".5N, 122°07'32".7E
(2) 29°47'23".0N, 122°07'41".8E
(3) 29°47'16".3N, 122°07'44".3E
(4) 29°47'13".9N, 122°07'35".6E
(5) position (1) above

Note: Keep watching on VHF ch.16. Irrespective vessels are prohibited from entering the safety operating area.

Chart 53342

Source Zhoushan Navigation Notice 0060/2025

431. East China Sea – Approaches to Aojiangkou – Surveying (T)

Date March 28 to December 31, 2025, 06:30~17:30

Area joining: (1) 27°29'28".0N, 120°40'08".9E
(2) 27°29'13".5N, 120°40'08".4E
(3) 27°29'04".9N, 120°40'20".6E
(4) 27°29'08".7N, 120°40'35".7E
(5) 27°28'47".0N, 120°41'10".4E
(6) 27°28'26".4N, 120°41'45".2E
(7) 27°28'21".3N, 120°41'52".3E
(8) 27°24'43".3N, 120°45'16".5E
(9) 27°24'43".2N, 120°45'36".8E
(10) 27°24'56".2N, 120°45'36".8E
(11) 27°24'57".6N, 120°45'26".3E
(12) 27°25'06".4N, 120°45'07".7E
(13) 27°28'32".1N, 120°41'55".0E

Blank Page

- (14)27°28'32".4N,120°41'54".6E
- (15)27°28'55".1N,120°41'16".0E
- (16)27°29'03".4N,120°41'01".1E
- (17)27°29'12".5N,120°40'47".6E
- (18)27°29'18".8N,120°40'37".0E
- (19)27°29'24".6N,120°40'35".9E
- (20)27°29'32".8N,120°40'23".4E
- (21)27°29'33".6N,120°40'15".4E
- (22)position (1) above

Note: Keep watching on VHF ch.16.
Chart 55631 55731
Source Wenzhou Navigation Notice 0064/2025

432.South China Sea – Jiazijiao Southwards – Work(T)

Date July 6, 2024 to December 6, 2025, day and night
Area joining:

- (1)22°36'39".5N,116°02'38".3E
- (2)22°38'20".4N,116°08'09".6E
- (3)22°33'53".9N,116°08'09".7E
- (4)22°32'02".8N,116°02'38".4E
- (5)position (1) above

Note: Keep watching on VHF ch.16. Irrespective vessels are prohibited from entering the safety operating area.
Chart 82001
Source Shanwei Navigation Notice 0616/2025

433.Beibu Gulf – Approaches to Tieshan Port – Pier Construction(T)

Date March 25, 2025 to July 31, 2026
Area joining:

- (1)21°35'10".0N,109°35'00".1E
- (2)21°35'13".8N,109°35'06".3E
- (3)21°35'12".8N,109°35'06".7E
- (4)21°35'15".6N,109°35'13".3E

Blank Page

(5)21°35'22".8N,109°35'09".8E

(6)21°35'17".2N,109°34'56".6E

(7)position (1) above

Chart 91202

Source Beihai Navigation Notice 0230/2025

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.