



NOTICES TO MARINERS

Issue No.29(Total No.1241)

Notice No.629-657

21 July 2025

CONTENTS

- I Sailing Bulletin
- II Index
- III Notices to Mariners
- IV Temporary Notices

In order to keep navigation safety and make Chinese coastal port and fairway Charts modify timely and accurately, mariners are requested to inform the china MSA immediately of the discovery of new danger, or changes or defects in aids to navigation and of shortcomings in Chinese coastal port and fairway charts or publications. Copies of Navigational warning, Sailing information, and Dynamic aids condition should be sent to Tianjin, Shanghai and Guangdong MSA timely. Departments and mariners may contact Shanghai Nautical Chart Center or Tianjin, Shanghai and Guangdong MSA to get subscribing information. The Notices to Mariners can also be made through the following websites.

In addition to postal methods, the following additional communication facilities are available:

Tianjin MSA Survey and Mapping Office:	E-mail: hcdd@tjmsa.gov.cn Phone: +86(0)22 58873986 Fax: +86(0)22 58873988
Shanghai Nautical Chart Center:	E-mail: gztg@shchart.cn Phone: +86(0)21 65806561,65806386 Fax: +86(0)21 65697997
Guangdong MSA Survey and Mapping Office:	E-mail: hemail@gdmsa.gov.cn Phone: +86(0)20 89320335 Fax: +86(0)20 89320336
China MSA Nautical Charts&Books Publisher:	Web: www.chart.msa.gov.cn

The Maritime Safety Administration of the People's Republic of China

Explanatory Notes

1. The Notices which publish the information about essential changing feature of Chinese coastal sea area and works at sea, is mainly used to correct the Chinese coastal port and fairway Charts and offer navigation safety information for mariners.
2. The information published in the notice origins from the marine information, the navigational warning, aids dynamics as well as the hydrographic achievements, which are issued by Maritime Administration. The additional source comes from shipping, fairway, sea, Harbour affairs, and fishing politics department.
3. The Notices include the Sailing Bulletin, the Notices to Mariners and Temporary Notices.
 - a) Sailing Bulletin announces rules and regulations of navigation, the printing, correcting and cancellation of publication, and the marine information which is promulgate by MSA and has important relationship which navigation safety. It is not used to correct the Charts.
 - b) The Notices to Mariners is used for user to correct related Chinese coastal port and fairway Charts. The number in parentheses behind the Chart No. indicates that only parts of the Notices related to this chart. The number in square bracket illustrated the previous update notice information.
 - c) The Temporary Notices published for the temporary establishment, cancellation, variation as well as works at sea. The Chart No. lists for user's convenience when mariners look up for the details.
4. Geographical position refer to the horizontal datum of the current edition of each affected chart. The 2000 national geodetic coordinate system which we adopt equals to WGS-84 world geodetic coordinate system in usage. The sounding datum refers to the level of Lowest Astronomical Tide and the elevation uses 1985 national vertical datum. Bearings are true reckoned clockwise from 000° to 359°. Those relating to lights are from seaward. The height of the lighthouse or light beacon is referred to Mean High Water Springs.
5. Symbols which refer to GB12319-2022 used in the Notices have been effective since August 1st, 2023 .
6. The unit in the Notices complies with the international standard unit of measurement, with the Chinese characters replaced by symbol and alphabet, such as degrees (°), minutes (') and seconds ("), meters (m), kilometers (km) or nautical miles (M).

SAILING BULLETIN

1,Publication Information

1.New Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44255	CHENJIAZUI FAIRWAY	1:5 000	2025年7月第28版	CHECK NTM FROM ISSUE No.27 2025
2	44258	LUJIAZUI FAIRWAY	1:5 000	2025年6月第33版	CHECK NTM FROM ISSUE No.27 2025
3	44262	APPROACHES TO MANLIZUI	1:5 000	2025年7月第8版	CHECK NTM FROM ISSUE No.27 2025
4	03301	NANSHAN PORT AND APPROACHES	1:25 000	2025年7月第4版	CHECK NTM FROM ISSUE No.27 2025

2.Disused Chart Information

No.	Chart No.	Name	Scale	Date	Note
1	44255	CHENJIAZUI FAIRWAY	1:5 000	2025年1月第27版	
2	44258	LUJIAZUI FAIRWAY	1:5 000	2025年2月第32版	
3	44262	APPROACHES TO MANLIZUI	1:5 000	2023年7月第7版	
4	03301	NANSHAN PORT AND APPROACHES	1:25 000	2023年10月第3版	

2,Marine Information

Chinese Version Only.

INDEX

1,GEOGRAPHICAL INDEX

Bohai Sea	Jinlan Bay	(643)
	Pulandian Port	(629)
	Changxingdao	(630),(644)
	Approaches to Dongying Port	(645),(646),(647),(648)
Yellow Sea	Weihai Port Northwards	(649),(650)
	Lianyungang Port	(631),(651)
	Lüsi Port Northeastwards	(632)
East China Sea	Changjiangkou and Approaches	(633)
	Huangpu River	(634),(652)
	Zhoushan Archipelago	(635),(636),(653),(654)
	Sanmen Bay and Approaches	(637)
	Beiguan Island Northwards	(638)
	Mazu Island Northwestwards	(639)
	Minjiang River	(640)
	Songxia Port Eastwards	(641)
Taiwan Strait	Meizhou Bay	(655)
	Xiamen Port and Approaches	(642)
South China Sea	Yangjiang Port	(656)
Beibu Gulf	Shenquan Port	(657)

2,INDEX OF CHARTS AFFECTED

Chart No.	Notice No.	Notice No.(T)
12001	629	
12002		649,650
12003	629	
12301		643
12352	629	
12355	629	
12366	630	
12368	630	644
23001		645,646
32001		645,646
32202		646,647,648
1304		645,646
1306	631	
41001	631	
41101	631	
41122		651
41123	631	
41321		651
43001	632	
44134	633	
44213	634	652
44214		652
44263	634	
44267		652
44268		652
44269		652
52001	635,636	
52131	635,636	
52152		653,654
52171	635,636	
52172	635	
54001	637	
61121	638	
62001	639	
62261	639,641	
62313	640	

Notices to Mariners

629. Bohai Sea – Pulandian Port – Obstruction

Delete  (1) 39°23'19".9N, 121°44'01".7E
Insert  (2) position (1) above
Chart 12001 (with chart unchanged) [2024–1307] 12003 [2025–161] 12352 [2021–]
12355 [2021–]
Source Tianjin Hydrographic Center

630. Bohai Sea – Changxingdao – Buoyage

Move (CH16)  快(9)15s from: (1) 39°30'02".4N, 121°24'24".8E
黄黄黄 to: (2) 39°30'02".7N, 121°24'15".1E
Chart 12366 [2025–161] 12368 [2023–]
List of Lights CNP81/2024~2025 [1342050.16]
Source Beihai Aids 019/2025

631. Yellow Sea – Lianyungang Port – V-AIS

Delete  V-AIS 34°54'30".0N, 119°51'36".0E
Chart 41001 [2025–512] 41101 [2025–513] 41123 [2025–] 1306 [2025–446]
List of Lights CNP82/2024~2025 [4110562]
Source East China Sea Aids 017/2025

632. Yellow Sea – Lüsi Port Northeastwards – V-AIS

Delete  V-AIS 32°10'48".0N, 122°05'00".0E
Chart 43001 [2025–515]
List of Lights CNP82/2024~2025 [4310817]
Source East China Sea Aids 017/2025

633. East China Sea – Changjiangkou and Approaches – Nanmengang Northwestwards – Shallow Depth

Insert 7_s 及等深线 31°37'52".6N, 121°21'43".4E

Chart 44134〔2025-578〕
Source Hydrography Department Shanghai MSA

634. East China Sea – Huangpu River – Guangang Northeastwards – Shallow Depth

Insert 8₃ 31°06'36".0N, 121°27'29".1E

Chart 44213〔2024-〕 44263〔2023-740〕

Source Hydrography Department Shanghai MSA

635. East China Sea – Zhoushan Archipelago – Majishan Westwards – Buoyage

Insert (8)  莫(0)黄 12s (1) 30°40'52".9N, 122°22'56".8E
马迹山堤头  莫(C)黄 12s (2) 30°41'14".1N, 122°23'50".1E

Chart 52001(1)〔2025-603〕 52131(with chart unchanged)〔2025-617〕
52171(with chart unchanged)〔2025-617〕 52172〔2025-518〕

List of Lights CNP82/2024~2025[5310490.08] [5310490.081]

Source East China Sea Aids 017/2025

636. East China Sea – Zhoushan Archipelago – Dahuanglong Island Southwards – Buoyage

Insert 马迹(1)  快绿 AIS 30°36'06".3N, 122°32'58".1E

Chart 52001〔2025-635〕 52131(with chart unchanged)〔2025-635〕
52171(with chart unchanged)〔2025-635〕

List of Lights CNP82/2024~2025[5310490.01]

Source East China Sea Aids 017/2025

637. East China Sea – Sanmen Bay and Approaches – Approaches to Huagu Island – Aids

Insert 海游港特大桥(1)  莫(P)黄 12s 2M 同步 (1) 29°06'13".4N, 121°28'40".5E
(2)  莫(P)黄 12s 2M 同步 (2) 29°06'13".4N, 121°28'39".5E
(3) ★ 快黄 5.2m 3M 同步 (3) 29°06'14".7N, 121°28'40".6E
(4) ★ 快黄 5.2m 3M 同步 (4) 29°06'14".7N, 121°28'39".6E
(5)  等明暗 4s 2M (5) 29°06'16".9N, 121°28'40".6E
(6)  等明暗 4s 2M (6) 29°06'16".9N, 121°28'39".7E
(7) ★ 快黄 5.2m 3M 同步 (7) 29°06'19".1N, 121°28'40".7E
(8) ★ 快黄 5.2m 3M 同步 (8) 29°06'19".1N, 121°28'39".7E

(9) ☒莫(P)黄 12s2M 同步	(9) 29°06'20".3N, 121°28'40".7E
(10) ☒莫(P)黄 12s2M 同步	(10) 29°06'20".3N, 121°28'39".8E
旗门港特大桥(1) ☒莫(P)黄 12s2M 同步	(11) 29°08'40".2N, 121°28'35".2E
(2) ☒莫(P)黄 12s2M 同步	(12) 29°08'40".4N, 121°28'34".3E
(3) ★快黄 4.2m3M 同步	(13) 29°08'41".6N, 121°28'36".0E
(4) ★快黄 4.2m3M 同步	(14) 29°08'41".9N, 121°28'34".3E
(5) ■闪红 4s2M 同步	(15) 29°08'42".4N, 121°28'35".8E
(6) ■闪红 4s2M 同步	(16) 29°08'42".6N, 121°28'34".9E
(7) ⑩等明暗 4s2M	(17) 29°08'44".9N, 121°28'36".5E
(8) ⑩等明暗 4s2M	(18) 29°08'45".1N, 121°28'35".6E
(9) ▲闪绿 4s2M 同步	(19) 29°08'47".5N, 121°28'37".2E
(10) ▲闪绿 4s2M 同步	(20) 29°08'47".6N, 121°28'36".4E
(11) ★快黄 4.2m3M 同步	(21) 29°08'48".2N, 121°28'37".9E
(12) ★快黄 4.2m3M 同步	(22) 29°08'48".5N, 121°28'36".2E
(13) ☒莫(P)黄 12s2M 同步	(23) 29°08'49".7N, 121°28'37".9E
(14) ☒莫(P)黄 12s2M 同步	(24) 29°08'49".9N, 121°28'37".0E

Note: Chinese Version Only.

Chart 54001 (5,17) (1~4,6~16,18~24 with chart unchanged) [2025-550]

List of Lights CNP82/2024~2025[5710020.01] [5710020.02] [5710020.03] [5710020.04]
[5710020.05] [5710020.06] [5710020.07] [5710020.08] [5710020.09]
[5710020.10] [5710020.11] [5710020.12] [5710020.13] [5710020.14]
[5710025.01] [5710025.02] [5710025.03] [5710025.04] [5710025.05]
[5710025.06] [5710025.07] [5710025.08] [5710025.09] [5710025.10]

Source East China Sea Aids 016/2025

638. East China Sea – Beiguan Island Northwards – Lightbeacon

Insert (2) ☒莫(C)黄 15s17m5M 27°11'40".9N, 120°31'06".0E

Chart 61121 [2024-870]

List of Lights CNP82/2024~2025[6110054.02]

Source East China Sea Aids 016/2025

639.East China Sea – Mazu Island Northwestwards – Lightbeacon

Insert  V-AIS 26°10'39".4N,119°50'11".8E
 Chart 62001〔2025-525〕 62261〔2025-525〕 2310〔2025-413〕
 List of Lights CNP82/2024~2025[6210289]
 Source East China Sea Aids 016/2025

640.East China Sea – Minjiang River – Lightbeacon

Insert (1)  闪(3)10s8m4M 同步 (1)26°00'16".3N,119°29'14".2E
 (2)  闪(3)10s8m4M 同步 (2)25°59'54".5N,119°28'59".2E
 Note: Chinese Version Only.
 Chart 62313〔2025-373〕
 List of Lights CNP82/2024~2025[6210930.01] [6210930.02]
 Source East China Sea Aids 016/2025

641.East China Sea – Songxia Port Eastwards – Aids

Insert 长乐风电(1)  莫(C)黄 12s19m5M 同步 (1)25°44'28".7N,119°59'46".2E
 (2)  莫(C)黄 12s19m5M 同步 (2)25°44'28".4N,119°59'45".7E
 (3)  莫(C)黄 12s19m5M 同步 (3)25°45'22".4N,119°57'58".3E
 (4)  莫(C)黄 12s19m5M 同步 (4)25°45'22".7N,119°57'58".0E
 (5)  莫(C)黄 12s19m4M 同步 (5)25°46'15".6N,119°57'45".6E
 (6)  莫(C)黄 12s19m4M 同步 (6)25°47'07".9N,119°57'33".2E
 (7)  莫(C)黄 12s19m5M 同步 (7)25°47'59".5N,119°57'21".1E
 (8)  莫(C)黄 12s19m5M 同步 (8)25°48'00".0N,119°57'21".4E
 (9)  莫(C)黄 12s19m4M 同步 (9)25°47'57".9N,119°58'09".0E
 (10)  莫(C)黄 12s19m4M 同步 (10)25°47'50".0N,119°58'47".7E
 (11)  莫(C)黄 12s19m4M 同步 (11)25°47'58".4N,119°59'58".3E
 (12)  莫(C)黄 12s19m4M 同步 (12)25°47'55".5N,120°00'42".6E
 (13)  莫(C)黄 12s19m4M 同步 (13)25°47'53".4N,120°01'02".3E
 (14)  莫(C)黄 12s19m5M 同步 (14)25°47'53".1N,120°01'21".7E
 (15)  莫(C)黄 12s19m5M 同步 (15)25°47'52".6N,120°01'22".0E
 (16)  莫(C)黄 12s19m4M 同步 (16)25°47'33".1N,120°01'19".6E

(17)  莫(C)黄 12s19m4M 同步	(17) 25°47'33".1N, 120°01'19".0E
(18)  莫(C)黄 12s19m4M 同步	(18) 25°47'05".1N, 120°00'07".1E
(19)  莫(C)黄 12s19m4M 同步	(19) 25°46'12".4N, 120°00'15".7E
(20)  莫(C)黄 12s19m4M 同步 AIS	(20) 25°45'19".5N, 120°00'14".5E
(21)  平潭风电(1)	(21) 25°46'17".5N, 119°37'21".6E
(22)  莫(C)黄 12s19m4M 同步	(22) 25°43'38".7N, 119°59'18".6E
(23)  莫(C)黄 12s20m5M 同步 雷康(Q)	(23) 25°42'29".0N, 119°58'39".5E
(24)  莫(C)黄 12s19m5M 同步 AIS	(24) 25°42'28".8N, 119°58'38".9E
(4)  莫(C)黄 12s19m4M 同步	(25) 25°43'28".8N, 119°58'24".9E
(5)  莫(C)黄 12s19m4M 同步	(26) 25°44'28".8N, 119°58'10".8E

Note: Chinese Version Only.

Chart 62261(7)(6,8~12,18with chart unchanged)[2025-639] 62431(21)[2025-527]
62561(21)[2025-528]
63001(1,3,5~7,9~14,16,18~23,25,26)(2,4,15,17,24with chart unchanged)
[2025-529]
2311(1,3,7,14,23)[2025-528]

List of Lights CNP82/2024~2025[6211299.0101][6211299.0102][6211299.0103]
[6211299.0104][6211299.0105][6211299.0106][6211299.0107]
[6211299.0108][6211299.0109][6211299.0110][6211299.0111]
[6211299.0112][6211299.0113][6211299.0114][6211299.0115]
[6211299.0116][6211299.0117][6211299.0118][6211299.0119]
[6211299.0120][6211299.0121][6211383.0101][6211383.0102]
[6211383.0103][6211383.0104][6211383.0105]

Source East China Sea Aids 016&017/2025

642.Taiwan Strait – Xiamen Port and Approaches – Jinmen Island Northwards – Buoyage

Insert (厦金施1)  闪绿 4s	(1) 24°32'03".2N, 118°17'17".7E
(2)  闪(2) 红 6s	(2) 24°31'21".1N, 118°17'44".9E
(4)  快红	(3) 24°30'41".0N, 118°17'27".3E

Chart 64001(1)[2025-531] 65131[2025-604] 65171[2025-604]

List of Lights CNP82/2024~2025[6610079.01][6610079.02][6610079.04]

Source East China Sea Aids 017/2025

Temporary Notices

643. Bohai Sea – Jinzhou Bay – Construction (T)

Date May 29 to December 31, 2025

Area joining: (1) 39°06'01".2N, 121°37'21".6E
(2) 39°05'09".0N, 121°38'03".0E
(3) 39°05'19".2N, 121°38'33".6E
(4) 39°06'04".8N, 121°38'02".4E
(5) 39°06'19".8N, 121°37'44".4E
(6) position (1) above

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 12301

Source Dalian Navigation Notice 0258/2025

644. Bohai Sea – Changxingdao – Fairway Construction (T)

Date May 27 to December 31, 2025

Area joining: (1) 39°27'44".4N, 121°13'40".2E
(2) 39°28'08".4N, 121°14'49".2E
(3) 39°28'36".6N, 121°16'18".6E
(4) 39°28'27".6N, 121°16'24".0E
(5) 39°27'54".0N, 121°14'58".2E
(6) 39°27'29".4N, 121°13'48".6E
(7) position (1) above

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 12368

Source Dalian Navigation Notice 0253/2025

645. Bohai Sea – Approaches to Dongying Port – Construction (T)

Date May 30 to December 31, 2025

Area joining: (1) 38°18'52".3N, 118°39'20".8E
(2) 38°18'25".1N, 118°44'46".3E

Blank Page

(3)38°19'17".5N,118°44'53".9E

(4)38°19'48".0N,118°39'29".2E

(5)position (1) above

Note: Keep watching on HF .

Chart 23001 32001 1304

Source Dongying Navigation Notice 0478/2025

646.Bohai Sea – Approaches to Dongying Port – Construction(T)

Date May 27 to November 22, 2025

Area area1, joining:

(1)38°18'35".6N,118°44'47".5E

(2)38°18'27".2N,118°44'21".5E

(3)38°17'49".4N,118°44'43".2E

(4)38°18'02".4N,118°47'54".4E

(5)38°17'16".3N,118°49'51".1E

(6)38°17'20".1N,118°50'42".4E

(7)38°17'18".8N,118°50'57".2E

(8)38°16'46".4N,118°51'05".0E

(9)38°16'49".9N,118°51'29".5E

(10)38°17'35".5N,118°51'17".6E

(11)38°17'39".3N,118°50'38".6E

(12)38°17'35".6N,118°49'52".8E

(13)38°18'22".2N,118°47'58".2E

(14)38°18'08".8N,118°44'40".1E

(15)position (1) above

area2, joining:

(16)38°18'52".3N,118°39'20".8E

(17)38°18'25".1N,118°44'46".3E

(18)38°19'17".4N,118°44'53".9E

(19)38°19'48".0N,118°39'29".2E

(20)position (16) above

Note: Keep watching on HF .

Chart 23001 32001 32202 1304

Blank Page

Source Dongying Navigation Notice 0455/2025

647. Bohai Sea – Approaches to Dongying Port – Construction (T)

Date September 26, 2024 to November 30, 2025

Area joining: (1) 38°03'03".5N, 119°12'49".9E
(2) 38°01'13".6N, 119°11'25".2E
(3) 38°00'15".0N, 119°21'37".2E
(4) 38°02'25".0N, 119°18'05".2E
(5) position (1) above

Note: Keep watching on HF .

Chart 32202

Source Dongying Navigation Notice 0759/2024&0469/2025

648. Bohai Sea – Approaches to Dongying Port – Construction (T)

Date November 13, 2024 to November 30, 2025

Area joining: (1) 38°01'09".3N, 119°11'11".3E
(2) 37°59'37".3N, 119°12'24".7E
(3) 37°59'06".4N, 119°19'55".6E
(4) 38°00'14".0N, 119°20'49".9E
(5) position (1) above

Note: Keep watching on HF .

Chart 32202

Source Dongying Navigation Notice 0948/2024&0467/2025

649. Yellow Sea – Weihai Port Northwards – Construction (T)

Date May 31 to November 30, 2025

Area joining: (1) 38°09'37".8N, 122°05'04".2E
(2) 38°10'03".6N, 122°10'31".8E
(3) 38°07'39".6N, 122°12'10".8E
(4) 38°03'57".0N, 122°12'08".4E
(5) 38°06'42".0N, 122°06'14".4E

Blank Page

(6)position (1) above

Note: Keep watching on VHF ch.16.

Chart 12002

Source Weihai Navigation Notice 0484/2025

650.Yellow Sea – Weihai Port Northwards – Construction (T)

Date April 30 to November 30, 2025

范围 连接:

Area joining:

- (1)38°09'15".6N,122°05'47".6E
- (2)38°09'35".4N,122°10'15".0E
- (3)38°07'33".0N,122°11'37".8E
- (4)38°04'41".4N,122°11'37".8E
- (5)38°06'58".8N,122°06'42".0E
- (6)position (1) above

Note: Keep watching on VHF ch.16.

Chart 12002

Source Weihai Navigation Notice 0382&0483/2025

651.Yellow Sea – Lianyungang Port – Tianwankuahui Bridge Eastwards – Construction (T)

Date October 31, 2024 to June 30, 2026

Area joining:

- (1)34°39'12".0N,119°28'56".0E
- (2)34°39'47".0N,119°29'50".0E
- (3)34°39'21".0N,119°29'50".0E
- (4)34°39'22".0N,119°31'47".0E
- (5)34°39'00".0N,119°31'29".0E
- (6)34°39'00".0N,119°29'20".0E
- (7)34°39'15".0N,119°29'02".0E
- (8)34°39'11".0N,119°28'57".0E
- (9)position (1) above

Note: Keep watching on VHF ch.16&69. Irrespective vessels are prohibited from entering the safety operating area.

Chart 41122 41321

Blank Page

Source Lianyungang Navigation Notice 0172/2024&0143/2025

652.East China Sea – Huangpujiang River – Construction(T)

Date June 1, 2025 to May 31, 2026, day and night

Area area 1, extend 4m riverwards from the coastline

between the two points: (1)31°00'40".9N,121°26'32".4E

(2)31°00'40".3N,121°26'29".2E

area2, extend 40m riverwards from the coastline

between the two points: (3)31°00'35".9N,121°26'10".8E

(4)31°00'34".4N,121°26'02".5E

area3, extend 2m riverwards from the coastline

between the two points: (5)31°00'15".5N,121°25'36".2E

(6)31°00'09".8N,121°25'31".6E

area4, extend 2m riverwards from the coastline

between the two points: (7)31°00'08".9N,121°25'31".2E

(8)30°59'56".3N,121°25'11".5E

area5, extend 2m riverwards from the coastline

between the two points: (9)30°59'55".3N,121°25'08".7E

(10)30°59'54".4N,121°25'05".7E

area6, extend 35m riverwards from the coastline

between the two points: (11)30°59'40".9N,121°24'19".6E

(12)30°59'34".1N,121°23'35".3E

area7, extend 35m riverwards from the coastline

between the two points: (13)30°59'34".4N,121°23'34".8E

(14)30°59'33".1N,121°23'27".8E

area8, extend 35m riverwards from the coastline

between the two points: (15)30°59'32".0N,121°23'22".3E

(16)30°59'30".5N,121°23'11".6E

Note: Keep watching on VHF ch.06. Irrespective vessels are prohibited from entering the safety operating area.

Chart 44213 44214 44267 44268 44269

Blank Page

Source Shanghai Navigation Notice 0459/2025

653.East China Sea – Zhoushan Archipelago – Xiaoyangshan Northwards – Pier Construction (T)

Date May 28, 2025 to May 26, 2026, day and night

Area joining: (1)30°38'51".1N,122°04'56".9E
(2)30°38'35".7N,122°05'40".1E
(3)30°38'26".6N,122°05'35".8E
(4)30°38'41".9N,122°04'52".8E
(5)position (1) above

Note: Keep watching on VHF ch.16. Irrespective vessels are prohibited from entering the safety operating area.

Chart 52152

Source Shanghai Navigation Notice 0450/2025

654.East China Sea – Zhoushan Archipelago – Xiaoyangshan Northwards – Pier Construction (T)

Date May 28, 2025 to May 28, 2026, day and night

Area joining: (1)30°38'41".8N,122°05'19".2E
(2)30°38'27".9N,122°05'58".9E
(3)30°38'19".8N,122°05'55".1E
(4)30°38'33".7N,122°05'15".4E
(5)position (1) above

Note: Keep watching on VHF ch.16. Irrespective vessels are prohibited from entering the safety operating area.

Chart 52152

Source Shanghai Navigation Notice 0449/2025

655.Taiwan Strait – Meizhou Bay – Dongzhou Peninsula Northeastwards – Pier Construction (T)

Date May 27 to December 30, 2025

Area joining: (1)25°03'33".5N,118°57'12".4E
(2)25°03'32".2N,118°57'14".0E
(3)25°02'34".3N,118°56'20".4E
(4)25°02'35".5N,118°56'18".8E

Blank Page

(5)position (1) above

Note: Irrespective vessels are prohibited from entering the safety operating area.

Chart 64111

Source Quanzhou Navigation Notice 0272/2025

656.South China Sea – Yangjiang Port – Pier Construction(T)

Date May 21, 2025 to February 4, 2027

Area area1, joining:

(1)21°43'27".9N,111°48'55".5E

(2)21°43'31".8N,111°48'45".3E

(3)21°43'35".4N,111°48'35".4E

(4)21°43'23".2N,111°48'29".0E

(5)21°43'22".0N,111°48'31".6E

(6)21°43'24".4N,111°48'37".3E

(7)21°43'24".9N,111°48'40".9E

(8)21°43'25".1N,111°48'42".4E

(9)21°43'21".4N,111°48'55".4E

(10)position (1) above

area2, joining:

(11)21°43'36".0N,111°48'36".0E

(12)21°43'24".0N,111°48'31".0E

(13)21°43'25".0N,111°48'35".0E

(14)21°43'26".0N,111°48'42".0E

(15)21°43'22".0N,111°48'54".0E

(16)21°43'24".0N,111°48'54".0E

(17)21°43'29".0N,111°48'56".0E

(18)position (11) above

Chart 86301

Source Yangjiang Navigation Notice 1148/2025

657.Beibu Gulf – Approaches to Fangcheng Port – Construction(T)

Date May 26, 2025 to November 7, 2026

Blank Page

Area joining:

- (1) 21°39'41".8N, 108°23'56".8E
- (2) 21°39'39".6N, 108°23'56".0E
- (3) 21°39'30".6N, 108°24'00".9E
- (4) 21°39'34".1N, 108°24'16".1E
- (5) 21°39'29".6N, 108°24'25".5E
- (6) 21°39'19".3N, 108°24'33".2E
- (7) 21°39'08".6N, 108°24'34".5E
- (8) 21°39'16".7N, 108°24'38".3E
- (9) 21°39'39".4N, 108°24'30".1E
- (10) 21°39'42".6N, 108°24'26".0E
- (11) 21°39'49".6N, 108°24'16".9E
- (12) 21°39'50".3N, 108°24'14".6E
- (13) 21°39'52".7N, 108°24'13".6E
- (14) 21°39'44".2N, 108°23'55".6E
- (15) position (1) above

Note: Keep watching on VHF ch.16.

Chart 93105

Source Fangchenggang Navigation Notice 0466/2025

Blank Page

HYDROGRAPHIC INFORMATION REPORT SHEET

Name(s) of report sender(s)

Mailing address

Subject

Geographical area

Position or area limit ("PA" indicated if applicable)

.....

Affected chart(s)/publication(s)

Details:

Suggestion(s)/request(s)

.....

Signature :

Date:

HYDROGRAPHIC INFORMATION REPORT SHEET

INSTRUCTIONS

1. Extent of Information to be reported:

- a) Discovery or the changes in position, range, depth of uncovered reefs, shoals, wrecks or other obstructions.
- b) Discovery or changes of floating objects (e.g buoys, mooring buoys, large scale fishing stakes, floating shipwrecks), magnetic anomalies, discolored water or breakers.
- c) Establishments or changes of navigation facilities.
- d) Establishments or changes of mooring or berthing facilities (e.g. piers, submarine cables, overhead cables, mooring buoys, breakwaters).
- e) Changes in the limit of fairway, anchorages or sailing route.
- f) Shortcomings in Chinese coastal port and fairway charts and other relative publications.

2. Instructions:

- a) Measuring instrument, methods and time should be specified in expressing the location or scope; and the coordinate system should be indicated (2000 national geodetic coordinate system or WGS-84 coordinate system).
- b) When position expressed in bearing and distance, the origin should be specified; and when position expressed in latitude and longitude, the number, edition and publisher of chart referred to should be specified.
- c) Measuring instrument, methods and time of the obstruction or shoal soundings should be indicated. In addition, the sounding datum and whether it makes corrections for the height of the tide should also be indicated.
- d) Elevation of a navigational mark should be accompanied by the datum it referred to, and height of a light should indicate whether it refers to that of the top or that of the center.
- e) The report should be signed and affix the official seal.

3. Remarks:

- a) The information reported will be checked upon our receipt and then used to the best advantage which may mean inclusion in due weekly edition of Notices to Mariners. Certain amount of compensation will be given to the report senders.
- b) Please send the report to Shanghai Nautical Chart Center. Address: 82 Lane 7, Gongqing Road, Yangpu District, Shanghai.